

Report No.: 8003-462

Rev. No.: 2

FINAL HAZARD RANKING SYSTEM EVALUATION LCP CHEMICALS, INC. LINDEN TOWNSHIP, UNION COUNTY, NEW JERSEY PREPARED UNDER

WORK ASSIGNMENT NO. 038-2JZZ CONTRACT NO. 68-W9-0051

FEBRUARY 1997

VOLUME 2 OF 4

REFERENCE NO. 1



Friday December 14, 1990

Part II

Environmental Protection Agency

40 CFR Part 300 Hazard Ranking System; Final Rule

101595 Bf16/,p. bf/

REFERENCE NO. 2

United States Environmental Protection Agency Office of Emergency and Remedial Response Washington, DC 20460

Publication September 1995

Supertuna

\$EPA

Superfund Chemical Data Matrix

TABLE OF CONTENTS

e(ction		Page
	TABLE OF C	ONTENTS	. ш
	SECTION 1	INTRODUCTION	
	SECTION 2	SUPERFUND CHEMICAL DATA MATRIX DATA SELECTION RULES 2.1 HAZARDOUS SUBSTANCE IDENTITIES 2.2 DATA SELECTION METHODOLOGY 2.2.1 Toxicity Information 2.2.2 Carcinogenicity Information 2.2.3 Mobility Information 2.2.4 Persistence Information 2.2.5 Bioaccumulation Potential Information 2.2.6 Ecotoxicity Parameters 2.2.7 Benchmarks	. 3 . 5 . 5 . 7 . 9 . 13 . 14
	SECTION 3	CHEMICAL DATA, FACTOR VALUES, AND BENCHMARKS FOI HAZARDOUS SUBSTANCES	
	APPENDIX A	CHEMICAL DATA, FACTOR VALUES, AND BENCHMA FOR CHEMICAL SUBSTANCES	
	APPENDIX I	1 TABLES FOR NON-RADIOACTIVE HAZARDO SUBSTANCES	
	APPENDIX I	2 TABLES FOR RADIONUCLIDES	B- 7 7
	A DDENING	CVNONVA LICT	C 1

iii

SECTION 1

INTRODUCTION

The Superfund Chemical Data Matrix (SCDM) is a source for factor values and benchmark values applied when evaluating potential National Priority List (NPL) sites using the Hazard Ranking System (HRS). The HRS assigns factor values for toxicity, gas migration potential, gas and ground water mobility, surface water persistence, and bioaccumulation potential based on the physical, chemical, and radiological properties of Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) hazardous substances present at a site for a particular migration pathway. Hazardous substances, defined for HRS purposes, are CERCLA hazardous substances plus CERCLA pollutants and contaminants. The HRS also assigns extra weight to targets with exposure levels to hazardous substances that are at or above benchmarks. These benchmarks include both screening concentrations and concentrations specified in regulatory limits for the hazardous substances present at a site for a particular migration pathway.

SCDM contains HRS factor values and benchmark values for hazardous substances that are frequently found at sites evaluated using the HRS, as well as the physical, chemical, and radiological data used to calculate those values. The raw data in SCDM are taken directly from literature sources, from other databases, or are calculated. The HRS rules are then applied to the raw data to arrive at a factor value or benchmark value.

Section 2 of this document explains how data are selected or calculated for inclusion in SCDM. Section 3 describes how SCDM data, HRS factor values, and benchmark values are presented. The factor values and benchmark values are listed, substance by substance, in Appendix A. Appendix B-1 contains the HRS factor values and benchmark tables (organized by pathway) for nonradiological hazardous substances. Appendix B-2 contains similar tables for radionuclides and Appendix C contains a cross reference index of substance name synonyms.

1.1 DEFINITIONS

In addition to the definitions found in Section 1.1 of the HRS (55 FR 51585-51587, 14 December 1990), the following definitions are used in this document:

• <u>Cancer Risk Screening Concentrations</u>: Substance-specific intake concentrations that are based on estimates of a daily exposure level of a substance. They are used in the HRS as benchmarks in evaluating target populations actually exposed to carcinogenic substances (see also the definition of "Screening Concentrations" in Section 1.1 of the HRS).

•

Reference Dose Screening Intake Benchmarks: Substance-specific intake concentrations that are based on estimates of a daily exposure level of a substance. They are used in the HRS as benchmarks in evaluating target population actually exposed to noncarcinogenic substances (see also the definitions of "Reference Dose" and "Screening Concentration" in Section 1.1 of the HRS).

4

Ref. No. 2, p. 4099

in SCDM. SCDM only uses recommended values from the CHEMFATE Database. CHEMEST is used to estimate Log K_{ee} values if values from other sources are not available.

2.2.6 Ecotoxicity Parameters

2.2.6.1 Acute and Chronic Freshwater Criteria

SCDM uses data from the following reference for acute and chronic freshwater criteria:

U.S. Environmental Protection Agency, 1995 Water Quality Criteria-Draft (the Silver Book), Office of Water. U.S. EPA: Washington, DC.

SCDM uses only values that are specifically stated as criteria. At this time, no Ambient Aquatic Life Advisory Concentrations (AALACs) have been specified.

2.2.6.2 Acute and Chronic Saltwater Criteria

SCDM uses data from the following reference for acute and chronic saltwater criteria:

U.S. Environmental Protection Agency, 1995 Water Quality Criteria-Draft (the Silver Book), Office of Water. U.S. EPA: Washington, DC.

SCDM uses only values that are specifically stated as criteria. At this time, no AALACs have been specified.

2.2.6.3 LC Freshwater, Saltwater

SCDM uses data from the following reference for freshwater and saltwater LC₅₀ values:

U.S. Environmental Protection Agency, 1995, Aquatic Information Retrieval (AQUIRE) Database, Environmental Research Laboratory, Duluth, MN.

SCDM uses the lowest, acute LC₅₀ value found for any aquatic organism in the specified environment with an acute exposure duration of greater than one day and less than or equal to four days. All LC₅₀ values where no environment is given but which use NaCl as a control are considered as freshwater LC₅₀ values. When no durations or environments are given, LC₅₀ values are omitted from SCDM.

2.2.7 Benchmarks

The HRS assigns extra weight to targets with exposure levels to hazardous substances that are at or above benchmark values. This section describes the sources for certain regulatory limits that the HRS uses as health-based or ecological-based benchmarks.

Ref. No. 2, p. 509

2.2.7.1 National Ambient Air Quality Standards

SCDM uses data from the following reference for National Ambient Air Quality Standards (NAAQS):

40 CFR Part 50, 1994, National Ambient Air Quality Standards.

2.2.7.2 National Emissions Standards for Hazardous Air Pollutants

SCDM uses the following reference for National Emissions Standards for Hazardous Air Pollutants (NESHAPS):

40 CFR Part 61, 1994, National Emissions Standards for Hazardous Air Pollutants.

SCDM uses only values that are reported in ambient concentration units (µg/m³).

2.2.7.3 Maximum Contaminant Levels

SCDM uses the following reference for Maximum Contaminant Levels (MCLs):

U.S. Environmental Protection Agency, 1995, Drinking Water Regulations and Health Advisories, Office of Water. U.S. EPA: Washington, DC.

SCDM uses only MCLs that are reported in units of concentration (mg/L or μ g/L). SCDM does not contain MCLs for total trihalomethanes (bromoform, bromodichloromethane, chloroform, or dibromochloromethane), asbestos, radium isotopes, gross α -particle activity, or β -particle plus photon radioactivity.

2.2.7.4 Maximum Contaminant Level Goals

SCDM uses the following reference for Maximum Contaminant Level Goals (MCLGs):

U.S. Environmental Protection Agency, 1995, Drinking Water Regulations and Health Advisories, Office of Water. U.S. EPA: Washington, DC.

SCDM uses only nonzero MCLGs that are reported in units of concentration (mg/L or μ g/L). For substances where multiple values are listed due to lack of consensus on appropriate carcinogen class, SCDM contains the lowest number. For substances where MCLs or MCLGs are reported but different, SCDM selects the MCLG as the lower of the two values (55 FR 51593).

Ref. No. 2, D. 60f9

Appendix B-1

Tables for Non-Radioactive Hazardous Substances

Ref. No. 2, p. 7099

Page 8-12 SCDR Version: JUL95 25 SEP 95

MAZARD RANKING SYSTEM Mezerdous Substance Fector Values 377 Substances

					Ground Wel	er Mobil	İty			(Blooccumul	et l'on							
				· ·	lquid	Non	Liquid	Perals	tence	Food	Chain	Envir	ormental	Ecoton	city	44- 4			
Substance Name		CAS Mumber	Toxicity	Koret	Won-Kerst	Kerst	Won-Kerst	River	Loke	fresh	Salt	fresh'	Salt	fresh	Solt	Air Gas Migration	Air Gos Mobility	, Gas	Port
Inderio(1,2,3-cd)pyrene		000193-39-5	1000*	1.0E+00	1.0E-04	2.0E·05	2.0E-09	1.0000	1.0000	50000.0	50000.0	50000.0	50000.0	• • • •	•••	NA	WA	No	Yes
loxynil		001689-83-4	1000	1.0€+00	1.0E+00*	2.0E·01	2.06-01*	0.4000	0.0700	500.0	500.0	500.0	500.0	1000	1000	MA	NA	No	Yes
lron .		007439-89-6	1*	1.07+00	1.06-02*	1.06+00	• 1.0E-02•	1.00004	1.0000*	0.5•	0.5*	0.5	0.54	104	10*	MA*	WA*	Wo	Yes*
Isobutanol		000078-83-1	10	1.06+00	1.06+00	1.0€+00	1.06+00	1.0000*	0.4000	0.5	0.5	0.5	0.5	10	1	17	1.0000	Yes	No
													s.*				,		
Jaopherone		000078-59-1	10	1.06+00	1.0E+00	1.0E+00	1.06+00	1.0000	1.0000	5.0	5.0	5.0	5.0	1	i	11	1.0000	Yes	Wo
Kepone	-	000143-50-0	10000	1.0E+00	1.06.02*	2.0E-01	2.0E-03*	1.00004	1.0000*	50000.0	50000.0	50000.0	50000.0	10000	10000	0	0.0020	Yes	Tes
tend .		007439-92-1	•	1.06+00	1.06.02	2.0€-03	2.06.05	1.0000	1.0000	50.0	5000.0	5000.0	5000.0	1000	1000	MA	U A	No	Tes
L Indane		000058-89-9	10000	1.0€+00	1.06+00*	2.0E·01	2.0E-01*	1.0000	1.0000	500.0	500.0	500.0	500.0	10000	10000	11	0.0200	Teš	Yes
		· · · · ·										-							
Magnes i um		007439-95-4	***	1.06+00	1.06+00	•••		1.0000	1.0000	0.5	0.5	0.5	0.5	•••	•••	RA .	NA	No	Tes
Natathlon		000121-75-5	100	1.06+00	1.06+00*	1.06+00	1.06+00*	1.0000	0.4000	50.0	- 50.0	50.0	50.0	10000	10000	0	0.0020	Yes	Yes
Haleic armydrida		000108-31-6	10	1.0E+00	•••	2.06-05	•••	0.4000	0.0700	50000.0-	50000.04	50000.0*	30000.04	. 1	- 1	6*	1,0000	Yes	H o
Matete hydrazida		000123-33-1	1	1,00+00	1.06+00	1,06+00	1.02.00	0.4000	1.0000	0.5	0.5	0.5	0.5	10	10	17	1.0000	Tee	No
	•									-		•							
Hengane s e		007439-96-5	10000	1.0€+00	1.0E-02	1.0E+00	1.0E-02	1.0000	1.0000	0.5	0.5	~50000.0	50000.0			, WA	WA	No	Yes
Hercury	•	007439-97-6	10000	1.0E+00	1.06-02*	2.06-05	2.0E-07*	1.0000	1.0000	50000.0	50000.0	50000.0	30000.0	10000	10000	6•	0.2000	Yes	Yes
Methocrytonitrile		000126-99-7	10000	1.06+00	1.0E+00	1.0E+00	1.05+00	0.4000	1.0000	0.5	0.5	0.5	0.5	4		17	1.0000	Tes	No
Hethanol		000067-56-1	1	1.06+00	1.06+00	1.0E+00	1.05+00	1.0000	0,4000	. 0.5	0.5	0.5	€.5	101	1	. 11	1.0000	Tes	No
		•									. •			:	•				
Methomyl		014752-77-5	100	1.06+00	1.0€+00	1.0E+00	1.02+00	0.4000	1.0000	0.5	0.5	0.5	0.5	10000	10000	17	1.0000	Yes	Wo
He thoxychi or		000072-43-5	100	1.06+00	1.0E-02*	2.0E·03	2.06.05*	1.0000	1.0000	50000.0	5000.0	50000.0	5000.0	10000	10000	6	0.0020	Tes	Yes .
Methyl chlorocorbonate		000079-22-1	100	1:0E+00		2.0E-05	•••	0.4000	0.0700	50000.00	50000.0*	50000.00	50000.0	•	•••	11*	1.0000	Yes	No
Hethyl ethyl ketone		000078-93-3	10	1.0E+00	1.06+00	1.0€+00	1.06+00	0.4000	0.4000	0.5	0.5	0.5	0.5	,	1	17	1.0000	Yes	Wo

[•] Indicates difference between previous version of chemical data (JUN94) and current version of chemical data.

Page 8-50 SCDN Version: JUL95 25 SEP 95

HAZARD RANKING SYSTEM Hazardous Substance Benchmarks 377: Substances

		DRINKING WATER	R .		FOOD CHAIN		ENVI	RONMENTAL	
Substance Name	HCL/HCLG CAS Number mg/L	Reference Dose Screen Conc mg/L	e Cancer Risk Screen Conc mg/L	FDAAL ppm	Reference Dose Screen. Conc mg/kg	Cancer Risk Screen Conc mg/kg	AUQ Freshwater ug/L	C/AALAC Saltwater ug/L	
Indeno(1,2,3-cd)pyrene	000193-39-5	•••	1.2E-04*	•••	•••	4.3E-03*	•••	•••	
Toxymil	001689-83-4	•••		:	•••	•••	•••	•••	
Iron	007439-89-6 *	•	•	•	•	•	1.0E+03*	1.0E+03*	
Isobutanol	000078-83-1	1.16+01*	•••	•••	4.1E+02*	•••	•••	•••	
Isophorone	000078-59-1	7.3E+00*	9.0E-02*	•••	2.7E+02*	3.3E+00*	•••	•••	
Kepone	000143-50-0	•••	•••	3.0E-01	•••	•••	•••	•••	
Lead	007439-92-1 1.5E-02	• • •	•••	•••		•••	3.2E+00	3.2E+00*	
Lindane	000058-89-9 2.02-04	1.18-024	6.6E-05*	•••	4.1E-01*	2.4E-03*	8.0E-02	8.0E-02 .	
	· ·								
Hagnes I um	007439-95-4	•••	•••	•••	•••	. •••	•••	•••	
Hatathion	000121-75-5	7.3E-01*	•••	•••	2.7E+01*	•••	1.0E-01	1.0E-01	
Maleic anhydride	000108-31-6	3.7E+00*		•••	1.4E+02*	•••	•••	• • • •	
Mateic hydrazide	000123-33-1	1.86+01*	•••	•••	6.8E+02*	•••	•••	•••	
•									
Hanganese	007439-96-5	1.8E-01*	•••	•••	6.8E+00*	•••	• • •	•••	
Hercurý	007439-97-6 2.0E-03	1.1E-02*	•••	1.06+00	4.1E-01*	•••	1.2E-02	1.2E-02*	
Methacrylonitrile	000126-98-7	3.7E-03*	•••	•••	1.4E-01*	•••	•••	•••	
Methanol	000067-56-1	1.8E+01*	. •••	•••	6.8E+02*	•••	•••		
•	•				٠			<u>:</u>	10:
Methomyl	016752-77-5	9.1E-01*	•••	•••	3.4E+01*	****	•••	•••	16
Hethoxychlor	000072-43-5 4.0E-02	1.8E-01*	•••	, •••	6.8E+00*	•••	3.0E-02	3.0E-02	05
Methanol Methomyl Methoxychlor Methyl chlorocarbonate	000079-22-1	•••		•••	•••	•••	•••	•••	
Nethyl ethyl ketone	000078-93-3	2.2E+01*		•••	8.1E+0Z*	•••	•••	•••	!

REFERENCE NO. 3

SELECTION: SEQUENCE:

RUN DATE: 01/18/96 15:14:43 CERCLIS DATA BASE DATE: 12/07/95 CERCLIS DATA BASE TIME: 20:30:47 VERSION 6.00

** PROD VERSION ** U.S. EPA SUPERFUND PROGRAM

** CERCLIS **

LIST-8E: SITE/EVENT LISTING

CERHELP DATA BASE DATE: CERHELP DATA BASE TIME: N/A

PAGE:

N/A

EVENTS: ALL

> SITE NAME STREET

REGION, STATE, SITE NAME

EPA ID NO.	•	TATE ZIP	OPRBLE UNIT	EVENT TYPE		ACTUAL START DATE	ACTUAL COMPL DATE	EVENT LEAD
NJD048044325	LANDFILL & DEVELOPMENT CO							
(CONTINUED)	·		(00)			09/01/83	10/01/83	EPA (FUND)
			01	C01		10/03/86		STATE ONLY
NJD980505382	LANG PROPERTY		00	RS1		03/27/90		EPA (FUND)
	WHITESBOG-PASADENA RD			RS2		12/09/92		EPA (FUND)
	PEMBERTON TWP	NJ 08015		DS1	•			EPA (FUND)
•	005 BURLINGTON			PA1				EPA (FUND)
				HR1				EPA (FUND)
				NP1	•			EPA (FUND)
				NF1	•			EPA (FUND)
				SII		11/01/79	08/01/82	EPA (FUND)
				S12		11/01/79	08/01/82	STATE (FUND)
			01	CR1	•	06/17/86		FED_ENFORCE
	•			AR1	•	08/30/93		EPA (FUND)
*				WP1		09/26/84	03/07/85	FED ENFORCE
	• .			CO1		09/26/84	09/29/86	FED ENFORCE
•	•			RO1			09/29/86	FED ENFORCE
	•			RD1		03/20/87	09/30/93	EPA (FUND)
				RD2		11/20/87	06/15/88	EPA (FUND)
				RA1		07/05/88	11/29/88	EPA (FUND)
				RA2		09/30/92		EPA (FUND)
	•			MA1		09/30/92		EPA (FUND)
				DA1	·	03/18/87		EPA (FUND)
				AS1			07/01/83	EPA (FUND)
NJD981490279	LANGSTON DIV-MOLINS MACHINE	co.	00	DS1			06/27/86	STATE (FUND)
*	2001 SOUTH SIXTH STREET			PA1		06/27/86	• • • •	STATE (FUND)
	CAMDEN	NJ 08104		SII		01/01/90	7	STATE (FUND)
	007 CAMDEN						00,00,00	,
NJD001382373	LAPLACE CHEMICAL COMPANY		00	DS1	•		11/30/92	STATE (FUND)
100001302373	LELIARTS LANE		•	PA1				STATE (FUND)
	ELMWOOD PARK	NJ 07407		SII		06/23/88		STATE (FUND)
	003 BERGEN			SP1	·	00/23/00	09/30/94	
NJD079303020	LCP CHEMICALS INC		00	RS1		08/17/94	09/09/94	EPA (FUND)
100017303020	FOOT OF S WOOD AVE			DS1		00,11,34		EPA (FUND)
	LINDEN	NJ 07036		PA1			• •	EPA (FUND)
		MG 01030		SI1	·	05/01/05		EPA (FUND)
	039 UNION					02/01/85		
	,			SP1			07/25/95	

REFERENCE NO. 4

QUALITY ASSURED EPA-MMB FINAL CONTRACT LABORATORY DATA

SITE NAME: LCP CHEMICAL

CASE NO./SAS NO.: 23123

TYPE OF ANALYSIS (circle one):

VOA only

Full TCL

Full TAL (ITPA)
Full TAL and CN

SAS/Other_

From:

VALERIE SMITH - CNJ

Sent to:

DAVID KAHLENBERG - CNJ

Date Sent: 3/27/95

SITE NAME: LCP CHEMICAL PROJECT#: 8003-431 SAMPLING DATE: 1/11/95 EPA CASE NO.: 23123 LAB NAME: IT ANALYTICAL

INORGANICS Sample ID No. Traffic Report No. Matrix Units Percent Solids	SW1 MBKW54 WATER Ug/L		SW2 MBKW55 WATER ug/L		SW3 MBKW56 WATER ug/L		SW4 MBKW57 WATER ug/L		SW5 MBKW58 WATER ug/L		SW6 MBKW59 WATER ug/L		SW7 MBKW60 WATER ug/L		SW8 MBKW61 WATER ug/L		SW9 MBKW62 WATER ug/L		SW10 MBKW63 WATER ug/L	
Aluminum	922		230		3170		19.6	J	446		4480	E	23600	E	54.2	J	96.3	J	866	
Antimony	l																			
Arsenic	48.7		97.4		54.9		73.5		127		126	Ε		Ε	65.1		62.9		23.8	
Barium	1040		212		1770		12.5	J	800		9580		6800		113	J	180	J	319	
Beryllium	!								_		0.28		1.3							
Cadmium	1 07000		40000		6.6		505000		-	J	4.9	J	33	E	04400		05000			
Calcium Chromium	37800		18900		100000 25		535000		217000		90400	_	133000	_	64400		85800		148000	
Cobalt	4.5	J	31.7		4.3		3.9		10 1.9		46.8 10.3		231 22.9						4.3	J
Copper	39.6		38.6		106		3.9	J	29.4	J	10.3		520		4.2		5.6		27.1	
Iron	3430		1710		7760		20000		6990		12200		53800		2150	3	2400	J	2060	
Lead	92.8		9.1		78.1		20000		27.5		104		446	_	1.3	J		J	14	
Magnesium	25100		19900		193000		91700		142000		182000	_	255000	_	123000	_	183000	•	394000	
Manganese	76.5		20.7		191		806		526		610		950		565		516		206	
Mercury	1.2		30.5		93				44.6		65.3		60.2		1		2		3.7	
Nickel	j		10.6	J	8.2	J					12	J	60.6	Ε						
Potassium	22200		41100		122000		75800		77500		68800		94800		52700		67800		144000	
Selenium	Ī												4.9	J						
Silver	1												8.3	J						
Sodium	465000		895000	2	2060000		1920000		2120000		1620000		2160000		1100000		1590000		3640000	
Thallium]											•								
Vanadium	10.5		65.3		15.2		2.9		14.2		14.5		83.9		2.5		3.8		5.1	
Zinc	136	Ε	52.9	E	329	Ε	137	Ε	303	E	316	E	1440	Ε	33.7	E	47.6	Ε	74.4	E

NOTES:

Blank Space - compound analyzed for but not detected

E - estimated value

J - estimated value, compound present

below CRDL but above IDL

R - analysis did not pass EPA QA/QC

NR - analysis not required

SITE NAME: LCP CHEMICAL PROJECT#: 8003-431 SAMPLING DATE: 1/11/95 EPA CASE NO.: 23123 LAB NAME: IT ANALYTICAL

INORGANICS Sample ID No. Traffic Report No. Matrix Units Percent Solids	SED1 MBKW64 SEDIMENT mg/kg 47.2		SED3 MBKW66 EDIMENT mg/kg 24.9		SED4 MBKW67 EDIMENT mg/kg 45	•	SED5 MBKW68 SEDIMENT mg/kg 51.3	•	SED6 MBKW69 SEDIMENT mg/kg 31.3		SED7 MBKW70 SEDIMENT mg/kg 33.4		SED9 MBKW72 SEDIMENT mg/kg 30.5		SED10 MBKW73 SEDIMENT mg/kg 26.4	,
Aluminum	5490	E	9340	E	2330	E	6540		10900	E	9310	E	11600	E	13300	E
Antimony `	j 7	J										•				
Arsenic	j 103	Ε	115	Ε	318	Ε	80.3	•	166	Ε	147	Ε	90	Ε	75.4	Е
Barium	4890	Ε	5190	E	4710	Ε	18600		36300	Ε	30600	Ε	12000	Ε	2140	E
Beryllium	0.47	J	0.74	J	0.23		0.54	J	0.66	J	0.63		0.86		1.2	
Cadmium	24.2		16.5		3.2		132			Е	6.6		7.6		4.5	
Calcium	3880		7100	_	7970		5040		6270		5 830		402 0		395 0	
Chromium	263		100	_	19.6	E	59.5		150		145		144		136	
Cobalt	13.1			-		J	22.4	Е	32.8		28.4		18.6		14	
Copper	143		383		65. 6		201		279		264		389		327	
Iron	20800		36800		57300		25300		26000	_	22700		23100	_	25300	
Lead	617	E			82.3	Ε	182	Ε		E		E		Ε	312	
Magnesium	1920		7190	_		J	3210		7930	-	7190		5780		6280	
Manganese	233		319		325		241			E	198			Е	209	
Mercury	8.8					Ε	187		350		470		433		56.9	
Nickel	24.5		52.7		12.9	J	20.3			Ε	41.3		52.9		47.9	
Potassium	576		2470			J	1080					J	2430		2960	
Selenium	3.8		5.6		2.6	Ε	2	E		Ε	6.6		10.2		7.6	
Silver	3.3		3.5					J	3.6	J	4	J		J	3.7	
Sodium	948	J	7320	E	3 430	E	73240		12800	Ε	11800	Ε	12900	E	16200	Ε
Thallium																
Vanadium	43		64.9			J	26.6			E	45.2		43.5		49.5	
Zinc	12500	Ε	1030	Ε	777	Ε	9040		490	E	448	E	526	Ε	502	Е

NOTES:

Blank Space - compound analyzed for but not detected

E - estimated value

J - estimated value, compound present below CRDL but above IDL R - analysis did not pass EPA QA/QC

NR - analysis not required

SITE NAME: LCP CHEMICAL PROJECT#: 8003-431 SAMPLING DATE: 1/11/95 EPA CASE NO.: 23123 LAB NAME: IT ANALYTICAL

INORGANICS Sample ID No. Traffic Report No. Matrix Units Percent Solids	SL1 MBKW74 SOIL mg/kg 83.6		SL2 MBKW78 SOIL mg/kg 85.5		SL3 MBKW79 SOIL mg/kg 83.7		RIN1 MBKW75 WATER ug/L		RIN2 MBKW76 WATER ug/L		
Aluminum	6700		4150		1520		52.6	J	46.7	J	
Antimony	i		5.4	J							
Arsenic	8.5		17		1.4	J					
Barium	1300		816		2110		0.85	J	1	J	
Beryllium	0.25	J	0.57	J	0.48	J					
Cadmium	0.44	J									
Calcium	6080		2210		780		559	J	588	J	
Chromium	19.1		13.1		5.2	Ε					
Cobalt	j 11.2	J	17.9	Ε	3.4	J					
Copper	78		156		31.2		4.1	J	3.3	J	
Iron	16500		12100		4810		28.6	J	24.4	J	
Lead	63.1	Ε	304	Ε	18						
Magnesium	6310		2760		1030	J	41.7	J	18.6	J	
Manganese	221.		145		54.7						
Mercury	26.5		110		98.9					-	
Nickel	20.8	Ε	19.2	Ε	5.5	J					
Potassium	237	j	495	J							
Selenium	0.89	J	0.66	J	0.77	J					
Silver	J 37										
Sodium	372	J	624	J	147	J	1180	J	1010	J	
Thallium	l										
Vanadium	42.3		19.7		9.6	J					
Zinc	196		833		148		3.8	J	9.3	J	

NOTES:

Blank Space - compound analyzed for but not detected

E - estimated value

J - estimated value, compound present below CRDL but above IDL R - analysis did not pass EPA QA/QC NR - analysis not required

RECORD OF COMMUNICATION

REGIONAL SAMPLE CONTROL CENTER

RECEIVED DATE: MAR 1 U 1995 SUBJECT: CLP Data Package for Quality Assurance Review FROM: TO: George Karras. Toxic and Hazardous Waste Section Attached is the following INORGANIC Data Package to be reviewed for Quality Assurance 23123 CASE# **#SAMPLES PHASE** LAB REGION II RSCC DATA TRANSFER LOG Relinquished By Received By Date/Time Signature Date/Time Signature

101613

(over for instructions) revsd 12/94

Page 27 of 34

Title: Evaluation of Metals Data for the

Contract Laboratory Program

Appendix A.2: Data Assessment Narrative

Date: Jan. 1992

Number: HW-2

Revision: 11

Case# 23123

Site LCP Chemical

Matrix: Soil 11

SDG# MBKW54 & 64

Lab ITPA

Water 12

Contractor APER

Reviewer C. STANCA

Other

A.2.1. Validation flags-

The following flags have been applied in red by t data validator and must be considered by the dat user.

J- This flag indicates the result qualified as estimated.

Red-Line-

A red-line drawn through a sample result indicat unusable value. The red-lined data are known to contain significant errors based on documented information and must not be used by the data use

Fully Usable Data -

The results that do not carry "J" or "red-line" are fully usable.

Contractual Qualifiers - The legend of contractual qualifiers applied be the lab on Form I's is found on page B-20 of SOW ILM01.0

A.2.2. The data assessment is given below and on the attached sheets.

This case consists of 12 water and 11 soil samples collected at the LCP Chemical site on 1/11/95 for metals analysis. Samples MBKW75 a 76 were identified as field blanks. Samples MBKW60 and MBKW70 were identified as field duplicates of samples MBKW59 and MBKW69 respectively. Matrix spike and laboratory duplicate analyses were performed on samples MBKW58 (aqueous) and MBKW68 (soil). Serial dilution analyses were performed on MBKW54 (aqueous) and MBKW64

SDG# MBKW54 (AQUEOUS)

CRDL

The CRDL standard recoveries were outside the control limits of 80 - 120% for Pb (%R, = 132.0; %R, = 121.5) and Tl (%R, = 74.6).

> 60F69

Page 28 of 34

Title: Evaluation of Metals Data for the

Contract Laboratory Program

Appendix A.2: Data Assessment Narrative

Date: Jan. 1992 Number: HW-2

Revision: 11

A.2.2. (continuation)

All associated sample results within the affected range have been qualified as estimated.

"J": Pb ---> MBKW61, 62.

T1 ---> MBKW54, 55, 56, 57, 58.

MATRIX SPIKE

The matrix spike recovery was outside the control limits of 75 - 12! for Ag (%R = 74.3). All associated sample results have been qualifias estimated.

"J": MBKW54, 55, 56, 57, 58, 59, 60, 61, 62, 63, 75, 76.

ICP SERIAL DILUTION

ICP serial dilution analysis yielded a percent difference greater that less than 100 for Zn (%D = 11.5). All associated sample results greater than CRDL have been qualified as estimated.

"J": Zn ---> MBKW54, 55, 56 57, 58, 59, 60, 61, 62, 63.

FIELD DUPLICATE

The RPD between sample (MBKW59) and field duplicate (MBKW60) result was greater than 50% for Al, As, Fe, Pb, V, and Zn, where both samp and duplicate results were greater than 5 X CRDL. Also, the difference between the results of the above mentioned sample and duplicate pair was greater than CRDL for Cd, Cr, Cu, and Ni where sample and/or duplicate results were less than 5 X CRDL. All associated sample results not previously qualified have been qualif as estimated.

"J": Al, As, Cd, Cr, Cu, Fe, Pb, Ni, V ---> MBKW59, 60.

Note: In results in both sample and duplicate have been previously qualified due to ICP serial dilution criteria.

SDG# MBKW64 (SOIL)

CRDL

The CRDL standard recoveries were outside the control limits of 80 - 120% for Se ($R_1 = 128.2$; $R_2 = 136.3$; $R_3 = 123.0$) and Cr

1615 70F 69

Page 29 of 34

Title: Evaluation of Metals Data for the

Contract Laboratory Program

Appendix A.2: Data Assessment Narrative

Date: Jan. 1992 Number: HW-2

Revision: 11

A.2.2. (continuation)

 $(R_3 = 77.2)$. All associated sample results within the affected ran have been qualified as estimated.

"J": Se ---> MBKW64, 66, 67, 68, 69, 70, 72, 73, 74, 78, 79. Cr ---> MBKW79.

MATRIX SPIKE

The matrix spike recoveries were outside the control limits of 75 - 125% for Sb (%R = 66.1) and Pb (%R = 125.9). All associated sample results have been qualified as estimated.

"J": Sb, Pb ---> MBKW64, 66, 67, 68, 69, 70, 72, 73, 74, 78, 79.

ICP SERIAL DILUTION

The ICP serial dilution analysis yielded a percent difference great than 10 but less than 100 for Co (%D = 15.9) and Ni (%D = 38.0). A associated sample results greater than CRDL have been qualified as estimated.

"J": Co ---> MBKW68, 69, 78. Ni ---> MBKW64, 66, 68, 69, 70, 72, 73, 74, 78.

PERCENT SOLIDS

The percent solids for samples MBKW64, 66, 67, 69, 70, 72, and 73 where less than 50 but more than 10. All analytes in the above mentioned samples not previously qualified have been qualified as estimated.

"J": All analytes (except Sb, Pb, Ni, Se)---> MBKW64, 66, 70, 72, All analytes (except Sb, Pb, Se) ---> MBKW67.
All analytes (except Sb, Co, Pb, Ni, Se) ---> MBKW69.

Ryller, p. 80 F 69

Page 30 of 34

Title:

Evaluation of Metals Data for the

Contract Laboratory Program

Appendix A.2: Data Assessment Narrative

Date: Jan. 1992 Number: HW-2 Revision: 11

3/10/95

A.2.3. Contract-Problems/Non-Compliance

MIMB	Reviewer:		Date:_	
Contractor	Reviewer:	Signature Signature	Date:_	2-22-95
Ve	rified by:		Date:	
•		Signature		- C CC

Title: Evaluation of Metals Data for the

Contract Laboratory Program

Appendix A.5: CLP Data Assessment

Summary Form (Inorganics)

Page 40 of 41 Date: June 93 Number: HW-2

Revision: 12

	CLP DATA ASSESSMENT	SUMMARY FORM	(INORGANICS)	
Type of Review: //ici			Date: 2-17-95 Ca	se # 23/23
Site: LCP Chemica	. /		Lab Name: ITPA	
Reviewer's Initials: (Number of Samples:	121 115
Ana	alytes Rejected Due t	o Exceeding R	Review Criteria:*	

	Solding Times	Cultimetries	Prop Blank	Pield Blank	Sections Experience	Spiles herecy	Dup. Lab	Day. Ploid	Antonia Linkto	LOS	Serial Minim	3465	Potal Juntan	- Since
109														
ę.														,
ł														
Terrary														
TEAL														
Color		·	,											

Analytes Flagged as Estimated (J) Due to Exceeding Criteria For:*

												/		
	Subting Times	orniva	Frep Blank	Field Blank	Reserve	âpdbo herey	Dog.	Dap. Field	Idults	LCS	Serial Minim	-	Sotal Impres	
D		19				34		10			22	126	506	21
ŧ														
16													·	
Revoley												7	23	Ŧ
Teres!		19				34	·	18			22	133	529	25
Other														

Note: Asterisk (*) indicates additional exceedances of review criteria.

Pillota. 100 + 69

Page 34 of 34

Title: Evaluation of Metals Data for the

Contract Laboratory Program

Appendix A.6: CLP Data Assessment Checklist

Date: Jan. 1992 Number: HW-2 Revision: 11

Inorganic Analysis

IN	ORGANIC REGIONA	L DATA ASSES.	SMENT	Region
PASE NO. 23/23		SITE	LCP Ch	
ABORATORY ITAS PITTSBU	'RGH	พอ. อิ	F SAMPLES/	
DC# MBKW54 8.64			VER (IF NO	,
16MC3 6	· · · · · · · · · · · · · · · · · · ·	REVIE	ver's name	C Stanca
OPO: ACTIONFYI			ETTON DATE	
	DATA ASSESSME ICP	NT SUMARY	Hg	CYANIDE
. HOLDING TIMES CALIERATIONS	<u> </u>			
ELANKS	C		Ü	
i. ics	<u> </u>			
DUPLICATE ANALYSIS MATRIX SPIKE	<u> </u>			
. MSA			<u>c</u> _	-
O. SERIAL DILUTION O. SAMPLE VERIFICATION	<u> </u>		0)
1. OTHER QC			0	
2. OVERALL ASSESSMENT			2	-
 0 = Data has no problems/o M = Data qualified due to Z = Data unacceptable. X = Problems, but do not a 	major problems.	co music pr	coters.	
CTION ITEMS:				
				-
				· · · · · · · · · · · · · · · · · · ·
REAS OF CONCERN:				
REPAS OF CONCERN:				
REPAS OF CONCERN:				
REAS OF CONCERN:				

U.S. EPA - CLP

6 FIELD DUPLICATES

MOKW69/20

ab Name: / T/A	& PITTSBURGH		Contract 68030048
Lab Code: 1 T/	A Case No.: 23/23	SAS No.:	SDG No.: MBKW64
Matrix (soil/water):	8016	•	Level (low/med): Low
% Solids Sample:	31.3	•	% Solids Duplicate: 33.4

Concentration Units (ug/L or mg/kg dry weight): $\mu g/L$

Analyte	Action Limit	Sample (S) MBKW69 Concentration	С	Field Duplicate (D) MREW 70 Concentration	С	RPD	DIFF	a	м
Aluminum	1 1007	17058.0000		15547.7000		9.27			P
Antimony		11.1115	U	11.0270	U				P
Arsenic	1007	259.79001		245.4900		5-7			P
Barium	100-1	56809.5000		51102.0000		10.6			P
Beryllium	. 10	1.03291	5	1.0521	10		0.02		P
Cadmium	10	9.5465		11.0270			1.5		P
lcium	10,000	9812.55001	1	9736.1000			76.5		P
entomium	1007.	234.7500		242 1500		3.1			P
Cobalt	100	51.33201		47.4200	B		3.4		P
Copper	1007.	436.6350		440.8800		1.0			P
Iron	. 1001.	40690.00001		37909.0000		7.1			P
Lead	1007.	416.2900		430.8600		3.4			P
Magnesium	10,000 11	12410.45001		12007.3000			1403.21		I P
Manganese	1004.	308.3050		330.6600		7.0			P
Mercury	1004.1	365.89701	ji	313.9600	1	15.3	li I		CV
Nickel	'i 80	73.5550		68-97 10			4.6		P
Potassium	10,000	4209.8500	B	4392 1000	16		182.3		P
Selenium	1 20	10.9550		11.0270		•	0.07		P
Silver	1 20 1	5.947011	BI	6.6800	13		0.7		P
Sodium	10,000	20032.0000		19706.0000			326.0		P
Thallium	11			4.1750	U		i		P
Vanadium	100	78.8760		75.4840			3.4		P
Zinc	11 1007.	766.8500		748.1600	1	2.5			P
Cyanide									NR
11									i

FORM VI - IN

Rep Nort, p. 12. 69

U.S. EPA - CLP

FIELD DUPLICATES

MBKW59/60

ab Name: 11/15 7/1	1 / SBUKGH		Contract 6803 0048
ab Code: 1TPA	Case No.: 23/23	SAS No.:	SDG No.: MBKW54
Astrix (soil/water): WATER		•	Level (low/med): Low
% Solids Sample:			% Solids Duplicate:

Concentration Units (ug/L or mg/kg dry weight): \(\mu g / L

Analyte	Action Limit	Sample (S) MBKW59 Concentration	Field Duplicate (D) MBLW 6 © Concentration	С	RPD	DIFF	Q	м
Aluminum	50Y.	4480.0000	23600.0000		C56.2			P
Antimony		11.2000 U	11.2000					P
Arsenic	. 507. ii	126.0000	336.0000		90.9			Ρ
Barium	1 507.	9580.0000	6800.0000		33.9			
Beryllium	. 5 ,	0.2800 13	1.3000	_		1.0		P
Cadmium	5	4.3000B				(28.7)		P
Calcium	50%	90400.00001	133000.0000	1	38.1			i P
omium	1 10	46 8000	231.0000			84.2	2	P
Cobalt	50	10.300018	1 2Z 9000			12.6		P
Copper	25	103.0000	520.0000			417.0	P	P
iron	. 507.	12200.00001	53800.0000		(126.1)			P
Lead	50%	104.0000	446.0000		(124.4)			P
Magnesium	504. 1	182000.0000	255000.0000	<u>l </u>	33,4			i P
Manganese	507.	610.0000	950.0000		43.6			P
Mercury	507.	65.30001	1 60.2000	i	8.1			CV
Nickel	1 40	12.0000B	60.6000			48.60		P
Potassium	504.	68800.0000	94800.0000		31.8			; P
Selenium		2.6000	4.9000	10		2.3		P
Silver	1 10	2.00001	8.3000	18		6.3		P
Sodium	107.	1620000.0000	2160000.0000		28.6			P
Thalliumi	11 11	4.2000 U	4.2000	IU.				P
Vanadium	1 50	14.5000 15	83.9000	1	041.0			P
Zine	1 50%	316.0000	1440.0000	i	(128.0)			P
Cyanide								NR
	7		 	1				

FORM VI - IN

Replat, P. 130f69

Evaluation of Metals Data for the Contract Laboratory Program (CLP) based on

BOR. 3/90

(BOP Revision XI)

PREPARED BY: Hahif Sheikh, Quality Assurance Chemist Toxic and Mazardous Waste Section	DATE: 1-30-99
REPROVED BY: Ke win W. Kulink Kevin Rubik, Chief Toxic and Hazardous Waste Section	_ DATE: 1-35 42
APPROVED BY: Robert Rumjon, Chief Honitoring Management Branch	DATE: 1/30/4-2

My 10-1, p. 140F69.

Page 1 of 34

Title: Evaluation of Metals Data for the

Contract Laboratory Program

Date: Jan. 1992 Number: HW-2 Revision: 11

1.0 Scope

- 1.1 This procedure is applicable to inorganic data obtained from contractor laboratories working for Hazardous Waste Site Contract Laboratory Program (CLP).
- 1.2 The data validation is based upon analytical and quality assurance requirements specified in Statement of Work (SOW) 3/90.
- 2.0 <u>Responsibilities</u> Data reviewers will complete the following tasks as assigned the Data Review Chardinator:
 - 2.1. For a total review:
 - 2.1.1 <u>Data Assessment</u> "Total Review-Inormanics" Checklist Appendix (A.1).

 The reviewer must answer every question on the checklist.
 - 2.1.2 Data Assessment Data Assessment Narrative (Appendix A.2)

 The answer on the checklist must match the action in the narrative (appendix A.2) and on Form I's. Do not use pencil to write the narrative.
 - 2.1.3 Contract Non-Compliance SAD Report (Appendix A.3)

 This report is to be completed only when a serious contract violation is encountered, or upon the request of the Data Validation Task Monitor, or Technic Project Officer (TPO). Forward 5 copies: one each for internal files, appropriate Regional TPO, Sample Management Office (SMO) and last two addresses Mailing List for Data Reviewers (Appendix A.4). In other cases, all contract violations should be appended to the end of the Data Assessment Marrative (Sec. A.2.2).
 - 2.1.4 CLP Data Assessment Summary Forms
- 2.1.4.1 Appendix A.5

 Fill in the total number of analytes analyzed by different analyses and the number of analytes rejected or flagged as estimated due to corresponding quality control criteria. Place an "X" in boxes where analyses were not performed, or criteria do not apply.
- 2.1.4.2 Appendix A.6

 Data reviewer is also required to fill out Inorganic Regional Data Assessment from (Appendix A.7) provided by KPA Headquarters. Codes listed on the form will be used to describe the Data Assessment Summary.

Ref No 4, P. 150 F61

Page 2 of 34

Title: Evaluation of Metals Data for the

Contract Laboratory Program

Date: Jan. 1992 Number: HM-2 Revision: 11

2.1.5 <u>Data Review Log:</u> It is recommended that each data reviewer should maintain a log of the reviews completed to include: a. date of start of case reviewer.

b. date of completion of case review

c. site

d. case number

e. contract laboratory

f. number of samples

g. matrix

h. hours worked

i. reviewer's initials

2.1.6 Telephone Record Log - the data reviewer should enter the bare facts of inquiry, before initiating any phone conversation with CLP laboratory. After the case review has been completed, mail white copy of Telephone Record Log to the laboratory and pink copy to SMO. File yellow copy in the Telephone Record Log folder, and attach a xerox copy of the Telephone Record Log to the completed Data Assessment Narrative (Appendix A.2).

2.1.7 Forwarded Paperson's

- 2.1.7.1 Upon completion of review, the following are to be forwarded to the Regional Sample Control Center (RSCC) located in the Surveillance and Monitoring Branch: a. data package
 - b. completed data assessment checklist (Appendix A.1, original)

c. SMD Contract Compliance Screening (CCS)

d. Record of Communication (copy)

e. CLP Reanalysis Request/Approval Record (original + 3 copies)

f. Appendix A.6 (original).

- 2.1.7.2 Forward 2 copies of completed Data Assessment Narrative (Appendix A.2) along with 2 copies of the Inorganic Data Assessment Form (Appendix A.6) and Telephone Record Log, if any,: one each for appropriate Regional TRO, and the other one to EPA EMSL office in Las Vegas. The addresses of TROs and EPA office in Las Vegas are given in Appendix A-4.
- 2.1.8 Filed Paperwork Upon completion of review, the following are to be filed within MMB files:
 - a. Two copies of completed Data Assessment Narrative (Appendix A.2) each carrying Appendix A.6.

b. Telephone Record Log (copy)

c. SMD Report (copy Appendix A-3)

d. CLP Reanalysis Request/Approval Record (copy),

Page 3 of 34

Title: Evaluation of Metals Data for the Contract Laboratory Program

Date: Jan. 1992 Number: HW-2

The state of the s

Revision: 11

- Bata Completeness

 Each data package is checked by a Regional Sample Control Coordinator (RSSC) for completeness. A data package is assumed to be complete when all the deliverables required under the contract are present. If a data package is incomplete, the RSSC would call the laboratory for missing document(s). If the laboratory does not respond within a week, SMO and MMB coordinator of Region II will be notified.
- 4.0 <u>Rejection of Data</u> All values determined to be unacceptable on the Inorganic Analysis Data Sheet (Form I) must be lined over with a red pencil. As soon as an review criteria causes data to be rejected, that data can be eliminated from any further review or consideration.
- 5.0 <u>Acceptance Criteria</u> In order that reviews be consistent among reviewers, acceptance criteria as stated in Appendix A.1 (pages 4-25) should be used.

 Additional guidance can be found in the National Inorganic Functional Guidelines October 1, 1989.
- 6.0 SMO Contract Compliance Screening (CCS) This is intended to aid reviewer in locating any problems, both corrected and uncorrected. However, the validation should be carried out even if CCS is not present. Resubmittals received from laboratory in response to CCS must be used by the reviewer.
- 7.0 Request for Remalysis Data reviewers must note all items of contract non-compliance within Data Assessment Narrative. If holding times and sample stortimes have not been exceeded, TRO may request reanalysis if items of non-complia are critical to data assessment. Requests are to be made on "CLP Re-Analysis Request/Approval Record".
- 8.0 <u>Record of Communication</u> Provided by the Regional Sample Control Center (RSCI) indicate which data packages have been received and are ready to be reviewed.
- 9.0 Rounding off numbers The data reviewer will follow the standard practice.

14 10 1/2 170 f 69

Title:	Evaluation of Metals Data for the Contract Laboratory Program Appendix A.1: Data Assessment - Contract Compliance (Total Review)	Date: Jan. 1992 Number: HW-2 Revision: 11
-		XEZ 140
A.1.1 C	Contract Compliance Screening Report (CCS) - Present?	
Δ	CTION: If no, contact RSCC.	
A.1.2 E	Record of Communication (from RSCC) - Present?	<u>ٽ</u>
ž	CTION: If no, request from RSCC.	
A.1.3 I	rip Report - Present and complete?	<u> </u>
. <u>Y</u>	CTION: If no, contact RSCC for trip report.	
A.1.4 §	Sample Traffic Report - Present?	
	Legible?	گ
	ACTION: If no, request from Regional Sample Control Center (RSCC).	
A.1.5	Cover Page - Present?	ر
·	Is cover page properly filled in and signed by the lab manager or the manager's designee?	ك
•	ACTION: If no, prepare Telephone Record Log, and contact laboratory.	
	Do numbers of samples correspond to numbers on Record of Communication?	ے _ ک
	Do sample numbers on cover page agree with sample numbers on:	V
-	(a) Traffic Report Sheet?	<u> </u>
	(b) Form I's?	ے
1	ACTION: If no for any of the above, contact RSCC for	•

Title: Evaluation of Metals Data for the

Ref 2015,0.180f69

	STANDARD OFERATING PROCESORE	rage :	יל סב	•
Title:	Evaluation of Metals Data for the Contract Laboratory Program Appendix A.1: Data Assessment - Contract Compliance (Total Review)	Date: Number: Revisio		
A.1.6	Form I to IX	Yes	ИÓ	N/
A.1.6.1	Are all the Form I through Form IX labeled with:			
	Laboratory name?		`	
	Case/SAS number?	ك		
	KPA sample No.?			
	SDG No.?			
	Contract No.?	(V)	والعيديدة	
	Correct units?	LEGERALE	******	
	Matrix?	ك		
	ACTION: If no for any of the above, note under Contract Problem/Non-Compliance section of the "Data Assessment Narrative".			
A.1.6.2	Do any computation/transcription errors exceed 10% of reported values on Forms I-IX for:	•		
	(NOTE: Check all forms against raw data.)			
	(a) all analytes analyzed by ICP?	Ľ		- /
	(b) all analytes analyzed by GEAA?	\Box	/	✓ . -
	(c) all analytes analyzed by AA Flame?	ب		<u> </u>
	(d) Mercury?	ك		• ,
	(e) Cyanide?	\cup		-
	ACTION: If yes, prepare Telephone Log, contact laboratory for corrected data and correct errors with red pencil and initial.			

Fel 11/2 1/2 190 F 69

Date: Jan. 1992

Revision: 11

HW-2

STANDARD OPERATING PROCEDURE

Appendix A.1: Data Assessment - Contract

Title: Evaluation of Metals Data for the

Contract Laboratory Program

Page 6 of 34

Number:

	compliance (local keview)				
A.1.7	Raw Data		YES	700	N
A.I./			/		
A.1.7.1	Digestion Log* for flame AA/ICP (Form	XIII) present?	()	~~~	
	Digestion Log for furnace AA Form XII	I present?			-
	Distillation log for mercury Form XII	I present?			•
	Distillation Log for cyanides Form XI	II present?			_
	Are pH values (pH<2 for all metals, p present?	Hb12 for cyanide)	ٽ	********	
	*Weights, dilutions and volumes used to	o obtain values.	./		
	Percent solids calculation present for	r soils/sediments?	<u></u>		
	Are preparation dates present on samplings/bench sheets?	le preparation	U		
A.1.7.2	Measurement read out record present?	ICP	V		
		Flame AA	\cup		_
		Furnace AA			-
		Mercury	ك	·	
		Cyanides			_
A.1.7.3	Are all raw data to support all sample QC operations present?	analyses and	ك		-
	Legible?	· .	ك		_
	Demorly Labolad?		, 1		

If no for any of the above questions in sections A.1.7.1 through A.1.7.3, write Telephone Record Log and contact

laboratory for resubmittals.

Ref 16 4 10- 200 F 69

	STANDARD OPERATING PROCEDURE	Page	7 of	34
Title:	Evaluation of Metals for the Contract Laboratory Program Appendix A.1: Data Assessment - Contract	Number	Jan. 19 : HW- on: 11	
	Compliance (Total Review)		·	
	confinance (local review)			
A.1.8	Holding Times - (aqueous and soil samples)	YES	70	N/
	(Examine sample traffic reports and digestion/distilla	tion logs	.)	
	Mercury analysis (28 days) exceeded?	-	Ů	
i .	Cyanide distillation (14 days) exceeded?	*******	\cup	
	Other Metals analysis (6 months) exceeded?	*****	$\stackrel{\mathcal{U}}{\sqsubseteq}$	
	NOTE: Prepare a list of all samples and analytes for which holding times have been exceeded. Specthe number of days from date of collection to of preparation (from raw data). Attach to discontinuous contractions and contraction of preparation (from raw data).	cify the date		
	ACTION: If yes, reject (red-line) values less than Instrument Detection Limit (IDL) and flag as estimated (J) the values above IDL even though sample(s) was preserved properly.	,		
A. 1.8.2	Is pH of aqueous samples for: Metals Analysis >2?		ك	
	Cyanides Analysis <12?		\cup	
·	Action: If yes, flag the associated metals and cyanid data as estimated.	es	,	
A. 1.9	Form I (Final Data)	/		
A.1. 9.1	Are all Form I's present and complete?	$ ule{}$		
	ACTION: If no, prepare telephone record log and contact laboratory for submittal.	±		
A.1.9.2	Are correct units (ug/l for waters and mg/kg for soils) indicated on Form I's?	ك		
	Are soil sample results for each parameter corrected for percent solids?	ئے''		_
	Are all "less than IDL" values properly coded with "U"?	ك		_

Title:	Evaluation of Metals Data for the Contract Laboratory Program Appendix A.1: Data Assessment - Contract Compliance (Total Review)	Date: 3 Number: Revision	
	Are the correct concentration qualifiers used with final data?	YES V	70
	ACTION: If no for any of the above, prepare Telephone Record Log, and contact laboratory for correct data.		
A.1.9.3	Are EPA sample # s and corresponding laboratory sample ID # s the same as on the Cover Page, Form I's and in the raw data?	•	
	Was a brief physical description of samples given on Form I's?	V	
	Was the dilution of any sample diluted beyond the requirements of the contract noted on Form I or Form XIV?		۷.
	ACTION: If no for any of the above, note under Contract-Problem/Non-Compliance of the "Data Assessment Narrative".		
A.1.10	Calibration		
A.1.10.1	Is record of at least 2 point calibration present for ICP analysis?	$\bigcup_{i=1}^{N}$	water and the same of the same
	Is record of 5 point calibration present for Hg analysis?	\checkmark	-
	Is record of 4 point calibration present for:		
	Flame AA?		
	Fumace AA?	\cup	-
	Cyanides?		-
	Is one calibration standard at the CROL level for all AA (except Hg) and cyamides analyses?	<u>.</u>	

If no for any of the above, write in the Contract Problem/Non-Compliance section of the "Data Assessment Narrative".

STANDARD OPERATING PROCEDURE

Fe/ No 4, 0 22 of 69

101630

of 34

	STANDARD OPERATING PROCEDURE	Page	9 of :	34
Title:	Evaluation of Metals Data for the Contract Laboratory Program Appendix A.1: Data Assessment - Contract Compliance (Total Review)	Numbe	Jan. 19 er: HW- cion: 11	
A.1.10.2	Is correlation coefficient less than 0.995 for:	YES	МО	N/
	Mercury Analysis?		<u>V</u>	
	Cyanide Analysis?	***************************************	[]	V
	· Atomic Absorption Analysis?			<u> </u>
	ACTION: If yes, flag the associated data as estimated.			
	NOTE: The data validator shall calculate the correlation coefficient using concentrations of the standards and the corresponding instrument response (e.g. absorbance, peak area, peak height, etc.).	3		
A.1.10.3	In the instance where less than 4 standards are measured in absorbance (or peak area, peak height mode, are the remaining standards analyzed in concentration mode immediately after calibration within ±10% of the true values?	,etc.)		_/
·	ACTION: If no, flag the associated data as estimated if standards are not within ±10% of true values. Do not flag the data as estimated in linear rang indicated by good recovery of standard(s).			
A.1.11	Form II A (Initial and Continuing Calibration Verification	<u>يا</u> - لا		
A.1.11.1	Present and complete for every metal and cyanide?	ݖ		
	Present and complete for AA and ICP when both are used for the same analyte?	ك		-
	ACTION: If no for any of the above, prepare Telephone Record Log and contact laboratory.			
A.1.11.2	Circle on each Form IIA all percent recoveries that are outside the contract windows. Are all calibration standards (initial and continuing) within control limits:			
	Metals- 90-1104R?	تْ '	خسب	-
	Hg - 80-1201R?	4		-
	Cyanides- 85-1151R?		***************************************	-
•				

Mel 23 69

THE PARTY OF THE P

Charles and the second
Title: Evaluation of Metals Data for the Date: Jan. 1992 Contract Laboratory Program Number: H-2 Appendix A.1: Data Assessment - Contract Revision: 11 Compliance (Total Review) YES N/A 函 Flag as estimated (J) all positive data (not ACTION: flagged with a "U") analyzed between a calibration standard with {R between 75-89} (65-79% for Hg; 70-84% for CN) or 111-125% (121-135% for Hg; 116-130% for CN) recovery and nearest good calibration standard. Qualify results <IDL as estimated (W) if the ICV or CCV tR is 75-89% (CN, 70-84%; HG, 65-79%). Reject (red-line) as unacceptable data if recovery of the ICV or CCV is outside the range 75-125% (CN, 70-130%; Hg, 65-135%). Qualify five samples on either side of verification standard out of control limits. A.1.11.3 Was continuing calibration performed every 10 samples or every 2 hours? Was ICV for cyanides distilled? If no for any of the above, write in the Contract-Problem/Non-Compliance section of the "Data Assessment Narrative". A.1.12 Form II B (CROL Standards for AA and ICP) -A.1.12.1 Was a CROL standard (CRA) analyzed after initial calibration for all AA metals (except Hg)? Was a mid-range calib. verification standard distilled and analyzed for cyanide analysis? Was a 2xCROL (or 2xIDL when IDL>CROL) analyzed (CRI) for each ICP run? (Note: CRI for AL, Ba, Ca, Pe, Mg, Na, or K is not required.)

**True value of CRA, CRI or mid-range standard. Substitute IDL for CRDL when IDL > CRI Compute the concentration of the missing mid-range standard from the calibration range.

If no for any of the above, flag as estimated all data falling within the affected ranges.

ON Analysis - **True Value ± 0.5 x True Value.

The affected ranges are:

AA Analysis - **True Value ± CROL ICP Analysis - **True Value ± 2CROL

Repliet 240 f 69

Title: Evaluation of Metals Data for the

Page 11 of 34

Date: Jan. 1992

ž	Contract Laboratory Program Appendix A.l: Data Assessment - Contract Compliance (Total Review)	Number: Revision:	154-2 11	
-		YES	NO NO	1
A.1.12.2	Was CRI analyzed after ICV/ICB and before the final CCV/CCB, and twice every eight hours of ICP run?	$ \mathcal{L} $		_
	ACTION: If no, write in Contract Problem/Non-Compliance Section of the "Data Assessment Narrative".			
A.1.12.3	Circle on each Form IIB all the percent recoveries that are outside the acceptance windows.			
	Are CRA and CRI standards within control limits:		/	
	Metals 80 - 120%R?	\cup		_
	Is mid-range standard within control limits:			
	Cyanide 80 - 1204R?	\cup		_
	ACTION: Flag as estimated all sample results within the affected range if the recovery of the standard is between 50-79%; flag only positive data within the affected range if the recovery is between 121-150%; reject all data within the affected range if the recovery is less than 50%; reject only positive data within the affected raif the recovery is greater than 150%. Qualify 5 the samples on either side of CRI standard outsithe control limits. Note: Flag or reject the final results only when sample raw data are within the affected ranges and the standards are outside the acceptance windows.	Offot de a		
A.1.13	Form III (Initial and Continuing Calibration Blanks)	v.		
A.1.13.1	Present and complete?	ِ بُ		
	For both AA and ICP when both are used for the same analyte?	ك		-
	Was an initial calibration blank analyzed?	<u> </u>		-
	Was a continuing calibration blank analyzed after every 10 samples or every 2 hours (which ever is more frequent)?	1		

111 25of 69

"特殊"

经数据的

STANDARD OPERATING PROCEDURE

Page 12 of 34

Title: Evaluation of Metals Data for the

Contract Laboratory Program

Appendix A.1: Data Assessment - Contract

Compliance (Total Review)

Date: Jan. 1992 Number: HW-2 Revision: 11

YES N/A M

ACTION: If no, prepare Telephone Record Log, contact

laboratory and write in the Contract-Problems/

Non-Compliance section of the "Data Assessment Narrative".

Circle on each Form III all calibration blank values A.1.13.2 that are above CRDL (or 2 x IDL when IDL > CRDL).

> Are all calibration blanks (when IDL-CRDL) less than or equal to the Contract Required Detection Limits (CROLs)? [

Are all calibration blanks less than two times Instrument Detection Limit (when IDL-CRDL)?

If no for any of the above, flag as estimated (J) positive sample results when raw sample value is less than or equal to calibration blank value analyzed between calibration blank with value over CROL (or 2xIDL) and nearest good calibration blank.

> Mag five samples on either side of the calibration blank outside the control limits.

A.1.14 FORM III (Preparation Blank) -(Note: The preparation blank for mercury is the same as the calibration blank.)

A.1.14.1 Was one prep. blank analyzed for:

each Sample Delivery Group (SDG)?

each batch of digested samples?

each matrix type?

both AA and ICP when both are used for the same analyte?

If no for any of the above, flag as ACTION:

estimated (J) all the associated positive data <10 x IDLs for which prep. blank

was not analyzed.

If only one blank was analyzed for more NOIE:

> than 20 samples, then first 20 samples analyzed do not have to be flagged as estimated (J).

> > MIN 260+69

101634

STANDARD OPERATING PROCEDURE Title: Evaluation of Metals Data for the Contract Laboratory Program
Appendix A.1: Data Assessment - Contract Compliance (Total Review)

Page 13 of 34 Date: Jan. 1992 Number: H-2 Revision: 11

	YES	NT)	N/A
A.1.14.2	Is concentration of prep. blank value greater than the CRDL when IDL is less than or equal to CRDL?		
	If yes, is the concentration of the sample with the least concentrated analyte less than 10 times the prep.blank?		✓
	ACTION: If yes, reject (red-line) all associated data greater than CRDL concentration but less than ten times the prep. blank value.		
A.1.14.3	Is concentration of prep. blank value (Form III) less than two times IDL, when IDL is greater than CROL?		· v
	ACTION: If no, reject (red-line) all positive sample results when sample raw data are less than 10 times the prep. blank value.		
A.1.14.4	Is concentration of prep. blank below the negative CRIL?		
	ACTION: If yes, reject (red-line) all associated sample results less than 10xCRIL.		
A.1.15	Form IV (ICP Interference Check Sample)		
A.1.15.1	Present and complete?		
	(NOTE: Not required for furnace AA, flame AA, mercury, cyanide and Ca, Mg, K and Na.)		
	Was ICS analyzed at beginning and end of run (or at least twice every 8 hours)?	·.	
	ACTION: If no, flag as estimated (J) all the samples for which AL, Ca, Fe, or Mg is higher than in ICS.		
A.1.15.2	Circle all values on each Form IV that are more than \pm 20% of true or established mean value.		
	Are all Interference Check Sample results inside the control limits (± 20%)?	-	-
,	If no, is concentration of Al, Ca, Fe, or Mg lower than the respective concentration in ICS?	-	<u>L</u>

14 1. 270+ 101635

Page 14 of 34

Title:	Evaluation of Metals Data for the Contract Laboratory Program Appendix A.1: Data Assessment - Contract Compliance (Total Review)	Date: Ja Number: Revision:	HH-2
	ACTION: If no, flag as estimated (J) those positive results for which ICS recovery is between 121-flag all sample results as estimated if ICS recovery falls within 50-79%; reject (red-line those sample results for which ICS recovery is than 50%; if ICS recovery is above 150%, reject positive results only (not flagged with a "U")	e) less	NO N
A.1.16	Form V A (Spiked Sample Recovery - Pre-Digestion/Pre-Dist (Note: Not required for Ca, Mg, K, and Na (both matrices (soil only.)), Al, and	Pe
A.1.16.1	Present and complete for: each SDG?	<u>ٺ</u> .	
	each matrix type?	ک .	
	each conc. range (i.e. low, med., high)?	ـ ك	
	For both AA and ICP when both are used for the same analyte?	ر ك	
	ACTION: If no for any of the above, flag as estimated (J) all the positive data less than four times the spiking levels specified in SOW for which spiked sample was not analyzed.	•	·
. •	NOTE: If one spiked sample was analyzed for more than 20 samples, then first 20 samples analyzed do not have to be flagged as estimated (J).		·/
A.1.16.2	Was field blank used for spiked sample?		ر ا
	ACTION: If yes, flag all positive data less than 4 x spike added as estimated (J) for which field blank was used as spiked sample.		743
A.1.16.3	Circle on each Form VA all spike recoveries that are outside control limits (75% to 125%).		<i>)</i>
•	Are all recoveries within control limits?	ے د	/
	If no, is sample concentration greater than or equal to four times spike concentration?	1	/

Title: Evaluation of Metals Data for the

Page 15 of 34

Date: Jan. 1992

1	Contract Laboratory Program Appendix A.1: Data Assessment - Contract Compliance (Total Review)	Number: Revision:	
		YES	ו פא
	MCTION: If yes, disregard spike recoveries for analyte whose concentrations are greater than or equal to four times spike added. If no, circle those analytes on Form V for which sample concentrations less than four times the spike concentrations.	e ion	
	Are results outside the control limits (75-125%) flagged with "N" on Form I's and Form VA?	<u></u>	
	ACTION: If no, write in the Contract - Problem/Non - Compliance section of "Data Assessment Narrative	3 * .	
A.1.16.4	Aqueous Are any spike recoveries: (a) less than 30%?		را را - را
	(b) between 30-74%?		_ ب
	(c) between 126-150%?	[_	<u>/</u>
	(d) greater than 150%?		ر رک
	ACTION: If less than 30%, reject all associated aqueous data; if between 30-74%, flag all associated aqueous data as estimated (J); if between 126-150%, flag as estimated (J) all associated aqueous data not flagged with a "U"; if greater than 150%, reject (red-line) all associated aqueous data not flagged with a "U".	· .	
A.1.1 6.5	Soil/Sediment Are any spike recoveries: (a) less than 104?	L	ν _
	(b) between 10-74%?	<u> </u>	۔ ر
	(c) between 126-2001?	V _	ر
	(d) greater than 2001?		_ ر
			•

Fig 1 4 29 of 69 101637

Evaluation of Metals Data for the

Substitute IDL for CROL when IDL > CROL.

Page 16 of 34

Date: Jan. 1992

Contract Laboratory Program Number: H-2 Appendix A.1: Data Assessment - Contract Revision: 11 Compliance (Total Review) YES M N/A ACTION: If less than 10%, reject all associated data; if between 10-74%, flag all associated data as estimated; if between 126-200%, flag as estimated all associated data was not flagged with a "U"; if greater than 200%, reject all associated data not flagged with a "U". A.1.17 Form VI (Lab Duplicates) A.1.17.1 Present and complete for: each SDG? each matrix type? each concentration range (i.e. low, med., high)? both AA and ICP when both are used for the same analyte? ACTION: If no for any the above, flag as estimated (J) all the data 2001 for which duplicate sample was not analyzed. Note: 1. If one duplicate sample was analyzed for more than 20 samples, then first 20 samples do not have to be flagged as estimated. 2. If percent solids for soil sample and its duplicate differ by more than 1t, prepare a Form VI for each duplicate pair, report concentrations in ug/L on wet weight basis and calculate RPD or Difference for each analyte. A.1.17.2 Was field blank used for duplicate analysis? MCTION: If yes, flag all data >CROL* as estimated (J) for which field blank was used as duplicate. Are all values within control limits (RED 20% or **A.1.17.3** difference ≤ ±CROL)? If no, are all results outside the control limits flagged with an * on Form I's and VI? MITTON: If no, write in the Contract - Problems/Non-Compliance section of "Data Assessment Narrative".

All 16 4, R 300 69

Page 17 of 34

Title: Evaluation of Metals Data for the

Contract Laboratory Program

Appendix A.1: Data Assessment - Contract

Compliance (Total Review)

Date: Jan. 1992 Number: HM-2 Revision: 11

YES NO

N/A

NOTE: 1. RPD is not calculable for an analyte of the sample - duplicate pair when both values are less than IDL.

 If the result of lab duplicate analyzed by GFAA is rejectable due to coefficient of correlation of MSA, analytical spike recovery, or duplicate injections criteria, do not apply precision criteria to metals analyzed by GFAA.

A.1.17.4 Aquequa

Circle on each Form VI all values that are:

RPD > 50%, or Difference > CRDL*

Is any RPD greater than 50% where sample and duplicate are both greater than or equal to 5 times *CROL?

Is any difference** between sample and duplicate greater than *CROL where sample and/or duplicate is less than 5 times *CROL?

MITTOM: If yes, flag the associated data as estimated.

A.1.17.5 Soil/Sediment

Circle on each Form VI all values that are:

RPD > 100%, or

Difference > 2 x CRDL*

Is any RPD (where sample and duplicate are both greater than or equal to 5 times *CRDL):

> 1001?

Is any **difference between sample and duplicate (where sample and/or duplicate is less than 5x*(RDL) :

> 2xt*CROL2

* Substitute IDL for CRDL when IDL > CRDL.

** Use absolute values of sample and duplicate to calculate the difference.

Mille to Flot 69

Page 18 of 34

Title: Evaluation of Metals Data for the

Contract Laboratory Program

Appendix A.1: Data Assessment - Contract

Compliance (Total Review)

Date: Jan. 1992 Number: HI-2

Revision: 11

YES

N/A 闷

ACTION: If yes, flag the associated data as estimated.

Field Duolicates A.1.18

Were field duplicates analyzed? A.1.18.1

ACTION: If yes, prepare a Form VI for each aqueous field duplicate pair. Prepare a Form VI for each soil duplicate pair, if percent solids for sample and its duplicate differ by more than 1%; report concentrations of soils in ug/l on wet weight basis and calculate RPDs or Difference for each

analyte.

NOTE: 1. Do not calculate RPD when both values are less than IDL.

2. Flag all associated data only for field duplicate pair.

A.1.18.2 **Yaneons**

Circle all values on self prepared Form VI for field duplicates that are:

> **RPD** > 50%, or Difference > CDL*

Is any RFD greater than 50% where sample and duplicate are both greater than or equal to 5 times *CRDL?

Is any **difference between sample and duplicate greater than *CROL where sample and/or duplicate is less than 5 times *CROL2

MCTION: If yes, flag the associated data as estimated.

12 1 32 of 69

^{*} Substitute IDL for CRUL when IDL > CRUL.

^{**} Use absolute values of sample and duplicate to calculate the difference.

Page 19 of 34

Title: Evaluation of Metals Data for the

Contract Laboratory Program

Appendix A.1: Data Assessment - Contract

Compliance (Total Review)

Date: Jan. 1992 Number: HW-2 Revision: 11

YES NO N/A

A.1.18.3 Soil/Sediment

Circle all values on self prepared Form VI for field duplicates that are:

RPD >100%, or

Difference > 2 x CKOL*

Is any RPD (where sample and duplicate are both greater than 5 times *CROL) :

>1004?

Is any **difference between sample and duplicate (where sample and/or duplicate is less than 5x *CRDL):

>2x *CRDL?

ACTION: If yes, flag the associated data as estimated.

- A.1.19 Form VII (<u>Iaboratory Control Sample</u>) (Note: ICS not required for aqueous Hg and cyanide analyses.)
- A.1.19.1 Was one ICS prepared and analyzed for:

each SDG?

each batch samples digested/distilled?

both AA and ICP when both are used for the same analyte?

ACTION:

If no for any of the above, prepare Telephone Record Log and contact laboratory for submittal of results of ICS. Flag as estimated (J) all the data for which ICS was not analyzed.

NOTE: If only one ICS was analyzed for more than 20

samples, then first 20 samples close to ICS do not have to be flagged as estimated.

* Substitute IDL for CROL when IDL > CROL.

** Use absolute values of sample and duplicate to calculate the difference.

Ry M. 33 of 69

Page 20 of 34

Title: Evaluation of Metals Data for the

Contract Laboratory Program

Appendix A.1: Data Assessment - Contract

Compliance (Total Review)

Date: Jan. 1992 Number: HW-2

Revision: 11

			YES	NO	N
A.1.19.2	Aqueous LCS				
	Circle on each Form VII outside control limits Ag and Sb.	the ICS percent recoveries (80 - 120%) except for aqua	eous		
	Is any LCS recovery:	less than 50%?		ٹ	
		between 50% and 79%?		ட்	
		between 121% and 150%?	4-11-2-	ك	
		greater than 150%?		الا	

MCTION: Less than 50%, reject (red-line) all data; between 50% and 79%, flag all associated data as estimated (J); between 121% and 150%, flag all positive (not flagged with a "U") results as estimated; greater than 150%, reject all positive results.

A.1.19.3 Solid ICS

- NOTE: 1. If "Found" value of LCS is rejectable due to duplicate injections or <u>analytical</u> spike recovery criteria, regardless of LCS recovery, flag the associated data as estimated (J).
 - 2. If IDL of an analyte is equal to or greater than true value of LCS, disregard the "Action" below even though LCS is out of control limits.

Is ICS "Found" value higher than the control
Limits on Form VII?

MITION: If yes, qualify all associated positive data as estimated.

Is ICS "Found" value lower than the Control limits on Form VII?

MCTION: If yes, qualify all associated data as estimated.

Page 21 of 34

Contract Laboratory Program Appendix A.1: Data Assessment - Contract Compliance (Total Review)			Number: 184-2 Revision: 11		
		XES	NO	N/A	
A.1.20	Form IX (ICP Serial Dilution) -		•		
	NOTE: Serial dilution analysis is required only for initial concentrations equal to or greater than 10 x IDL.	-			
A.1.20.	Was Serial Dilution analysis performed for: each SDG?	<u>ر</u> ۲			
,	each matrix type?	ݖ			
	each concentration range (i.e. low, med.)?	ك			
	ACTION: If no for any of the above, flag as estimate all the positive data ≥ 10xIDLs or ≥ CROL with 10xIDL ≤ CROL for which Serial Dilution Analysis not performed.	hen.			
A.1.20.2	Was field blank(s) used for Serial Dilution Analysis	?	ت.		
	MCTION: If yes, flag all associated data ≥ 10 x IDL as estimated (J). If 10xIDL ≤ CROL, flag all data ≥ CROL.				
A.1.20.3	Are results outside control limit flagged with an "B" on Form I's and Form IX when initial concentration or Form IX is equal to 50 times IDL or greater.				
	ACTION: If no, write in the Contract-Problem/Non- Compliance section of the "Data Assessment Narrative".	₹. ∶			
A.1.20.4	Circle on each Form IX all percent difference that are outside the control limits for initial concentrations equal to or greater than 10 x IDEs only	y.			
	Are any t difference values:	. /			
	> 10%?	<i>V</i>	()		

≥ 100%?

MIN 1, p. 35 of 69

Page 22 of 34

Title: Evaluation of Metals Data for the

Contract Laboratory Program

Appendix A.1: Data Assessment - Contract

Compliance (Total Review)

Date: Jan. 1992 Number: HW-2 Revision: 11

XES NO

N/A

ACTION: Flag as estimated (J) all the associated sample data > 10xIDLs (or > CRDL when 10xIDL < CRDL) for which percent difference is greater than 10% but less than 100%. Reject (red-line) all the associated sample results equal to or greater than 10xIDLs (or > CRDL when 10xIDL < CRDL) for which FD is greater than or equal to 100%.

Note: Flag or reject on Form I's only the sample results

whose associated raw data are ≥ 10xIDL (or ≥ CRDL

when 10xIDLs CROW

A.1.21 Furnace Atomic Absorbtion (AA) OC Analysis

A.1.21.1 Are duplicate injections present in furnace raw data (except during full Method of Standard Addition) for each sample analyzed by GFAA?

ACTION: If no, reject the data on Form I's for which duplicate injections were not performed.

A.1.21.2 Do the duplicate injection readings agree within 20% Relative Standard Deviation (RSD) or Coefficient of Variation (CV) for concentration greater than CRDL?

Was a dilution analyzed for sample with analytical spike recovery less than 40%?

ACTION: If no for any of the above, flag all the associated data as estimated.

A.1.21.3 Is *analytical spike recovery outside the control limits (85-115%) for any sample?

MCTION: If yes, flag as estimated the affected sample results if the recovery is between 10-84%; if the recovery is between 115-200%, flag the associated positive sample results as estimated; reject the associated sample results if the recovery is less than 10%; reject positive sample results if the recovery is greater than 200%.

* Analytical spike is not required on the pre-digestion spiked sample.

#112 36 of 69

	STANDARD OPERATING PROCEDURE	Page	23	of	34
Title:	Evaluation of Metals Data for the Contract Laboratory Program Appendix A.1: Data Assessment - Contract Compliance (Total Review)	Date: Numbe: Revis:	r:	HM-	
		YES		ΔÑ.	1
	NOTE: Reject or flag the data only when the affected sample(s) was not subsequently analyzed by Methof Standard Addition.	nod.			
A.1.22	Form VIII (Method of Standard Addition Results)				
A.1.22.1	Present?				
	If no, is any Form I result coded with "S" or a "+"?		Ĺ		· ·
	ACTION: If yes, write request on Telephone Record Log and contact laboratory for submittal of Form VI	II.		•	
A.1.22.2	Is coefficient of correlation for MSA less than 0.990 for any sample?	or or	<u>_</u>	٠ ل	_
	ACTION: If yes, reject (red-line) the affected data.				
A.1.22.3	Was *MSA required for any sample but not performed?		Ĺ	ر	
	Is coefficient of correlation for MSA less than 0.995?		Ĺ	ر	
	Are MSA calculations outside the linear range of the calibration curve generated at the beginning of the analytical run?		. ــــ	נ	<u></u>
,	ACTION: If yes for any of the above, flag all the associated data as estimated (J).				
A.1.22.4	Was proper quantitation procedure followed correctly as outlined in the SOW on page E-23?	ت		-	-
	MCTION: If no, note exception under Contract Problem/ Non-Compliance section of the "Data Assessment Narrative", and prepare a separate list.	``		·	

Pyl-1, - 370f69 101645

^{*} MSA is not required on LCS and prep. blank.

Page 24 of 34

Title: Evaluation of Metals Data for the Date: Jan. 1992 Contract Laboratory Program Number: HW-2 Appendix A.1: Data Assessment - Contract Revision: 11 Compliance (Total Review) YES N/A NO A.1.23 Dissolved/Total or Inorganic/Total Analytes -A.1.23.1 Were any analyses performed for dissolved as well as total analytes on the same sample(s). Were any analyses performed for inorganic as well as total (organic + inorganic) analytes on the same sample(s)? NOTE: 1. If yes, prepare a list comparing differences between all dissolved (or inorganic) and total analytes. Compute the differences as a percent of the total analyte only when dissolved concentration is greater than CROL as well as total concentration. 2. Apply the following questions only if inorganic (or dissolved) results are (i) above CROL, and (ii) greater than total constituents. 3. At least one preparation blank, ICS, and ICS should be analyzed in each analytical run. A.1.23.2 Is the concentration of any dissolved (or inorganic) analyte greater than its total concentration by more than 10%? Is the concentration of any dissolved (or inorganic) A.1.23.3 analyte greater than its total concentration by more than 50%? ACTION: If more than 10%, flag both dissolved (or inorganic) and total values as estimated (J); if more than 50%, reject (red-line) the data for both values. Company of the second A.1.24 Form I (Field Blank) -(Note: Designate "Field Blank" as such on Form I.)

Is field blank concentration less than CROL (or 2 x IDL when IDL > CROL) for all parameters of associated aqueous and soil samples?

Circle all field blank values on Form I that are

greater than CROL (or 2 x IDL when IDL > CROL).

A.1.24.1

Paper 1, p 380 66.

Title: Evaluation of Metals Data for the

Contract Laboratory Program

Page 25 of 34

Date: Jan. 1992

Number:

Ar	Contract Laboratory Program Appendix A.1: Data Assessment - Contract Compliance (Total Review)		Number Revisi	c: HW ion: 11			
- Andrewson (Andrewson)	If no,	was field blan	k value alrea	dy rejected	YES	ВĎ	N
	due to	other QC crite	ria?	•	[]		-
	ACTION:	all associat than or equa value. Reject results that basis are 1	ed positive s l to five tim t on Form I's when convert	eld blank results) cample data less es the field blan the soil sample ed to ug/L on wet qual to five time ug/L.	ak		
A.1.25	Form X.	XI, XII (Veri	fication of I	nstrumental Param	eters).		
A.1.25.1	Is verif	ication report	present for:		./		
		Instrument !	Detection Lim	its (quarterly)?	ٽ ٽ		· _
	ICP	Interelement O	ocception Fac	tors (annually)?	ب		
		10	OP Linear Ran	ges (quarterly)?	ك		
	ACTION:	If no, contact	t TPO of the	lab.			
A.1.25.2		Instrument Dete for Cyanide.)	ection Limits) - (Note: IDL is	not.		
A.1.2 5.2.1	Are IDLs	present for:	all	the analytes?	ٺ	-	
			all the ins	struments used?			
	For both analyte?		n both are us	sed for the same	ك		
· .	ACTION:	If no for any Telephone Reco laboratory.					
A.1.25.2.2	Is IDL 9	reater than CRO	L for any ana	ilyte?	-	Ů	-
	analyzed			I of the sample exceeds CKOL,	ک		

Page 26 of 34

Title: Evaluation of Metals Data for the

Contract Laboratory Program

Appendix A.1: Data Assessment - Contract

Compliance (Total Review)

Date: Jan. 1992 Number: HM-2 Revision: 11

YES NO N/A

Action: If no, flag as estimated all values less than five times IDL of the instrument whose IDL exceeds COL.

A.1.25.3 Form XI (Linear Ranges)

A.1.25.3.1 Was any sample result higher than high linear range of ICP.

Was any sample result higher than the highest calibration standard for non-ICP parameters?

If yes for any of the above, was the sample diluted to obtain the result on Form I?

MCTION: If no, flag the result reported on Form I as estimated (J).

A.1.26 Percent Solids of Sediments

A.1.26.1 Are percent solids in sediment(s):

< 501?

< 101?

MCTION: If yes, qualify as estimated all the results of a sample that has per cent solids between 10%-50% (i.e. moisture content between 50%-90%). Reject all the results of a sample that has per cent solids less than 10% (i.e. moisture content greater than 90%).

NOTE: Reject or flag(J) only the sample results that were not previously rejected or flaged due to other QC criteria.

Rep. 4, 2-400f69

RECEIVED CCC/

CASE NARRATIVE

FEB 7 1995

Laboratory Name:

ITAS Pittsburgh, Pennsylvania

Laboratory Code:

ITPA

Project Name:

USEPA/CLP

Inorganic SOW:

ILM03.0

Project Number:

662004

Work Order Number:

O501060

Contract Number:

68-D3-0048

Case Number:

23123

SDG Number:

MBKW54

Sample Number:

MBKW54

MBKW57

MBKW60

MBKW63

MBKW55

MBKW58

MBKW61

MBKW75

MBKW56

MBKW59

MBKW62

MBKW76

<u>Shipment</u>

Twelve water samples were received at the ITAS Pittsburgh Laboratory on January 12, 1995, for metals analysis.

Metals

A duplicate digestion and a matrix spike were performed on sample MBKW58. A serial dilution was performed on sample MBKW54.

The matrix spike recovery exceeded the 75 to 125 percent control limit for silver. All associated results were flagged with a "N" qualifier.

The serial dilution percent difference exceeded the control limit for zinc. All associated results were flagged with an "E" qualifier.

Samples MBKW55, MBKW56, MBKW57, MBKW58, MBKW58 Duplicate Digestate, MBKW58 Matrix Spike, MBKW59, MBKW60, MBKW61, MBKW62, and MBKW63 exceeded the linear range for sodium, and required dilution. All samples except MBKW58 Matrix Spike were analyzed diluted.

Sample MBKW55, MBKW56, MBKW58, MBKW58 Duplicate Digestion, MBKW58 Matrix Spike, MBKW59, and MBKW60 exceeded the calibration range for mercury, and required dilution.

410f69

AD Name: ITAS_PITTSBURGH	•	•	U. S.	EPH - ULH	•	RECEIVED
AD Lode: 11PA Case No.: 23123 SAS No.: SDG No.:MBKWS4		COVER PAGE -	- INORGA	NIC ANALYSE	S DATA PĀ	רכס ייי
EPA Sample No. Lab Sample ID MBKW54	Lap Name: 11A	S_PITTSBURGH		Contract:	68-D3-00	148
EPA Sample No. Lab Sample ID MBKW35	Lad Code: ITF	Ĥ Case No.:	23123	SAS No.:		SDG No.:MBKW54
MBKW54	SOW No.: ILMO	า3. ช				,
MBKW55 MBKW55 MBKW57 MBKW58 MBKW580 MBKW58D MBKW58D MBKW58S MBKW59 MBKW59 MBKW59 MBKW59 MBKW60 MBKW60 MBKW61 MBKW62 MBKW63 MBKW63 MBKW75 MBKW75 MBKW75 MBKW76 MBKW60 MBKW6		EPA Sample No.		Lab Samp	le ID	
MBKW55 MBKW55 MBKW57 MBKW58 MBKW580 MBKW58D MBKW58D MBKW58S MBKW59 MBKW59 MBKW59 MBKW59 MBKW60 MBKW60 MBKW61 MBKW62 MBKW63 MBKW63 MBKW75 MBKW75 MBKW75 MBKW76 MBKW60 MBKW6		_mBKW54		!!#KW54_		
MBKW56 MBKW58 MBKW58 MBKW58 MBKW58B MBKW59 MBKW59 MBKW59 MBKW59 MBKW59 MBKW60 MBKW60 MBKW61 MBKW62 MBKW62 MBKW62 MBKW63 MBKW63 MBKW63 MBKW75 MBKW75 MBKW75 MBKW76 Yes/No NO_Comments:		MBKWS5				
MBKW58MBKW58MBKW58MBKW58MBKW58MBKW58MBKW58MBKW58MBKW59MBKW59MBKW60MBKW60MBKW60MBKW60MBKW60MBKW60MBKW60MBKW60MBKW60MBKW60MBKW60MBKW60MBKW60MBKW60MBKW60MBKW60MBKW60MBKW75MBKW75MBKW75MBKW75MBKW75MBKW76MBKW76MBKW76MBKW76MBKW76MBKW76		_MBKW56		_MBKW56_		
MBKW58D MBKW58D MBKW58S MBKW58D MBKW59 MBKW59 MBKW60 MBKW60 MBKW61 MBKW62 MBKW62 MBKW62 MBKW62 MBKW65 MBKW75 MBKW75 MBKW75 MBKW76 MBKW75 MBKW75 MBKW75 MBKW75 MBKW75 MBKW62 MBKW63 MBKW62 MBKW60 MBKW62 MBKW60 MBKW62 MBKW60 MBKW60 MBKW62 MBKW60 MBKW62 MBKW60 MBKW60 MBKW60 MBKW60 MBKW62 MBKW60 MBKW6		_MBKW57				
MBKW58D MBKW58D MBKW58D MBKW58S MBKW58S MBKW58S MBKW58S MBKW59 MBKW60 MBKW61 MBKW62 MBKW62 MBKW63 MBKW63 MBKW75 MBKW75 MBKW75 MBKW75 MBKW75 MBKW76 MBKW75 MBKW76 MBKW75 MBKW76 MBKW75 MBKW76 MBKW75 MBKW75 MBKW75 MBKW76 MBKW75 MB		_MBKW58		_MBKW58_		
MBKW595 MBKW595 MBKW595 MBKW595 MBKW606 MBKW606 MBKW61 MBKW62 MBKW62 MBKW62 MBKW62 MBKW63 MBKW63 MBKW75 MBKW75 MBKW75 MBKW76 MB		MBKW58D		_MBKW58D		
MBKW60MBKW60MBKW60MBKW60MBKW61MBKW62MBKW62MBKW62MBKW63MBKW75MBKW75MBKW75MBKW75MBKW76MBKW76MBKW76MBKW76MBKW76MBKW76MBKW76		_MBKW585	•	_MBKW58S		
MBKW60 MBKW62 MBKW62 MBKW62 MBKW63 MBKW63 MBKW63 MBKW75 MBKW75 MBKW75 MBKW76 M		_MBKW59		_MBKW59_		1
MBKW62MBKW62MBKW63MBKW75MBKW75MBKW75MBKW76MBKW75MBKW76MBKW76MBKW76MBKW76MBKW76MBKW76MBKW76MBKW76MBKW76MBKW76MBKW76MBKW76MBKW76MBKW76		MBKM6@				
MBKW62MBKW55MBKW75MBKW75MBKW76MBK		MBKW61				
MBKW75MBKW76MBKW76MBKW76MBKW76MBKW76MBKW76MBKW76MBKW76MBKW76MBKW76MBKW76MBKW76MBKW76MBKW76MBKW76MBKW76MBKW76		MBKW62	•			•
MBKW75 MBKW76 Yes/No YES Yes/No NO Comments: I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submittee on floppy disketta has been authory 20th by the Laboxatory Manager or the		MBKW63				
MBKW76		MBKW75		_MBKW75_		
Were ICP interelement corrections applied? Were ICP background corrections applied? If yes — were raw data generated before application of background corrections? Comments: I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer—readable data submitted on floppy diskette has been authorized by the Laboratory Manager or the	•	MBKW76		_MBKW76_		
Were ICP interelement corrections applied? Were ICP background corrections applied? If yes — were raw data generated before application of background corrections? Comments: I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer—readable data submitted on floppy diskette has been authorized by the Laboratory Manager or the			. · ·			- -
Were ICP interelement corrections applied? Were ICP background corrections applied? If yes — were raw data generated before application of background corrections? Comments: I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer—readable data submitted on floppy diskette has been authorized by the Laboratory Manager or the						
Were ICP interelement corrections applied? Were ICP background corrections applied? If yes - were raw data generated before application of background corrections? Comments: I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory Manager or the						
Were ICP interelement corrections applied? Ves/No YES Vere ICP background corrections applied? If yes — were raw data generated before application of background corrections? Comments: I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer—readable data submitted on floppy diskette has been authorized by the Laboratory Manager or the						
Were ICP background corrections applied ? If yes — were raw data generated before application of background corrections ? Comments: I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authoryzed by the Laboratory Manager or the						
Were ICP background corrections applied ? If yes — were raw data generated before application of background corrections ? Comments: I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authoryzed by the Laboratory Manager or the	1					
If yes — were raw data generated before application of background corrections? Comments: I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authoryzed by the Laboratory Manager or the	Were ICP inte	relement correcti	ions app	lied ?		Yes/No YES
application of background corrections? Comments: I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory Manager or the						Yes/No YES
I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authoryzed by the Laboratory Manager or the	•	-				
I certify that this data package is in compliance with the terms and conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authoryzed by the Laboratory Manager or the	applicat	ion of background	i correc	tions ?		Yes/No NO_
conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authoryzed by the Laboratory Manager or the	Comments:					
conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authoryzed by the Laboratory Manager or the						
conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authoryzed by the Laboratory Manager or the			· · · · · · · · ·			
conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authoryzed by the Laboratory Manager or the						
conditions of the contract, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authoryzed by the Laboratory Manager or the	I centify the	it this data nacks	ane is i	n complianc	e with th	e terms and
other than the conditions detailed above. Release of the data contained in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authorized by the Laboratory Manager or the						
in this hardcopy data package and in the computer-readable data submitted on floppy diskette has been authoryzep by the Laboratory Manager or the						
on floppy diskette has been authorized by the Laboratory Manager or the						
an capped and continue decir delice back at any ampaided to continue delice and	on flanav dis	kette has been a	uthorize	d by the la	boxatory	Manager or the
Manager's designeed as very tied by the following signature.	Manaderie des	inneed as Jones	H hul th	e following	Sinbatus	9.4

Signature:

Date:

COVER PAGE - IN

ILM03.

	1			
INORGANIC	ANALYSES	DATA	SHEET	

EPA	SAMPLE	NO.

Lab Name: 17AS	G_PITTSBURGH		Contract: 68-D	। ; ;3-кікі48 і	MBKW54
Lab Code: ITPF	1 Ca	se No.: 23	123_ SAS No.: _	Si	DG No.: MBKW54
matrix (5011/4	vater): WA(E	R	La	b Sample	ID: MBKW54
rever (jow/med	บ: ผู้เพื่	_	Ūa	te Receiv	ea: 01/12/95
% Solids:	@.	Ø			
Co	ncentration	Units (ug.	/L or mg/kg dry w	eight): U(3/L_
	<u> </u>				
	ICAS No.	·		ū imi	-
	17429-90-5	Aluminum_	11	IP_	}
	17440-36-0	[Antimony_	11.2101	IP	ł
	17440-38-2	Arsenic	148.71_1	IP	
			i104@il_i		
			0.20IUI		
			1.6 U		
			378001_1		
	17440-47-3	Coromium_	4.51BI	!K-	
	17440-40-4	/Copper	1.4101		
			139.61_1 134301_1		
			3430 _ 92.81_		
			251001		
			76.51_1		
			1.21		
			3.7101		
			222001_1		
	17782-49-2	Selenium_	2.6IUI	IP_	!
•	17440-22-4	Silver	2.0101	N JIP	
	17440-23-5	Sodium	4650001_1	IPI	
	17440-28-0	Thallium_	I4.21UI	TIP_I	1
			10.51BI		
	17440-66-6	Zinc	136 _	EJ P	
•					
	I	·	i _i.		
Color Before:	YELLOW	Clarit	y Before: CLOUDY	Tex	cture:
Color After:	YELLOW	Clarit	y After: CLOUDY	Art	ifacts:
Comments:					
					

ILM03.0

Ry No 1, 2. 43 f 69 101651

w.s. crm - bur	U.	.S		Ė	-16	7	.	U	LF	٠
----------------	----	----	--	---	-----	---	--------------	---	----	---

		TNUMBER OF THE	1 ANALYSES DATA	SHEET	EPA SAMPL	E NO.
		11401/0/1410	MINE COCO DATA	0,122,		
Lab Name: ITAS	_PITTSBURGH		Contract: 6	8- D3-0048	MBKW5	5 i
Lab Code: ITPA	Ca	se No.: 23	123_ SAS No.	:	SDG No.:	MBKW54
mátrix (SOII/W	ater): WATE	Ř ·		Lab Sampl	e lD: mBKW	55
revei (lom/wed	v: LUW_			Date Rece	ivea: Ø1/1	2/95
% Solids:	0.	Ø				
Co	ncentration	Units (ug.	/L or mg/kg dr	y weight):	UG/L_	
	1	1	<u> </u>	1 1 - 1	 1	
			Concentration	ICI Q I	M i	
	1	1	1 1230	!!	<u></u> !	
	17429-90-5	Aluminum_	230	!_!!	P_!	
	17440-36-0	Antimony_	11.2	!!!!	P_	
	17440-38-2	Hrsenic	97.4	<u>'</u>	P_!	
	17440-37-3	Barium	212	·	P_!	
	17440-41-7	(Cadmium	1.6	10:	<u>-</u> -	
•	17440-70-2	Calcium	18900		' 0	
			31.7			
	17440-48-4	Cobalt	1.4	101	 P i	
	17440-50-8	Copper	38.6	1 1 1	P_I	
			1710		P_1	
			9. 1		P_1	•
	17439-95-4	Magnesium	19900	1_11	P_I	
	17439-96-5	iManganese	20.7	1_11	P_I	•
•	17439-97-6	Mercury	l3 0. 5	1_1	CVI	
			10.6			
	17440-09-7	Potassium	41100	!_!!	P_!	
	17782-49-2	Selenium_	2.6	101	P_!	
	17440-22-4	Silver	2.0	ini	P_!	
	17440-23-5	15001um	895000		P_!	
			4.2 65.3		P_I P_I	
			52.9		P_1	
			JE. 7		NR I	
•		1			1	
						
Color Before:	BROWN	Clarit	y Before: CLO	UDY	Texture:	<u> </u>
Color After:	BROWN	Clarit	y After: C LO	UDY	Artifacts:	
Comments: #	, X 10					
N				-		
-						
						

ILM03.0

101652 Replo 1, p. 440 F 69

	u.s.	EPA - CLP				5
	INURGÁNIC	1 ANALYSES DATA	SmE	ET	EPA SAMPLE N	. —
Lab Name: ITAS_FITTSBURGH		Contract: 6	B−D	3-004E	 MBKW56 	·
Lab Code: ITPA Ca	se No.: 23	123_ SAS No.	: _		SDG No.: MBH	(W54
matrix (Spliywater): whic	к		∟a	р Запр	le ID: MBKW56	-
ievei (low/med): LūW_	<u>.</u>		Da	te Rec	eived: 01/12/9	5
% Solias:0.	ט					
Concentration	Units (ug.	/L or mg/kg dr	y w	eight)	: UG/L_	
,						
		: Concentration 			1 1 1M 1 1 _1	
 7429-90-5	Aluminum		<u>'</u> -'		<u>'=</u> '	
		11.2			1P_1	
		54.9			1P_1	
		1770			[P_1	
		10.20			[P_1	
		16.6			IP_I	
		100000			IP_I	
		25. 0			IP_!	
		14.3			IP_!	
		l106 l7760			IP_I	
17439-89-6 17439-92-1					IP_I IP_I	
17439-95-4					IP_I	
		191			iP_i	
		93.0			ICVI	
		8.2			IP_I	
174441-109-7	Potassium	122000			IP_I	
17782-49-2					[P_1	
17440-22-4				N <u>J</u>	IP_I	
17440-23-5			_		IP_1	,
17440-28-0					1P_1	
17440-62-2			•		1P_1	
		329		=_ <i></i>	IP_I	
<u> </u>	Lyanide	<u> </u>	' ' . 		INRI	
1	1		٠ '		1	

Coloi	· Before:	BROWN	Clarity	Before:	CLOUDY	Texture:	
Color	After:	BROWN	Clarity	After:	CLOUDY	Artifacts:	
Comm	ents:	Hg ×10			·		
. —		Na XIO					
		<u> </u>	<u> </u>			· · · · · · · · · · · · · · · · · · ·	-

ILM03.0

101653 19/201, 0.45 of 69

		U.S.	EPA - CLP		6
_		INORGANIC A	1 ANALYSES DATA S	HEET	EPA SAMPLE NO.
Lab Name: ITAS	S_PITTSBURGH	1	Contract: 68	-D3-0048	MBKW57
Lab Code: ITPA	Ca	use No.: 23	123_ SAS No.:		SDG No.: MBKW54
Mathix (1851), W	aten): Whic	i Ř		шар за п р	le lD: MBRW57
mever (low/med): LOW_	<u>.</u>		Date Kec	eived: 01/12/95
% Solids:	<u>_</u> 0.	Ø.			
Üo	ncentration	Units (ug/	/L or mg/kg dry	weight)	: UG/L_
	1	1			1
	ICAS No.	Analyte	Concentration	CI Q	IM I
	17429-90-5	lalumınum :	19.61	-i	<u>' — '</u>
			11.21		i P_i
			73.51		IP I
			12.51		IP_I
			। ୬. ଥିବା		1 <u> </u>
			1.61		IPĪI
			5350001		IP I
			1.81		IPĪL
			3.91		IP_I
			1.11		IP_I
	17439-89-6	Iron	200001		IP_I
	17439-92-1	Lead	0.901	Ū I	IP_I
	i7439-95-4	Magnesium	917001	_1	1 2 1
	17439-96-5	Manganese	806 1	_1	IP_I
	17439-97-6	Mercury	0.201	U I	ICV I
	17440-02-0	Nickel	3.71	U I	IP_I
•	17440-09-7	Potassium	758001	_	(P_1
	17782-49-2				P_1
	17440-22-4				P_1
	17440-23-5				P_1
	17440-28-0				IP_I
	17440-62-2				P_1
	17440-66-6				P <u>∃</u> I
	1	Cyanide		_1	NRI
	I	.1		_1	
Color Before:	COLORLESS	Clarit	y Before: CLEA	R_	Texture:
5 1 664	001.001.500	~• • • •	25.50	_	

Color After:	COLORLESS	Clarity After:	CLEAR_	Artifacts:
Comments:	Na XIO			

ILM03.0

101654

Rep No 1, p. 460 f 69

	- I		
INURGANIC	ANALYSES	DATA	SHEET

EFA	SAMPLE	NO.

)					I MBKW58
_ab Name: 1TAS	_PITTSBURGH		Contract: 68-	D3-0048	1
Lab Wode: ITPA	Ca	se No.: 23	123_ SAS No.:		SDG No.: MBKW54
Matrik "solizw	later): WATE	Ř	۷.	ab Sampi	e ID: mBKW58
Level (low/med): LOW_		Ď.	atje Kede	1ved: 01/12/95
% Solias:	0.	Ø			
. Cò	ncentration	Units (ug.	/L or mg/kg dry i	weight):	UG/L_
	1	1		•	1
	ICAS No.	*	Concentration C		M 1
	17489-90-5	ıĤiumınum	_ 446 _		<u></u> '
			i11. žiŪ		P_i
			1271_		P
			8001		P_1
			0.2010		P_1
			3.01B		P_I
	17440-70-2	(Calcium	2170001		P_1
	17440-47-3	Chromium	101B	l l	P_1
	17440-48-4	Cobalt	1.9IB		P_1
	17440-50-8	Copper	l29.41 <u>_</u>	l l	P_1
	17439-89-6	Iron	l6990l_	l1	P_1
	17439-92-1	iLead		·	P_1
	17439-95-4	 Magnesium	1420001_	iI	P_1
	17439-96-5	Manganese	l526 l		P_I
	17439-97-6	Mercury	44.61	l1	CVI
			I3.71UI		
•	17440-09-7	Potassium	775001_	l <u></u> l	P_I
	17782-49-2	Selenium_	2.61U	l <u> </u>	P_1
	17440-22-4	Silver	2.010	I_N_J	P_1
	17440-23-5	Sodium	2120000	l	P_1
	17440-28-0	Thallium_	4.210		
			14.21B		P_1
			3 0 3		F'_1
					NR I
	l	l	l <u></u>	_ 	1
Color Before:	BROWN	Clarit	y Before: CLOUD)		Texture:
Color After:	BROWN	Clarit	y After: CLOUD)	· /	Artifacts:
Comments: //	~~				
H	9 X10				
			<u> </u>		
					

ILM03.0

Per 100 4, 0.47 69 101655

		u.s.	EPA - CLH	,	•	`,		8
		INÜRĞANIC	I ÁNÁLYSÉS D	ATA SE	HEE)	EFA S	AMPLE	_
Cap Name: 118	AS_PITTSBURGH		, Contrac	t: 68-	-D3-0046		IBKW59	
Lao Code: ITI	PA Ca	se No.: 23	123_ SAS	. ino. :		SDG N	lo.: MI	BK W5 4
Matrix (Soll)	/water): WATE	R		-	.കാ ടിക്കു	oie (D:	MBKW59	j
Level (low/m	ea): LUW_			Ľ	ate Rec	eived:	Ø1/12/	/95
% Solids:	ø.	Ø						
(Concentration	Units (ug	/L or mg/k	g dry	weight)	: UG/L_	-	
•	ICAS No.				i Q			
,	1742ラーラの一5		i	44801_	.	[
	17440-36-0			•		IP_I		
	17440-38-2			_1261_		1P_1		
•	17440-39-3					-		
	17440-41-7 17440-43-9			0.281B		1P_1		
	17440-70-2			_4.31B		1P_1		
	17440-47-3			04001_		IP_1		
						IP_I	•	
	17440-48-4 17440-50-8			_10.316	'¦—— -	IP_I		
	17439-89-6					1P_1		
	17439-92-1			22001 <u> </u>		IP I		•
	17439-95-4			-1690 -		IP_I		
	17439-96-5					.'F_' P_		
	17439-97-6			_65.31_		icvi		
	17440-02-0	(Nickel	ì	12. BIR	: -	101	•	
	17440-09-7	Dotassium	,	ABININ I	' i ———————————————————————————————————	1P		
	17782-49-2	(Selenium	,	2.611	i	IP_I		
	17440-22-4	(Silver	'	_2.01U	L N			
	17440-23-5	ISodium	162		``'\ <u></u>	IP I		
	17440-28-0					.'F_' P		
	17440-62-2	lUapadium_	'		`` 	iP_i		
	17440-66-6							
	1					INRI		
						11		
Color Before	BROWN	Clari	ty Before:	CLOUD	Υ	Textur	e: _	<u> </u>
Color After:	BROWN	Clari	ty After:	CLOUD	Υ	Artifa	cts: _	

Color i	Before:	BROWN	 Clarity	Before:	CLOUDY	Texture:	
Color 6	After:	BROWN_	 Clarity	After:	CLOUDY	Artifacts:	
Comment	ts:	4g × 10					
)	16 x 10					_
			·				_
							_

ILMØŠ.Ø

14 Don 4, 6. 48 of 69 101656

								9
			1			EPA SA	MÕI E	NiO
•		INORGANIC A	-	DATA SHE	FT	- , ,, O,	11.11. 1. 1.	- 140.
_		1110110111111		5,,,,,				
						I MP	KW6 Z	י ו
Lap Name: 1745	FITTSBURGE	1	Contra	ct: b8-D	3-0048		·1 / •• C: •	•
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		·	20			·		
Lad Lode: 1/PH	i ūa	se No.: 23	183 SA:	5 00. :		SDG No	. • M	IRKU54
							• • •	1211110
Mathix 5011/w	later): WHIE	ER .		La	b Sampi	e ID: m	IBKW6	NO.
mevel (low/med	D: LŪW_			IJa	te Kece	ivea: v	1/13	2/95
% Solids:	ø.	١٦ .				*		
A 301103.		ν. ·						
Co	ncentration	Units (un	/I or ma/I	kn drv w	einht):	UG /I		
	meenor actor	onitos (ag)	_ U	ng aly w	ergno,.	00/L_		
	1	1	<u> </u>	1 1				
	ICAS No.	ı Anaiyte :	(Concentr			•		
	1 17429-90-5	181uminum	· ————	236WØ1 1	711	 ;		
	17440-36-0					- i		
	17440-38-2							
	17440-39-3							
	17440-41-7	Bervilium		1.31BI	11			
	17440-43-9	Cadmium		33.01				
•	17440-70-2	Calcium	1.3	330001	1 6			
	17440-47-3							
	17440-48-4	Cobalt		22.91BI				
	17440-50-8	Copper		5201 1	IIF			
	1 7440-50-8 1 7439-89- 6	IIron		538001	1 11			
•	17439-92-1	ILead		4461 1	<u> </u>			
	17439-95-4	Mannesium	25	550001	IF	_		
	17439-96-5							
	17439-97-6	Mercury		60.21	10	_		
	17440-02-0					3 1		
	17440-09-7	Fotassium		948001 1	16	5 1		
		Selenium) i		
	17440-22-4							
	17440-23-5	*********		500001_1		۱ (
	17440-28-0					- 1		
	17440-62-2			83.91 1		2 1		
		IZine		14401 1	E JIF	,		
•		Cyanide				IR I		,
	1	ı <u> </u>				1		
					· · · · · · · · · · · · · · · · · · ·			
Color Before:	BROWN	Clarit	y Before:	CLOUDY	7	exture	:	
				•	•			
Color After:	BROWN	Clarit	y After:	CLOUDY	F	rtifac	ts:	
			•		•			
Comments: L	19 X25			.*	•			
<u> </u>	9 125							

ILM03.0

U.5. E	PA - CLP
INURGANIC AND	1 EPA SAMPLE NO. ALYSES DATA SHEET
Lab Name: ITHS_PITTSBURGH	Contract: 68-03-6648
Lab Code: ITPA Case No.: 23123	S_ SAS No.: SDG No.: MBKW54
Mathix (3311/water): WalEd	wao bampie ib: MBKW61
Level (low/med): LüW	Date Received: שו/12/95
% Solids:0.0	
Concentration Units (ug/L	or mg/kg dry weight): UG/L_
	ncentration(C) @ IM

17440-38-2 Arsenic	_ _ _ P _ _ P _ _ P _
1/429-90-5 Aluminum	
17440-36-0 Antimony	P
17440-38-2 Arsenic	_ P _ _ P _ _ P _
17440-39-3 Barium	
17440-41-7 Beryllium	_IP_I
17440-43-9 Cadmium	
17440-70-2 Calcium 64400	10 1
17440-47-3	<u>—</u> ' ' — '
17440-48-4 Cobalt	_1P_1
17440-48-4 Cobalt	_IP_I
17439-89-6	_IP_I
17439-89-6	_{P_1
17439-92-1 Lead	_IP_I
17439-96-5 Manganese	JIP_I
17439-96-5 Manganese	_1.P_1
17439-97-6	_IP_I
17440-02-0 Nickel	_ICVI
	IP_I
17440-09-7	_IP_I
17782-49-2 Selenium 2.6 U	TIP I
17440-22-4 Silver 2.0 U _N_	JIPII
17440-23-5 Sodium 11000001	IP I
17440-28-0 Thallium 4.2 U	_1P_1
17440-62-2	_IP_I
17440-66-6 Zinci33.71_ E	<u> </u>
llCyanide_ll_l	
	/ / / / / /

Color	Before:	YELLOW	Clarity	Before:	CLOUDY	Texture:	
Color	After:	YELLOW	Clarity	After:	CLOUDY	Artifacts:	
Commer	nts:	Na x 5				·	
							_
						·	
-					· · · · · · · · · · · · · · · · · · ·		-

ILM03.0

		INORGANIC	1 ANALYSES DATA SH	EET	EPA SAMPLE	NO.
1		- · ·			1	
Lab Name: ITAS	_PITTSBURGH	l	Contract: 56-	มี3-พีพุ46	i mBKW62	
Lab Code: IfPA	Ca	.se No.: <i>2</i> 3	123_ SAS No.:		SDG No.: M	EKW54
Mathix (3011/W	ater): Whit	. K	<u>`</u>	iqmed de	e lu: MBKW6	ė
Lever //low/med): LÜW_	_	U	a te Kece	ived: 01/12	/95
% Solids:	0.	Ø	•			
Co	ncentration	Units (ug.	/L or mg/kg dry	weight):	UG/L_	
	1	l	ı	1 1		
			Concentration C	•		
	1 7/100-010-6	10				
			96.31B 11.210			
			162.91_			
			18018			
	17440-41-7	Bervllium	ia. 2010	<u> </u>	, P i	
	17440-43-9	1Cadmium	1.610	1	 P	
	17440-70-2	Calcium	858001_		P ⁻ I	
	17440-47-3	1Chromium	ii.81ü	i	PTI	
	17440-48-4	Cobalt	1.410	l	PI	
	17440-50-8	Copper	15.61B	lI	P_I	
	17439-89-6	liron	124001_	ii :	Ρ_1	
	17439-92-1	ILead	2.01B	ı <u>J</u> i	F'_1	
•	17439-95-4	Magnesium	183ଉଉଟ _	II	P_I	
			15161_			
			12.01_			
	17440-02-0	Nickel	13.71U	l1	P_1	
	17440-09-7	Potassium	678001_]	P_	
			2.610			
			2.010		_	
			15900001_			
			4.210		P_1	
			3.8IB		P_1	
			47.6!-		P_1	
		Cyanide			NR I !	
Color Before:	YELLOW	Clari	y Before: CLOUD	,	Texture:	<u> </u>
Color After:	YELLOW	Clari	y After: CLOUD	()	Artifacts: .	
Comments:	Na XIO					

ILMØ3.0

Pet Dord, 5. 570 F 69

		∵. ∵.	EAR OLF		13	2
		INORGÁNIC :	1 ANALYSES DATA	SHEET	EPA SAMPLE N	
Lad Name: Iff	HDRUBETT 14_26	l	Contráct: 6	B-D3-Ø 048	 MBKW63 	
Lap Code: ITA	'H	se No.: ೭೨	123_ SAS No.		SDG No.: MBK	(W54
Matrik - 3011/	water: WHIE	. . K		шар балр	Te ID: WAKMAS	
Level !low/me	a): LūW_			Date Rec	eived: 01/12/9	5
% Solids:	Q.	2 1				
_						
C	Concentration	Units (ug.	/L or mg/kg dr	y weight)	: UG/L_	
	i .			i l		
			Concentration	ICI Q	1 M - I	
			1			
	1/4ピサーサビーコ	$\texttt{:HIUminum}_$	1866	1_1	1 	
	17444-36-6	IAntimony_	11.2		IP_I	
			123.8		1P_1	
	17440-39-3	Barium	319	 _ 	IP_!	
	17440-41-7	Beryllium	0.20	IUI	IP_I	
			1.6		IP_I	
			148000		IP_1	
•			14.3		IP_I	•
	17440-48-4	Cobalt	1.4	IUII	IP_I	
	17440-50-8	Copper	27. 1	! _!	IP_I	
•	17439-89-6	Iron	2060		IP_I	
	17439-92-1				IP_I	•
Ť			394000		IP_1	
			1506		IP_I	
			13.7		ICVI	
			13.7		IP_1	
	17440-09-7	Potassium	144000		IP_1	
	17782-49-2				IP_I	
	17440-22-4				IP_I	
	17440-23-5				IP_I	
			4. ك		IP_I	
		_	5. 1		IP_I	
			74.4			
	l	Cyanide	l		NRI	

Color	Before:	YELLOW		Clarity	Before:	CLOUDY	Texture:	<u>.</u>
Color	After:	YELLOW		Clarity	After:	CLOUDY	Artifacts:	
Commer	nts:	Na	× 10					
			<u> </u>					

ILM03.0

my No 4), - 520 + 69 101660

	U. U.	CFA - CLF		1.	3
	INURGANIC	1 ANALYSES DATA SH	IEET	EPA SAMPLE	NO.
Lao Name: 1185_P171SBURGH	I	Contract: 68-	บร-ผผสย	Field Pole	Et M. com
Lab Code: :TPA Ca	se No.: 23	123_ 5A5 No.:		SDG No.: MI	BKW54
matnik (applikwaten): waïE	Ř	, i.	an Eamp	te iū: MEKW7;	5
reset (low/med): rūm_	_	ם	ate Rec	eived: 01/12.	/95
% Solias:0.	Ø				
Concentration	Units (up	/L or mg/kg ory	weight)	: UG/L	
,	·			 -	
		Concentration C	1 0		
・ <u> </u>	10)1101010	11_ 152.61B	.		
		111.2:0			
		1.410			
		i0.85IB		,,, P_	
17440-41-7	Beryllium	0.2010		'F_' P_	
		1.610		iP_i	
17440-70-2	Calcium	15591B		i P_i	
17440-47-3	1Chromium	1.810		iP i	,
		1.410		IP I	
17440-50-8	Copper	4.11B	1	IP_I	
17439-89-6	Iron	28.61B		IP I	
17439-92-1	ILead	เ		IP_I	
		i41.71B		IP_I	
		ı0.501U		IP_I	
17439-97-6	Mercury_	I0.20IU	1	ıcvı	
		13.71U		IP_I	
17440-09-7				IP I	
17782-49-2				IPĪI ·	
17440-22-4			INI	IP_I	
17440-23-5	Sodium	118018	1	IP_I	
		14. ೭1೮	1	IP_I	
		1.510		P_	
17440-66-6	IZinc	13.81B	1_E	(P_1	
				INRI	
	1			1	
Color Before: COLORLESS	Clari	ty Before: CLEAR	-	Texture: _	
Color After: COLORLESS	Clari	ty After: CLEAR	_	Artifacts: _	<u> </u>

Comments:

ILM03.0

		·	The CE	_		· ·	•
		INURGÁNIC	1 HMÁLYSÉS I	jaja see	E I	EPA SAMPLE NO	4 J.
						1	
Lab Name: 116	42_F.1 12#0KPH	1	Contrib	ರ್: ಇಡ-೮	<u>১</u> -৩048	Tield Chin	<u>.</u>
Lab Jode: 116	'H Ua	Ase No.: 23	1ರತ್ತಿ ಅಗು	i ∧o.: _		SDG No.: MBK	4 54
Mathix (soil/	water): WATE	EŘ		:a	೧೯೬೮ - ೧	ie iu: mekwyć	
		7		_			
Level (low/me	ra): LOW_			Da	te Rec	eived: 01/12/95	วิ
% Solids:	0.	Ø					
	Concentration	uinits un	zi ora meizi	(ก กษบ พ.	ו מחד ו	: 1671	
	1	1	1	1 1		1 1	
	ICHS No.						
	1	134	İ				
	1/429-90-5					16-1 16-1	
	: 744W-35-0 : 744W-38 -2					F	
	17440-39-3					i P_i	
	17440-41-7	Bervilium	·	e. Eelul		1P_1	
	17440-43-9					IP_I	
	i7440-70-≥	Calcium	1	_568 B		IP_1	
	17440-47-3	1Chromium	1	1.81UI			
	17440-48-4	Cobalt	l	1.4 U		IP_I	
	17440-50-8	Copper	f	_3.31B1		IP_1	
	17439-89-6	IIron	!	_24.41B1		IP_1	
	17439-92-1	Lead	1	Ø. 901UI		1P_1	
	17439-95-4 17439-96-5					1P_1 1D_1	
	17439-97-6	IMercury	'				
	17440-02-0	Nickel	'	3.7101			
	17440-09-7	Potassium	i .	360101		1 P 1	
	17782-49-2	[Selenium_	i			IP_I	
	17440-22-4	Silver	1	2.0101	N = I	IP_1	
	17440-23-5					IP_I	
	17440-28-0	Thallium_	1	_4.2101		IP_I	
	17440-62-2						
		Cyanide				INRI I	٠
Color Before:			ty Before:			_	
			•	_			
Color After:	CULURLESS	Clari	ty After:	CLEAK_		Artifacts:	

Comments:

ILM03.0

SAMPLE DELIVERY GROUP (SDG) TRAFFIC REPORT (TR) COVER SHEE

Lab	Name: ITAS Pittsburgh	Contract No.: 68-03-004
Lab (Code: TTPA Case	No.: 23/23 SAS No.: _
Full 3	Sample Analysis Price in (Contract: \$
(Lows	No./First Sample in SDG: _ est EPA Sample Number in nples received under SDG.	
(Higi	hest EPA Sample Number amples received under SDG	
	Sample Numbers in the SI $MBKWSY$	OG (listed in alphanumeric order
1	MBKW 55	11 <u>MBKW 76</u>
<u>5</u> —	MRKW 56	13
<u> </u>	mBKW 57	14
5	MBKW 58	15
6	MBKW 59	16
7	MBKW 60	17
8	MBKW 61	18
9 —	MRKW 63	19
10	mBKW 75	20
		form in alphanumeric order on this form).
Signa	1110	Date -

MiNo-1, p. 550+69 101663

RECEIVED

FEB

CCC/ 7.1995

CASE NARRATIVE

Laboratory Name:

ITAS Pittsburgh, Pennsylvania

Laboratory Code:

ITPA

Project Name:

USEPA/CLP

Inorganic SOW:

ILM03.0

Project Number:

662004

Work Order Number:

O501059

Contract Number:

68-D3-0048

Case Number:

23123

SDG Number:

MBKW64

Sample Number:

MBKW64

MBKW68

MBKW72

MBKW78

MBKW66

MBKW69

MBKW73

MBKW67

MBKW70

MBKW74

MBKW79

Shipment

Eleven soil samples were received at the ITAS Pittsburgh Laboratory on January 12, 1995, for metals analysis.

Metals

A duplicate digestion and a matrix spike were performed on sample MBKW68. A serial dilution was performed on sample MBKW64.

The matrix spike recovery exceeded the 75 to 125 percent control limit for antimony and lead. All associated results were flagged with a "N" qualifier.

The duplicate digestion RPD exceeded the 20 percent control limit for barium, cadmium, iron, manganese, zinc, lead, and arsenic. All associated results were flagged with a "*" qualifier.

Samples MBKW66, MBKW68, MBKW68 Duplicate Digestion, MBKW68 Matrix Spike, MBKW67, MBKW69, MBKW70, MBKW72, MBKW78, MBKW79, MBKW73, and MBKW74 exceeded the calibration range for mercury, and required dilution.

450 William Pitt Way, Pittsburgh, Pennsylvania 15238 (412) 826-5477

COVER PAGE - INORGANIC ANALYSES DATA PACKAGE FEB

Bolloga: 1779-			
	Case Ti.:	23122	SIG No.:MBKW64
DW Ma.: ILMOI	- 		
	- - 25-4 ವಿಕಾಥ10 No.	Lab Scatle ID	
		<u> </u>	
	_~384866	_иа¥мен	_
	_MBKW67	_MBKW67	-
	_WBKMP8	_MBKW68	·
	MBKW68D	MBKW68D	-
	_mBKW68S	_MBKW685	-
	MBKW69		-
	_MBKW7@:		-
	MBKW73	_MBKW72	-
		MBKW74	_
	M8KW78		-
	MBKW79	MBKW79	<u>-</u>
			_
			-
			_
			-
			_
		•	
			_
			- •
me ISP inter	alement correct:	cons applied ?	Yes/No YES
,			
ere ICF backg	round correction	ns applied ?	Yes/No YES Yes/No YES
ere ICF backg If yes - (round correction were raw data ge	ns applied ? enerated before	Yes/No YES
ere ICF backg If yes - (round correction	ns applied ? enerated before	
ere ICF backg If yes — (applicati	round correction were raw data ge	ns applied ? enerated before	Yes/No YES
re ICF backg If yes — (applicati	round correction were raw data ge	ns applied ? enerated before	Yes/No YES
re ICF backg If yes — (applicati	round correction were raw data ge	ns applied ? enerated before	Yes/No YES
ere ICF backg If yes — (applicati	round correction were raw data ge	ns applied ? enerated before	Yes/No YES
ere ICF backg If yes — (applicati	round correction were raw data ge	ns applied ? enerated before	Yes/No YES
re ICP backg If yes — (applicati	round correction were raw data ge on of background	ns applied ? enerated before d corrections ?	Yes/No YES Yes/No NO_
re ICP backg If yes — capplicati mments: certify that	round correction were raw data ge on of background this data packa	ns applied ? enerated before d corrections ? age is in compliance with t	Yes/No YES Yes/No NO_
re ICF backg If yes — capplicati comments: certify that	round correction were raw data ge on of background this data packa the contract, bo	ns applied ? enerated before d corrections ? age is in compliance with to oth technically and for com	Yes/No YES Yes/No NO_ he terms and pleteness, for
re ICP backg If yes — applicati applicati amments: certify that inditions of her than the	round correction were raw data ge on of background this data packa the contract, be conditions deta	enerated before discorrections? age is in compliance with to the technically and for complied above. Release of the	Yes/No YES Yes/No NO_ he terms and pleteness, for e data contained
ere ICP backg If yes — applicati comments: certify that conditions of ther than the thus nardco	round correction were raw data ge on of background this data packa the contract, be conditions deta py data package	enerated before discorrections? age is in compliance with the control of the computer readable and in the computer readable.	Yes/No YES Yes/No NO_ he terms and pleteness, for e data contained le data submitted
re ICP backg If yes — application application certify that inditions of the than the this hardon disk	this data packathe contract, be contract, be contract, be conditions detailed the package ette has been au	age is in compliance with to the technically and for complied above. Release of the and in the computer-readabathorized by the Laboratory	Yes/No YES Yes/No NO_ he terms and pleteness, for e data contained le data submitted Manager or the
re ICP backg If yes — application application certify that inditions of the than the this hardon disk	this data packathe contract, be contract, be contract, be conditions detailed the package ette has been au	enerated before discorrections? age is in compliance with the control of the computer readable and in the computer readable.	Yes/No YES Yes/No NO_ he terms and pleteness, for e data contained le data submitted Manager or the
certify that onditions of ther than the floopy disk anager's designed.	this data packathe contract, be contract, be contract, be conditions detailed the package ette has been au	age is in compliance with to the technically and for complied above. Release of the and in the computer-readabathorized by the Laboratory	Yes/No YES Yes/No NO_ he terms and pleteness, for e data contained le data submitted Manager on the
ere ICP backg If yes — capplicati comments: certify that conditions of the than the capplication of the capplication of the cappy disks	this data packathe contract, be contract, be contract, be conditions detailed the package ette has been au	age is in compliance with to the technically and for compiled above. Release of the and in the computer-readable without and the computer adapted by the Laboratory and by the following signature.	Yes/No YES Yes/No NO_ he terms and pleteness, for e data contained le data submitted Manager on the
re ICF backg If yes — applicati comments: certify that conditions of ther than the this nardco floopy disk anager's desi	this data packathe contract, be contract, be contract, be conditions detailed the package ette has been au	age is in compliance with to the technically and for complied above. Release of the and in the computer-readable of the computer of the comput	Yes/No YES Yes/No NO_ he terms and pleteness, for e data contained le data submitted Manager on the

COVER PAGE - IN

ILMØ3.

		1 .	
TAICIDECANTO	CONTRA	Vost	- Ci

=14	SAMPLE	ND.	
			
			ı
			3

) ***********************************	Boling of Abbergal		Sentwast: Ed	-11 UVI4H	I MBKW6	4
lab Goder LTP:	·		123_ SAS No.:			MDIALICA
ing with the	Ca	5e No.: 23	152 DHD WO::		5DG 40.:	MBRW64
inter since	vasonos Bīlī			Lgz Band	la ID: mekw	<u> </u>
is ve 1 — Caweese	= 1.24 <u>.</u>			Cato -vc	elved: 31/1	2/95
4 Solids:	(47.	<u> </u>				
O ₇		inits (un	Zi on agzeg dny	WEIGET!	• MG/56	
		· · · · · · · · · · · · · · · · · · ·	, L C. Ng/ Ag C/ y		. 110 7.10	
	TUAS NE.) I Ahalvta) (Concentration)	ା ପା ପ	! ! !M !	
			! !		1 1	
	17429-96-5	!Aluminum	54901		1 🗗 !	
•			7.01		[41]	
			i [203 i		iF_i	
•			48901		1P_1	
			۵.471		1P <u>_</u> 1	
	17440-43-9	Cadmium	l <u> </u> 24. 원 l	_ *	IP_!	
	17440-70-2	Calcium	J9801		1 P _1	
	17440-47-3	Chromium_	I3631		(P <u>_</u> (
	17440-48-4	Cobalt	113.11		1 <u>P_</u> 1	
	17440-50-8	Copper	1431	- I	1P_1	
•	17439-89-6	Iron	208001		IP_I	
	17439-92-1	Lead	16171		1P_1	
	17439-55-4				IP_I	
			l <u> </u>		IP_I	
	17439-97-6			_!	ICVI	
	17440-02-0				iP_I	
			5761		}P_!	
	7782-49-3	Selenium_	3.81	_	1P_1	
1	17440-22-4	Silver	l3.31	Bi	IP_I	
	17440-23-5	Sodium	9481		IP_1	
			1.71		IP_1	
	17440-62-2	Vanadium_	43.01	_ ! <u>.</u>	1F'_1	
	17440-66-6	Zinc	125001	_!*[IP_I	
	l	Cyanide	1	_1	INRI	
	1	!	·i	_ `		
olor Before:	BROWN	Clarit	y Before:		Texture:	MEDIL
Colon Aftan:	BROWN	Clarit	y After:	· 	Artifacts:	YES_
comments: ARTIFACTS:_	FREE_WATER				·	

ILMØ3.0

Ref No 4,0. 59 of 69 101666

i TUAS No.	1 ()001440	! .Sondentratiir		·	M
:Ono Mu.	. Hudibca	. Dunwenkereti.	. `-	. <u>u.</u> I	1 : 1 1
7429-90-5	(Aluminum	9242	:		JIF
17440-35-0	.Antimony_		 ن .	· [4]	TIF
17440-36-2	iAnsenic		:	*	[iF]
17440-39-3	iBarium		:	:*	[IP]
17440-41-7	Beryllium	٧.74	! B !		[16]
17440-43-9	/Cadmium		; _	*	[IP]
17440-70-2	:Calcium		:		Γ if Γ
17440-47-3	/Chromium_		: [!	[+P]
17440-48-4	Cobalt		iB	l	[IP]
17440-50-8	Copper	383	_		IIP_
17439-89-6	Iron		1 _ !	<u>* </u>	JIP_I
17439-92-1	ILead		: _ :	! <u>N</u>	JIP :
17439-95-4	iMagnesium	i719@	i		[IP]
17439-96-5	!Manganese		1 <u> </u>	· *	[IP]
17439-97-6	Mercury		ı —	1	FICVI
17440-02-0	Nickel		: _		TIP_I
7440-09-7			ΞĐ		[IP]
17782-49-2	Selenium_		i	!	TIP
17440-22-4	Silver		IBI		[IP]
17440-23-5	Sodium		l _ l		[IP]
17440-28-0	Thallium_				[IP]
17440-62-2	Vanadium		i _ !	!1	[IP]
17440-66-6	iZinc	: 030	: - :	*	ÎIF I
i	iCyanide			i	INRI
!	. ,		:		- 1

J o 1	יזס	Before:	BLACK	Clarity	Before:	·	Texture:	MEDIU
Col	יזס	After:	BLACK	Clarity	After:		Artifacts:	YES
om	mer ART	nts: TIFACTS:	_FREE_WATER_AND	_SLUDGE	Hg	x 100	 	·
				· · · · · · · · · · · · · · · · · · ·				

ILMO3.0

A (1) 1, 12. 59 of 69

EPA	SAMPLE	NO.

			TACKGHNIC /	RMALYS ES DATA S		;	.
Lii Ma	me: ITAS) PITTEBURGH		Contract: 65	- D3-VV48	I MBKW6	7
.ec Co	de: lTPA) }	se No.: 23	IEB SAS No.:		SDG No.:	MBKN84
	10011	- 20 - g	•		் பட கண்ற	ole ID: -SKW	67
.: •.	ు వేశంగా శాఖం -	.):		<u>:</u>	late Hec	elved: 31/1	E795
4 Boli	ជន:	45.	A				
	Co	ncentration	Units (Mg)	(L on mg/kg dry	weight)	: MG/KG	
		1	f	1	!	1 1	
		ICAS Mt.	! Analyte	Concentration'	2: 9	1M :	
		!				.! '	,
		17429-90-5	[9] հայորդա_	2330:		JE -!	
		17440-35-0	HARTIMONY_	4.9		IF_	
		17440-38-2 17440-39-3	Hrsenic			IP_; IP	
		17440-41-7	IBARUII.	4/10/1 0.23!5		.!F_! .!F !	
		17440-43-9	reerylliam TCadmium	3.2:	``\ - +	.'	
		17440-70-2			-¦^- -	i F	
		17440-47-3				IP_i	
		17444-48-4	(Cobalt	12.018		iP_i	
		17440-50-8	Copper	65.61		IP. I	
		17439-89-6	IIron	573001		lip i	
	•	17439-92-1				i F	
		17439-95-4				IP I	
		17439-96-5				IP_I	
		17439-97-6	IMercury			ICVI	
		17440-02-0				IP I	
		17440-09-7				IP i	
				2.61		IP_!	
		17440-22-4				IP_I	
				34301		IP_I	
		17440-28-0	Thallium_	1.81	11	IP_I	
		17440-62-2	/Vanadium_	22.015	1	IP_I	
		17440-55-6	iZinei	777 i _	.i *J	1P_!	
		i	Cyanide	1_	.	INRI	
		1	1		1	11	
rolc?	Before:	BROWN	Clarit	y Before:		Texture:	MEDIU
slor	After:	BROWN	Clarit	y After:		Artifacts:	YES
ommen ART		_FREE_WATER	_AND_ROOTS		<u>.</u>		
	_	_		Hg x 50			

ILM03.0

Ref No. 1, ~ 600 f 69

			~. ~.	EPH -					6
				1			EPA	SAMPL	
			CRORGANIE	NHLYEE:	E DATH 3		1	· · · · · · · · · · · · · · · · · · ·	
,							1	MBKW6	8
). ** **	1:45	FORT SECURIC		Conti	nact: =	3-03-0K	148 '		
wat isaa:	ITFA	្ន	se No.: E3	123_ 9	SAS No. :	:	SDG	No.:	MBKW64
		 :				ានដា មិន	mpi- ID	: MBKW	6 5
_ 2 - · · · · · ·	មុ≟តាទΩ⊹	_만쟁_	<u>.</u>			Late 4	: :::::::::::::::::::::::::::::::::::	: 01/1	3/95
% Estima:		_51.	3						
	Enc	icentration	linite (:=	// 252 #3	azea ani	. weich	ታነ • ጠፍ/	K.C.	
				/ <u> </u>	4/59 4/			7.0	
		l :CAS No.	1 253145	l Connant			; M 1		
			i mnaiyte !	longen: '	ម្រាអ្នក្រប	ili u	11		
		7429-93-5	Fluminat		6540	1	IP_I		
		7442-55-2	 Antimony	:			J.F.		
		7440-23-2	!Arsenic	1	80.3:	l *			
		:7440-39-3							
		7440-41-7							
		17440-43-9	Cadmium	1	1321	<u>*</u>	IPI		
,		7440-70-2							
		7440-47-3							
•		7440-48-4			22.41		JIP I		
		7440-50-8			201				
		17439-89-6				- *			
	į	7439-93-1	Lead	1	182				
		17439-95-4							
		7439-96-5							
		17439-97-6							
		7440-03-0							
		7440-09-7		:	1080				
	i	7782-49-2	(Colonius	' 		L' !			
	,	7440-22-4	Cilus .	!		_ '			
	•	リフィイダーここーチ	ISadius	<u> </u>	77/01	P!	'P-'		
		7440-23-5							•
		17440-29-0					!P_!		
		7440 ー6度-12					! <u>P</u> -!		
÷	;	744ହା					F _ NR		
	i						!!		
usion b et i	ore:	EROWN	Clari	ty Befor	re:		Text	ure:	MEDIU
Color Afte	er:	BROWN	Clari	ty After	·:		`Arti	facts:	YES
Comments: ARTIFAC	CTS:	_FREE_WATER	,_stones,_	AND_ROOT	rs	Нд х	25		

JLM03.0

101669

Ref No. 4, p. 610 69

EPA	SAMPLE	NO.
-----	--------	-----

٠		INDREG	NIC AMALY	MES Darra Sheet	1	
		GBUKE:	<u>.</u>	ntrest: :: }= }:-0	MBKW6	9
	ITEA	Dase No.	: 23123	SAS Wo.:	SDG No.;	МВКИ64
	(part)	•		·	nable ID: HBKM	6 5.
.3	732 1	1. 14. <u>- 1</u>		Date	Sacelved: Ul/1	2795
% acti25:		31.3				
	Concent	nation Units	(ug/L an	ng/kg amb weig	ht): MG/KG	
	1	1 .	1	1 1	1 1	

	1	!	ı	1 1
ICAS No.	: Analyte	Concentration	□ : □	1 M I
;	-! 		!	
17440-36-0				
1 7440 -38-2	∴antimonv_			
17440-38-3 17440-39-3	Arsenic			
	Barium			
17440 41-7	Beryllium			
17440-43-9	Cadmium			
17440-70-2	!Calcium			
17446-47-3	Chromium_			<u> </u>
17440-48-4	Cobalt			JIP_I
17440-50-8	Copper		_	
17439-89-6	lIron			
17439-92-1	iLead		_ iN	
17439-95-4	Magnesium	।793ଢା	_1	IP_I
17439-96-5	IManganese	1971	_!*	IP_I
17439-97-6	Mercury	13501	_	UCVI
17440-02-0	Nickel	ا47. ق ا	_1	
17440-09-7	Potassium		BI	JIP I
17782-49-2	(Selenium_	' 7. ଭା	!	JIP
17440-22-4	Silver		BI	IPI
17440-23-5	(Sodium		1	TIP I
17440-28-0	Thallium_		ŪI	IP I
17440-62-2	iVanadıum_			JIP I
17440-66-6	Zinc			
1	Cyanide		1	
1	1			
·	- '	` 	- · · · · · · · · · · · · · · · · · · ·	'

Colon Before:	BROWN	Clarity Before:		Texture: Mi	EDIU
Color After:	BROWN	Clarity After:		Artifacts: Y	ES
Comments: ARTIFACTS:_	_ROOTS	Hg × 25			

ILM03.0

Ry No1, p. 620f69

		Q
 CAMEU	<u>,-</u>	5 - J 1

		INDREANIU :	HWALKSER DAIA	SHEET	SPH SHMPL	E NU.
en sast TAR	. PITTEBURSH		(Tanthazt:)		! MBKW7	Ø
						MDIZIO A
.yas Tad e: ITBF		,5 0 (99,7) 2.1	122_ SHB 90.	•	SDG No.:	mbrw54
	itt : alli	•		ust litte	la 10: MBKW	718
្រូវ		_		, 17 8 - 147	#17671 U1/1	보 /유럽
% 801109:	<u>_</u> 33.	4)				
Co	ncentration	Units Gag.	/L on ag/kg di	y weight)	: MG/KG	
	1	1	!	1 1	·	
	ICAS No.	Analyte	Concentration	erot a	1 M 1	
	124:25 : 21 =	. i	9310	-!-!		
	17429-90-5	·HIUMIDUS.			[
	: 7440-25-0 : 7440-28- 2					
· ·	17440-39-3				.'' P_	
	17440-43-9				IP I	
	17440-70-2				ip-i	
	17440-47-3				IP I	
	17440-48-4				ip i	,
	17440-50-8				IP I	
	17439-89-6				IP I	
•	17439-92-1				IP I	
	17439-95-4				IP I	
	17439-96-5				IP I	
•	17439-97-6			7 ! _ i	ICVI	
	17440-02-0			S: : : 7	IP_1	
	17440-09-?	Potassium	2630		IP_!	
	17782-49-2	Selenium	6.6	or r	IP I	
	17440-22-4	Silver	4.0	DIBI	1P_1	
	17440-22-4 17440-23-5	Sodium	11800		IP_I	
•	17440-28-0		2.5		1P_1	
	17440-62-2	lVanadium_	45. 3	21_i1	dP[t	
	17440-66-5	Zinc	446	31 1 * J	ip_i	
	.1	Cyanide		1_1_	INRI	
	1	1		_	11	
Dolon Before:	ERUWN	Clarit	y Before:		Texture:	MEDIU
Color After:	BROWN	Clarit	y After:		Artifacts:	YES
Comments: ARTIFACTS:	_ROOTS	Hg x 5	0		,	

ILM03.0

Pap 100 1, 10.630 f 69 101671

	IN organ io analyzes data esee ^t	EPA SAMPLE NO.
. :	Topenset NEEDUSSHOOM Topenset HE-DS-00048	I MBKW73
	SHER ITEM	SUB N

Lit Jamesa (2) makka

112:

. ನಿಕ್ಕಾ ಅಂಥಕಾಗಿಕವು ೧೮೪,೪,೪೨ಕ

% Solids:

30.5

Concentration Units (ag/L or mg/kg dry weight): MG/KG

1	1		, ,		 ,
ICAS No.	Analyte	Concentration	. c i	ā	im I
	!		!		!!
, \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		11500			<u> </u>
17442-25-3	/Antimon		121		<u>.</u> Ţ!₽'_:
:7440-35-E	Hrsenic		_		- 116-1
17440-39-3	Barium	1E000	: _1	*_	↓ !₽_!
17440-41-7	Beryllium		B!		- 11F'_1
17440-43-9	Cadmium	7.6	! _ !	*_	1P1
17440-70-2	Calcium	14020	1_1		<u> </u>
17440-47-3	Chromius_	144	1_1		_1P_1
17440-46-4	Cobalt	18.6	BI		11P_1
1 7440-50 -8	Copper	389	1_1		∐IP_I
17439-89-6	Iron	23100	_	*	J IP_I
17439-92-1	Lead		1 _ 1	N	JIP_1
17439-95-4	Magnesium	5780	1_1		IIP I
17439-96-5	iManganese		1 _ 1	*	IIP]I
17439-97-6	Mercury		1 _ 1		VICVI
17440-02-0	Nickel		, T		JIP I
17440-09-7	Potassium		BI		JIP I
17782-49-2					ĪIF I
17440-22-4	Silver		BI		TIP I
17440-23-5	Sodium				IFI
17440-28-0	Thallium		_		TIPTI
17440-62-2	[Vanadium_]				VIF !
17440-66-6	!Zinc	526	: -	*	JIP !
1	Cyanide		_		INRI
·			_		

	<u> </u>				
Comments: ARTIFACTS:_	_ROOTS	Hg ×50			
Color After:	BROWN	Clarity After:		Artifacts:	YES
Calon Before:	BROWN	Clarity Before:	<u> </u>	Texture:	MEDIU

FORM I - IN

ILM03.0

Falled p. 64 of 69

		-		
THEREGISTS	CNO	VOET	DATA	= -= = = :

	S FITTEBURCH		ರ್ವನ್ನಿ ಅತ್ಯಕ್ಷಕ್ ⁽¹ ಕ	5_7-7	NATE 1	: MBKW7	3
ni Brojeta (MR			. 23			STIC No.	
anii soumono i m	<u></u>	54 90 25.	.11 2H2 H0.	•		WDE 10.:	":DRWD
		-		: **	·	a i i widhili	12
es la la la la la la la la la la la la la	er: LIN	···········		I n.t g	7/19:	1935 Al/L	표수유론
301145:	Œē.						
٠ - ن	Concentration	Units (ug/	'L in mg/kg dr	y weig	ght):	MG/KG	
	1	1		1 1	1		
•			Carpenthation	151 5		ન i	
	· 7429-90-5	i (Alberta Barrella)	13300	;			
			3. 2			-	
			/5. +			≥ <u>_</u>	
			2140			- ·	
	17440-41-7					∍ T	
	17440-43-9	•		! *		> 1	
	17440-70-2					∍Ti	
	17440-47-3		136			∍	
	17440-48-4	_				ָר וֹיַכ	
	17440-50-8					⊃ i	
	17439-89-6		25300				
	17439-92-1		312			p⊤i v	
	17439-95-4			ı – i – –		5-1	
	17439-96-5	_				ુ_ૈ।	
	17439-97-6			1 _ 1	Vic		
	17440-02-0				JIF		
	17440-09-7			181	JI F		
	17782-49-2				JIF		
	17440-22-4				TIF) 	
			16200			5 <u>_</u> 1	
	17440-28-0	Thalliam	3.1	101		- T	
	17440-62-2	[Vanadium]	49.5	, <u> </u>	VIF		
			502		J.F		
	1	Cvanide				NR I	
]				l _		
olan Befone:	BROWN	Clarit	y Before:		1	Texture:	MEDI
oler After:	BROWN	Clarit	y After:		۶	Artifacts:	YES_
omments: ARTIFACTS:	ROOTS	Hg X 10					

ILM03.0

Rep. 1,50. 650 £ 69

er erices	C-C-1454 -	
EPH	SAMPLE	NO.

		HURCHITL	PMALYDEE DAIA	==:	·	
)	. In Presugo		i Çermeni ngay e A	5-77-77-5	MBKW7	4
- ಬಕ್ಕ ವಿಶ್ವಕ್ಕ (ಗರ್ಧ) 1 <u> </u>	ee No.: 27	123 <u>.</u> 898 Ma.	:	SDG No.:	MBKW64
	·			e en la la la en per	da 18: Maka	·
•	•				and the second second second	·-
្នុមស្រ ាភាសាគ្នា	193 <u>1</u> 222 <u>1</u>			late soc	ស្រុខបារ ស៊ីវបារ	_/ 95
4 Solids:	_83.6	5				
1	ncentration	Units (ug/	/L on ag/kg dm	y weight)	: MG/KG	
,	1			! !	1 1	
	CAS No.	i Analyta	Doncentration -	12: 3	iM i	
	· 7429-99-5	Oleanne	6700			
	74 (\$\frac{1}{2} - 2 \frac{1}{2} - 2 \frac{1}{2}				n e e e	
	:7440-35-2				1 P 1	
	7440-39-3		1302	·		
	17440-41-7			P:	1P 1	
	17440-43-9				1P 1	
	17440-70-2		5280		iP_I	
•	17440-47-3				iP i	
	17446-48-4				1P 1	
	17440-50-8		78.0		IP I	
	17439-89-6		165001		IP I	
	17439-92-1		63. 1		lip i	
	17439-95-4				IP I	
	17439-96-5	l Manganese	221		IP I	
	17439-97-6	Mercury	26.5		icvi	
	17440-02-0				ip i	
	17440-09-7				ip i	
	17782-49-2				rie_i	
	17440-22-4				iP_i	
			372		iP_i	
	17440 ES S	Thallium	0.99	F	'[-'	
	17440-60-8	::::::::::::::::::::::::::::::::::::::	42.2!		1P_1 1P_1	
	i Transference	Cunnido	19= .	, -	INRI	
					1	
	· 	· '			' '	
Color Be fore:	BROWN	Clarit	y Before:		Texture:	MEDIU
Color After:	BROWN	Clarit	y After:		Artifacts:	YES_
Comments:						
ARTIFACTS:_	_ROOTS					
		H9 X10				
		A				

ILM03.0

pe/hell, ... 660 f 69

COMMERCIAN CONTRACT		11.00
	*	

Concentration Units (ug/L on ag/kg dry weight): MG/KG

Analyte (Concentration(C)

17440-41-7 |Beryllium| 0.57|B| P-|

!7440-47-3 (Chromium_.____(3.1|_|___

17440-22-4 |Silver______0.45|U|_____|P_|

17440-62-2 (Vanadium_) ____19.7[_] _____1P__(P__) :7440-66-6 :Zinc_______333:_|_*__

_____| | Cyanide__!____| | __|

Clarity Before:

x25

FORM I -

Clarity Afte

17440-48-4 | Cobalt___| 17.91_|___

17440-23-5 || Sodium______624||B1_____

!744@-@9-7 :Potassium: 495|B|

17782-49-2 |Selenium_|______

17439-95-4 (Magnesium) 27601 1

. ଅ<u>ଲ୍ଲୁଡ୍ -ରହ୍ଲ- ଓଡ଼ିଆ ପ୍ରମୟର ଓଡ଼ିଆ</u> କଥ**ିହ**େ ।

1955 to 1525 to 1924II I-084I

THE NELT HER MOLE _____ MDG No.: MBKW64

5.4181 N.J.O.I

____816|_|__*__|F

____3041_1_N_**___**1[P__!

_____17.01_1__*

_____1561_1___

121001_1_

0.661B1

TOAR No.

95.5

7440-35-9 ಸಾಧಾರ**ಾರ**ು 1744**u**-28-*a :*Ansenio______

:7440-39-3 :Banium_____

17440-50-8 |Copper___|

17439-89-6 | | Iron_____1

17439-92-1 |Lead______

lao loomining (1944)

1. Date: 1

Color Before: BROWN____

ARTIFACTS: SAND

BROWN____

Color After:

Comments:

1873

% Solids:

EPA SAMPLE NO.

MBKW78

Large to the second of the contract of the con

iM :

1 F1 1

JP i JIP I

__IP_I

16

1P

18 1

JIP

IP I

1F 1

INRI

Texture:

MEDIUM

ICVI

19 1

 \Box

Dato Socathed: 81/12/95

r : .		Artifacts: YES
IN		ILMØ3.0
	MADO	p. 670+69
		101675

•	· · · · · · · · · · · · · · · · · · ·	Ionia shaly	one en en en en en en en en en en en en e	A part of the second se	EPA SAMPLE NO.
		12.2	e e e e e e e e e e e e e e e e e e e	or the foreign that the first	: ! MBKW79
ing logaring was	Lase M	o.: 23173	SAS Male		SDS No.: 1944464
				:	to the second
*** また *** *** *** ** 歩び				Cate Nece	ived: 01/18/95
∺ Solids:	<u>_</u> 62.7				
	CAS No. An CAS No. An CAS No. An CAS No. An CAS No. An CAS No. alyte Concessions strong stro	######################################			

	<u> </u>			· · · · · · · · · · · · · · · · · · ·	
		7			
Comments: ARTIFACTS:	_STONES	Hg x25			
Color After:	BROWN	Clarity After:	· · · · · · · · · · · · · · · · · · ·	Artifacts	: YES_
Lolor betore:	BROWN	Clarity Before:		Texture:	MEDI

ILM03.0

SAMPLE DELIVERY GROUP (SDG) TRAFFIC REPORT (TR) COVER SHEE

Lab Name: ITAS Pittsburg	L Contract No.: 68-03-004
Lab Code: TTPA Cas	n Contract: \$
SDG No./First Sample in SDC	m BKW 64 G:Sample Receipt Date: _/ /2 in first shipment of (MM/DD/ DG.)
Last Sample in SDG: MBKG (Highest EPA Sample Number Samples received under S	v 79 Sample Receipt Date: / /2 er in last shipment of (MM/DD/DG.)
EPA Sample Numbers in the 1MBKW64	SDG (listed in alphanumeric order:
2 MBKW66	12
3 MRKW 67	13
4 MBKW 68	14
5 MBKW 69	15
6 MBKW70	16
7 MBKW 72	17
8 MBKW 73.	18
9 MBKW 74	19
10 MBKW 78	20
·	of 20 field samples in an SDG. s form in alphanumeric order on this form). $1-13-95$
Signature	Date -
SIGNATOLE	Dait "

Pol 100 1/6:690f69

REFERENCE NO. 5

100 BOOK

R&.NO.5, p.10f32


Projects	
LCF Chamials	
······ZINDEN, NJ	
TAKE of Contents	
page(5)	
On- te Kewonnas Auce	
On-Ste Reconnas Savee 2 SI Sampling Event 11	

MINGOLO PRECISION PRODUCTS, INC.

174 South Main Street HACKENSACK, NEW JERSEY 07601 (201) 488-6300

Ref. No.5, p. 20f 32

tent ledger paper, no protected by a



Ref. No. 5, p. 4 of 32

Randall Harron of the Harlen Group. Field TEAM: David KAMIENEERS (OK) - Site HANAGE Stove McNulty (SM) - 445 officer Jimthe Jang (JJ) - Team Member 0912 - SM condits Hr S Kirkoff nesting serval No. A11091 Ref. No. 5, p. 5 of 36

Ref. No. 5, p. 60f 32

- Hawy was noted at the - all of the reles typicals, He process wastes were repaired from the site - only unservate. Ref. No. 5, p. 7 of 32

Ditephotos. The have been Ref. No. 5, p. 8 of 3 6

PhotoLos Rd. No. 5, p. 9 of 36 10. Photo of one of the setes new MUS Located respected to jute MWFE (11:42) Ref. No. 5, p. 10 of 36

Ref. No. 5, p. 11 of 30

12856 Leave site Ref. No. 5, p. 12 of 32

1/ Ref. No. 5, p. 13 of 32

0700 then is cold (~30-35° f 0715 (. 6. conducts set H+5 meet Field team: (OK)
D. Kahkubing - Site Manager

1 Smith (VS) - Sampk Manager Libraro (26) - Ht S officer J.H. Jang (JJ) - Saryaler Calibratio (by lapor Cinal more to fortherita fullistic move to sures 9+10 litters Ref. No. 5, p. 14 of 32

Ref. No. 5, p. 15 of 32

Ref. No. 5, p. 160f 32

Ref. No. 5, p. 17 of 32

0970 move to SW/SED 8 sample Ref. No. 5, p. 18 of 32

Ref. No. 5, p. 19 of 35

Ref. No. 5, p. 20 of 32

Ref. No. 5, p. 21 of 32

Ref. No. 5, p. 22 of 32

2/ Ref. No. 5, p. 23 of ?

broton, silty, organ all other SED sangles 1200 move to seem pail leuch back 1258 move to Sa/SD/ sample 1330 TJ begins collecting sw/ sampel (photo for BUACIMETAL fractions flue to Shellow/iced over conditions mor pset faction 1342 Bl Jegus collectory SED 1 sample. (photo) Ref. No. 5, p. 24 of 32

more to SIZ, SL3 Ref. No. 5, p. 25 of 32. 11/15

move back to del Ref. No. 5, p. 26 of 32

1445 anwest & 1 Aoil sangle (521) us located ZEE 12240 to the access good to site and site quar start Note: all soil samples (SCI-SC3) were collected between 0-6 depth. Ref. No. 5, p. 27 of 32

Bowl 12/8/94 1:00 pm Lot No 1AAOSS Troud 12/0/94 1:00pm Litus /AHORT SW SAMPLY 1-3,5-8 Were all collected with a trowel for BNAC/Act/PCBo/metals factions R&. No.5, p. 28 of 35

Ref. No. 5, p. 29 of 32

LCP Chemicals Firish Recon flave Site Ref. No. 5, p. 30 of 32

	LCP Chemicals (29)
	1400 Todayis Naumber 1996
1	me cire out here to observe
	Some of the locations sampled
	dung the 1995 sampling
	event The following Malcolm
7	Hink, Inc personnei are present:
	Usa Greco Site manager
>>	Steve Mrnulty Field Heeper
34	
	The worther today is cool (N
	The weather today is cool. (N 40.50°F) and Biercast
12/01	1405 We arrive at the location of the
118 176	Slut sange This lample is
	alocabed as being collected
	from the Elizabethtown Company
	flowoff pipe Thispipe was a
	former darking water transmission
	supply line that was abandaned
	0001/18/96
	Ref. No. 5, p. 31 of 32

	3
	1409 The pipe was then cut
	(con't) open at the Tream as
•	well asother unknown
9	bodico of water in order
	to allow the water within
<u></u>	the pipe to drawn freely into
illy	the creek
me 1911/19/26	1415 Steve and chambe at the location of Su/SEDI cavented during the 1995 Site Conspection The soil at this semple location consists of a dark bourn gred illis 196 gully much with a lot of engine matter Celt should be respected the flasch the SBC appears to be greater dham 10 cfs and
	1440 Finish Recon and Leave Sete
	19911/18/96
	Ref. No. 5, p. 32 of 32

REFERENCE NO. 6

Rev. No.: 1

FINAL DRAFT
SITE INSPECTION
LCP CHEMICALS, INC.
LINDEN, UNION COUNTY, NEW JERSEY
PREPARED UNDER

WORK ASSIGNMENT NO. 038-2JZZ CONTRACT NO. 68-W9-0051

JUNE 16, 1995 UPDATED: JULY 24, 1995

VOLUME 1 of 4

SUBMITTED BY:

DAVID S. KAHLENBERG

SITE MANAGER

STEVEN T. MCNULTY

TASK LEADER

JOHN L. SPLENDORE, P.E. WORK ASSIGNMENT MANAGER

> Ref166, p. 10\$47 101712

Rev. No.: 1

SITE SUMMARY

The LCP Chemicals (LCP) site is situated on the Tremley Point Peninsula adjacent to the Arthur Kill, in

Linden, Union County, New Jersey. The site is located in an industrial area and is bordered by the South

Branch Creek (SBC) to the east, the General Aniline and Film Corporation (GAF) to the north, and Northville

Industries, BP Corporation, and Mobil to the northeast, south and west, respectively. Figures 1 and 2

present a Site Location and Sample Location Map (Site Map), respectively.

LCP purchased the 26 acre chlorine production facility in 1972 from GAF who had owned the facility since

1942. E.I. Dupont owned the land, which according to aerial photographs, was coastal marshland prior to

1942. GAF began producing chlorine in 1961 by utilizing a mercury cell electrolysis process. This process

involved the electrolysis of a sodium chloride (brine) solution in the presence of metallic mercury. The

residual mercury-sodium solution was then used to hydrolyze water forming sodium hydroxide and hydrogen

gas. The metallic mercury was partially recovered and recycled in a brine purification process. The

remaining mercury tainted sludge was placed into the Brine Sludge Lagoon (BSL). As part of LCP operation

of the BSL, lagoon supernatant was collected in a sump located in the southeastern corner of the lagoon,

and piped to the site wastewater treatment system for treatment prior to being discharged to the SBC via

the site's New Jersey Pollutant Discharge Elimination System (NJPDES) Permit. When LCP purchased the

site they continued using the same chlorine processing method with a few minor modifications.

Overflows of supernatant from the BSL to the SBC were observed by the New Jersey Department of

Environmental Protection (NJDEP) on October 30, 1972 and February 7, 1974. The overflow locations,

quantities, and nature of LCP's responses are unknown. In June 1975, a brine recycle pump failed, causing

a breach in the BSL to occur. An undetermined quantity of brine entered the SBC for a nine hour period.

The location of the release was reported to be likely near the southeastern corner of the lagoon.

In 1976, LCP investigated ways to clean the BSL and remove the mercury wastes that were being deposited.

ff No 6, p. 2 of 47

Rev. No.: 1

LCP contracted Chem-fix of Pittsburgh to construct a lined Chem-fix lagoon at the site to receive non-

contaminated wastes. LCP operated the Chem-fix lagoon for six days during which time the lagoon received

approximately 460 cubic yards (yd3) of treated brine sludge. Since it was determined that the lagoon was

not a practical means of remediation, it was closed in 1983. The contents of the Chem-fix lagoon were

excavated and placed into the BSL and it was subsequently backfilled, graded and seeded.

A release of 10,000 to 20,000 gallons of brine to the SBC occurred on August 20, 1979 due to sodium

chloride blockage in the saturator. A brine sample was collected and analyzed at the time of the release

and was determined to contain 8.3 parts per million (ppm) of mercury. The breach was reported to be

subsequently remediated.

An Administrative Consent Order (ACO) was issued in 1981 which required the closure of the BSL. The BSL

is a surface impoundment which is roughly the shape of a trapezoid. The lagoon was reportedly sprayed

with hot tar to act as a liner at the time of its contruction. The total volume of sludge in the BSL is estimated

to be 30,900 cubic yards (yd3). This sludge accumulated for more than twenty years before the lagoon was

closed in 1984. Closure plans for the lagoons (BSL and Chemi-fix lagoon) were approved on November

7, 1983. During the closure of the lagoons, LCP closed their production facilities in order to eliminate

employee exposure to mercury. As part of the closure of the BSL, it was dewatered, compacted, and

capped with a two foot layer of clay. The closure of the lagoons was completed in 1984. LCP was also

required to implement a monitoring program to evaluate the release of mercury and other metals to the

environment. LCP installed monitoring wells to determine if there was any impact from the BSL on area

groundwater. These wells were monitored quarterly for total organic carbon (TOC), phenols, dissolved

metals, total organic halogens (TOX), and selected inorganic constituents. Several quarterly reports from

1982-1987 indicate that the concentrations of lead, chromium, cadmium, mercury, silver, and selenium

exceeded the NJPDES permitted levels. The data quality associated with this sampling is unknown.

A February 1982 report entitled, "Waste Lagoon Groundwater Monitoring" (WLGM) indicates that soil samples

Ref 10, 6, c. 30 47

Report No.: 8003-431 Rev. No.: 1

were collected at six inch intervals during the installation of the site's monitoring wells and were analyzed

by LCP for mercury. Analytical results of these samples indicated mercury concentrations ranging from

35.71 parts per million (ppm) to 772 ppm in the 0-2 foot interval with mercury concentrations generally

decreasing with depth; mercury concentrations detected at depths of 40-47 feet ranged from 0.60 ppm to

4.59 ppm. Surface soil samples collected from the perimeter of the BSL indicated mercury levels ranging

from 27.45 ppm to 1,580 ppm. In addition, analytical results of a sediment sample collected from the SBC

creek bed, downstream of the BSL, indicated the presence of mercury at a level of 46.42 ppm. The data

quality associated with this sampling is unknown.

In June 1984, LCP submitted a facility closure plan to the NJDEP. This closure was completed in 1985 and

included the complete closure of all production areas. After the 1985 facility closure, the site continued to

operate as a storage and transfer station for hydrochloric acid, sodium hydroxide, potassium hydroxide, and

methylene chloride that was produced at other LCP facilities. Dismantling activities have been ongoing since

the facility's closure. Other products produced by LCP included caustic soda, hydrochloric acid, and

bleach. In addition, stormwater collects in drainage swales surrounding the former process area and is

routed to a concrete sump south of site building number 231. Runoff is piped to holding tanks outside site

building number 233 and is pH adjusted, filtered, treated and stored pending discharge to the SBC in

accordance with the site's NJPDES Permit.

On September 27, 1984, an EPA contractor conducted a Site Inspection (SI) at the LCP site which included

the collection of three groundwater, two surface water, two sediment and two soil samples. Analytical

results of the groundwater samples indicated the presence of inorganic constituents (ie. arsenic, beryllium,

cadmium, chromium, cobalt, copper, lead, mercury, and zinc), however, the significance of the constituent

levels remains inconclusive due to the lack of an adequate background sample. Surface water and sediment

sample results indicated the presence of cadmium, copper, lead, and mercury at levels exceeding three

times background levels, however, since the samples were collected in reverse order (ie. upstream to

downstream), an observed release cannot be scored due to the potential for interferences. In addition, a

Ref No 6, p. 40 F 4-1

Report No.: 8003-431 Rev. No.: 1

sufficient number of surface water/sediment samples were not collected from the tidally-influenced SBC to

identify whether any of the substances detected are attributable to potential downstream sources. Analytical

results of the soil samples were not conclusive as a background sample was not collected. All of the

analytical data from the EPA SI were generated by the EPA Contract Laboratory Program (CLP) and were

subjected to all applicable Region II data validation criteria.

On December 14, 1994, an EPA contractor conducted an on-site reconnaissance of the LCP site. During

this reconnaissance it was noted that all site storage/transfer activities had ceased and that all of the

mercury cells and other production equipment had been removed from the site as all of the production

buildings were vacant.

On January 11, 1995, an EPA contractor conducted a site inspection (SI) sampling event at the LCP site.

As part of this SI sampling event three surficial soil samples, ten surface water and eight sediment samples

were collected at the site. Analytical results of the surficial soil samples (MBKW78(SL2)/MBKW79(SL3))

collected downslope of the BSL indicated the presence of mercury (98,900 micrograms per kilogram (μ g/kg)

to 110,000 μ g/kg), lead (304,000 E μ g/kg), and zinc (833,000 μ g/kg) at levels greater than three times the

levels found in background surficial soil sample MBKW74 (SL1). Analytical results of the surface

water/sediment samples documented that an observed release of mercury had occurred from the site to

the surface water pathway. In addition, the analytical results of the surface water/sediment samples

identified a zone of actual contamination which contains 0.43 miles of wetlands frontage and a state

designated area for the maintenance and protection of aquatic life. All of the analytical data from the 1995

EPA SI were generated by the EPA CLP and were subjected to all applicable Region II data validation

criteria.

Groundwater has not been identified as a source of drinking water within four miles of the site. The

residential population in the site's vicinity relies primarily on surface water as a source for potable water.

The water is drawn from surface water intakes that are not located along the site's surface water pathway.

Ref 166, 0.50f47

Rev. No.: 1

The SBC flows southeast 0.31 miles before discharging into the Arthur Kill which then flows south for 9.99 miles where it empties into the Raritan Bay. All of the surface water bodies located along the site's surface water pathway are tidally influenced. The Arthur Kill and Raritan Bay have been identified as fisheries. There are no residences, schools, daycare centers, or terrestrial sensitive environments identified within 200 feet of the site property. There is no documentation available to indicate that an observed release of

contaminants has occurred from the site to air.

PyNo 6, p. 60 417 101717

Rev. No.: 1

SITE ASSESSMENT REPORT: SITE INSPECTION

PART	I:	SITE	INFO	DRM/	NOITA

1.	Site Name/Alias: LCP Chemicals, Inc.
	Street South Wood Avenue
	City Linden State New Jersey Zip 07036
2.	County Union County Code 013 Cong.Dist.
3.	CERCLIS ID NO. NJD079303020
4.	Block No. <u>587</u> Lot No. <u>3</u>
5.	Latitude 40°36'27"N Longitude 74°12'37"W
	USGS Quad. Arthur Kill, New York - New Jersey
6.	Approximate size of site 26 acres
7.	Owner Hanlin Group, Inc. Telephone No. (908) 862-1666
	Street South Wood Avenue
	City Linden State New Jersey Zip 07036
8.	Operator LCP Chemicals, Inc. Telephone No. (908) 862-1666
	Street South Wood Avenue
	City Linden State New Jersey Zip 07036
9.	Type of Ownership
	X Private State
	County Municipal Unknown Other
10). Owner/Operator Notification on File
	X RCRA Date CERCLA 103c Date
	None Unknown

Ref. p. 6, p. 7. f. 4

Rev. No.: 1

11. Permit Information

Permit	Permit No.	Date Issued	Expiration Date	Comments
RCRA NJPDES NJPDES APC Air Permit Air Permit Air Permit Air Permit Air Permit Air Permit Air Permit Air Permit	NJD079303020 NJ0003778 NJ0003778 044133 067418 020928 037033 040435 076056 036994 036993 035067	8/13/80 8/10/87 10/30/87 3/3/80	4/30/91 11/29/92 10/5/82 2/17/89 11/9/85 3/26/89 3/26/88 5/15/87 6/11/88 11/20/88 3/28/88	RCRA Part A (hazardous waste generator) Discharge to Surface Water Discharge to Ground Water Air Pollution Control (Sludge Roaster System) Boiler Stack Pura-SIV stack Mercury Cell Destruct Tower Mercury Cell Destruct Tower Mercury Cell Destruct Tower HCL Scrubber HCL Scrubber HCL Scrubber
C4= C4=4				

12. Site Status

__ Active

X Inactive

Unknown

13. Years of Operation:

1950 to 1985

- 14. Identify the types of waste sources (e.g., landfill, surface impoundment, piles, stained soil, above- or below-ground tanks or containers, land treatment, etc.) on site. Initiate as many waste unit numbers as needed to identify all waste sources on site.
 - (a) Waste Sources

Waste Unit No.	Waste Source Type	Facility Name for Unit
1	Lagoon	Brine Sludge Lagoon
2	Contaminated Soil	Contaminated Soil
3	<u>Other</u>	Brine Sludge Spill

(b) Other Areas of Concern

Identify any miscellaneous spills, dumping, etc. on site; describe the materials and identify their locations on site.

The following areas were identified as areas of concern or areas where hazardous waste generation, treatment, storage, and disposal occurred at the site according to the 1992 RCRA Facility Investigation of the LCP Chemical site: Chem Fix Lagoon, Salt Silo No. 4, Process Areas in Buildings 230 and 240, 500 K Tank, Bullet Tanks, Area South of Building 231, Drum Storage Area, Lined Trenches, Transformers, Process Sewers, Building 233, Brine Sludge Roaster, and GAF Wastewater Treatment Area.

Ref. Nos. 1; 10, pp. 7-17, 20, 28-30; 15, pp. 21-29, 49-55, 59-61

15. Information available from

Contact Joseph Hudek
Preparer David Kahlenberg

Agency U.S. EPA

Telephone No.: (908) 321-6717

Agency MALCOLM PIRNIE, INC. Date: July 24, 1995

Reflice, p.80 f 4-1 101719

Rev. No.: 1

PART II: WASTE SOURCE INFORMATION

For each of the	waste units identified	in Part i, co	implete the to	llowing Rems.	
Waste Unit	_1	<u>Brin</u>	ne Sludge Lac	<u>100n</u>	
Source Type					
	Landfill		_	 .	Contaminated Soil
X	Surface Impoundme	nt	-		Pile
	Drums		-		Land Treatment
	Tanks/Containers		-		Other

Description:

LCP utilized a mercury cell electrolysis process to produce chlorine. This process involved the electrolysis of a sodium chloride (brine) solution in the presence of metallic mercury. The residual mercury-sodium solution was then used to hydrolyze water forming sodium hydroxide and hydrogen gas. The metallic mercury was partially recovered and recycled in a brine purification process. The remaining mercury tainted sludge was placed into the BSL.

The BSL is a surface impoundment which is roughly the shape of a trapezoid. The lagoon was reportedly sprayed with hot tar to act as a liner at the time of its contruction. Closure plans for the lagoon were approved on November 7, 1983. As part of the closure of the BSL, it was dewatered, compacted, and capped with a two foot layer of clay. The closure of the lagoon was completed in 1984.

Hazardous Waste Quantity

The BSL is an unlined surface impoundment containing 30,900 yd³ of dewatered sludge.

Hazardous Substances/Physical State

The hazardous substance associated with the BSL is mercury which was deposited in a sludge state.

Ref. Nos. 10, pp. 7, 12-14; 13, pp. 4, 7, 12, 17-18; 14, pp. 1-7; 15, pp. 6, 9-10, 21, 24-25, 49-53, 107-116, 195-198, 279, 321

Repub6, p. 90 f 47

Rev. No.: 1

Ref. Nos. 16, pp. 5, 7; 17, pp. 4, 66-68; 18; 19

For each of the	waste units identified in Part	t I, complete the following items.	
Waste Unit	2	Contaminated Soil	
Source Type	·		
	Landfill	X	Contaminated Soil
	Surface Impoundment		Pile
	Drums	·	Land Treatment
	Tanks/Containers		Other
sampling event samples (MBK) µg/kg to 110,0 times the levels Hazardous Wa The area of co Hazardous Su	t three surficial soil samples very with the surficial soil samples very with the surficial soil samples very with the surficial surfici	nducted a SI sampling event at the vere collected at the site. Analyticeled at the site indicated the ug/kg, and zinc (833,000 µg/kg al soil sample MBKW74 (SL1). In zero square feet in size.	ical results of the surficial soil presence of mercury (98,900 g) at levels greater than three
THE HAZAIGOGG	oubsances are present in a	solid state and consist of lead, i	nordary, and zino.
Description:			
	•	in zero square reet in size.	
The hazardous	substances are present in a	solid state and consist of lead, r	nercury, and zinc.

Pepho 6, p. 10 of 47

Rev. No.: 1

PART II: WASTE SOURCE INFORMATION

For each of the	waste units identified in Part	t I, complete the	following items.	
Waste Unit	<u>3</u> -	Brine Sludge S	lliq2	
Source Type				
	Landfill			Contaminated Soil
	Surface Impoundment			Pile
	Drums			Land Treatment
	Tanks/Containers		X	_ Other
Description:				
sodium chloridexceeded the sof the brine to	1979, a sodium chioride plue contaminated with inorganic surge capacity of the wasteway flow into South Branch Creatury concentrations to be 8.6	mercury to over ter system. This eek. Chemical a	flow the top of th caused an estim	e saturator. The surge of flow nated 10,000 to 20,000 gallon
Hazardous Wa	aste Quantity			
A spill of appro	oximately 10,000 gallons of m	ercury tainted sl	udge.	
Hazardous Su	ibstances/Physical State			

The hazardous substance present in the spill was mercury in a sludge state.

Ref. No. 15, pp. 16, 195-198

Rep 186, p. 110 f 47

Rev. No.: 1

PART III. SAMPLING RESULTS

A release of 10,000 to 20,000 gallons of brine to the SBC occurred on August 20, 1979 due to sodium chloride blockage in the saturator. A brine sample was collected and analyzed at the time of the release and was determined to contain 8.3 parts per million (ppm) of mercury (Ref. No. 15, pp. 16, 195-198). The breach was reported to be subsequently remediated (Ref. No. 15, p. 16).

On January 11, 1995, an EPA contractor conducted a SI sampling event at the LCP site (Ref. Nos. 16-19; 22). As part of this SI sampling event three surficial soil samples, ten surface water samples and eight sediment samples were collected at the site. Analytical results of the surficial soil samples (MBKW78(SL2)/MBKW79(SL3)) collected at the site indicated the presence of mercury (98,900 μ g/kg to 110,000 μ g/kg), lead (304,000 E μ g/kg), and zinc (833,000 μ g/kg) at levels greater than three times the levels found in background surficial soil sample MBKW74 (SL1) (Ref. Nos. 16, pp. 5, 7; 17, pp. 4, 66-68; 18; 19; 22, pp. 1-13). Table 1 on the following page summarizes the surface water/sediment sampling results for the samples collected from the tidally influenced South Branch Creek, while Table 2 summarizes the surficial soil sample results. It should be noted that the MBKW54/MBKW64 (SW1/SED1) samples were collected beyond the head of tidal influence of the South Branch Creek (Ref. Nos. 19; 20). All of the analytical data from the 1995 EPA SI were generated by the EPA CLP and were subjected to all applicable Region II data validation criteria (Ref. Nos. 17, pp. 5-42; 22, pp. 14-39, 112-117).

Several other sampling events have occurred at the LCP site, however, only the sampling events presented in this section will be utilized in the evaluation of the site score.

Reps 6, p. 12 of 47

Rev. No.: 1

Table 1: Surface Water/Sediment Sampling Mercury Results

General Sample Location	Sample Number	Sample Type	Mercury Concentration	Reference(s)
Upstream Background	MBKW54 (SW1)	surface water	1.2 μg/L	16, pp. 3, 7; 17, pp. 2, 43
	MBKW64 (SED1)	sediment	8,800 E μg/kg	16, pp. 4, 7; 17, pp. 3, 8, 58; 18
At LCP Outfall	MBKW56 (SW3)	surface water	93 μg/L	16, pp. 3, 7; 17, pp. 2, 45
	MBKW66 (SED3)	sediment	1,060,000 E μg/kg	16, pp. 4, 7; 17, pp. 3, 8, 59; 18
Adjacent to BSL	MBKW58 (SW5)	surface water	44.6 μg/L	16, pp. 3, 7; 17, pp. 2, 47
	MBKW68 (SED5)	sediment	187,000 μg/kg	16, pp. 4, 7; 17, pp. 3, 61
Downstream of BSL	MBKW59 (SW6)	surface water	65.3 μg/L	16, pp. 3, 7; 17, pp. 2, 48
	MBKW60 (SW7)	surface water	60.2 μg/L	16, pp. 3, 7; 17, pp. 2, 49
	MBKW62 (SW9)	surface water	2 μg/L	16, pp. 4, 7; 17, pp. 2, 51
	MBKW69 (SED6)	sediment	350,000 Ε μg/kg	16, pp. 4, 7; 17, pp. 3, 8, 62; 18
	MBKW70 (SED7)	sediment	470,000 E μg/kg	16, pp. 4, 7; 17, pp. 3, 8, 63; 18
	MBKW72 (SED9)	sediment	433,000 E μg/kg	16, pp. 5, 7; 17, pp. 3, 8, 64; 18
Downstream Background	MBKW63 (SW10)	surface water	3.7 μg/L	16, pp. 4, 7; 17, pp. 2, 52
	MBKW73 (SED10)	sediment	56,900 E μg/kg	16, pp. 5, 7; 17, pp. 3, 8, 65; 18

Note: The above sampling results are from the 1995 EPA Site Inspection.

 μ g/L : micrograms per liter μ g/kg: micrograms per kilogram

Kef No 6, p. 13 of 47

Rev. No.: 1

Table 2: Surface Soil Sampling Results

General Sample Location	Constituent Detected	Sample Number	Sample Type	Sample Depth (feet)	Concentration	References
Background	Lead	MBKW74 (SL1)	Soil	0 - 0.5	63,100 µg/kg	16, pp. 5, 7; 17, pp. 4, 66
	Mercury	MBKW74 (SL1)	Soil	0 - 0.5	26,500 µg/kg	16, pp. 5, 7; 17, pp. 4, 66
	Zinc	MBKW74 (SL1)	Soil	0 - 0.5	196,000 μg/kg	16, pp. 5, 7; 17, pp. 4, 66
On-Site	Lead	MBKW78 (SL2)	Soil	0 - 0.5	304,000 E µg/kg	16, pp. 5, 7; 17, pp. 4, 67; 18
	Mercury	MBKW78 (SL2)	Soil	0 - 0.5	110,000 µg/kg	16, pp. 5, 7; 17, pp. 4, 67
	Mercury	MBKW79 (SL3)	Soil	0 - 0.5	98,900 μg/kg	16, pp. 5, 7; 17, pp. 4, 68
	Zinc	MBKW78 (SL2)	Soil	0 - 0.5	833,000 μg/kg	16, pp. 5, 7; 17, pp. 4, 67

Note: The above sampling results are from the 1995 EPA Site Inspection

 μ g/kg: micrograms per kilogram

Ref No6, p. 140 F41

Rev. No.: 1

PART IV. HAZARD ASSESSMENT

GROUNDWATER ROUTE

 Describe the likelihood of a release of contaminant(s) to the groundwater as follows: observed release, suspected release, or none. Identify contaminants detected or suspected and provide a rationale for attributing them to the site. For observed release, define the supporting analytical evidence.

A release of contaminants from the site to groundwater is not documented. Analytical results of several quarterly NJPDES reports from 1982-1987 indicate that concentrations of lead, chromium, cadmium, mercury, silver, and selenium have exceeded the NJPDES permitted levels. It should be noted that there is a lack of QA/QC information regarding the data quality associated with the abovementioned analytical results. In 1984, as part of an EPA SI at the LCP site, three groundwater samples were collected. Analytical results of these samples indicated the presence of inorganic constituents (ie. arsenic, beryllium, cadmium, chromium, cobalt, copper, lead, mercury, and zinc), however, the significance of the constituent levels remains inconclusive due to the lack of an adequate background sample to account for the site's tidal influences. Therefore, an observed release of contaminants from the site to the groundwater has not been documented, but is suspected.

Ref. Nos. 10, pp. 10, 13; 13, pp. 25, 81-102

2. Describe the aquifer of concern; include information such as depth, thickness, geologic composition, areas of karst terrain, permeability, overlying strata, confining layers, interconnections, discontinuities, depth to water table, groundwater flow direction.

A layer of unconsolidated fill consisting of silts, sands, gravel, crushed stone and brick comprises the first 10 to 15 feet below the site surface. The hydraulic conductivity associated with this unit is approximately 10⁻⁸ centimeters per second (cm/sec). A dark grey clay layer underlies the unconsolidated deposits for approximately 25 to 35 feet before reaching the bedrock. The hydraulic conductivity associated with this unit is approximately 10⁻⁸ cm/sec. The red-brown shale bedrock at the site exists at a depth of approximately 40-50 feet. The hydraulic conductivity associated with the bedrock is approximately 10⁻⁸ cm/sec. The water table is five to ten feet below grade and the groundwater is brackish due to the tidal influence from the surrounding water bodies.

Ref. Nos. 9; 10, pp. 9-12; 12, pp. 5, 12-16, 25-31; 13, pp. 25, 77, 81-102; 15, pp. 12-13

3. What is the depth from the lowest point of waste disposal/storage to the highest seasonal level of the saturated zone of the aquifer of concern?

The lowest point of waste disposal is assumed to be between 0-0.5 feet below the site's natural ground elevation based upon the surficial soil samples collected during the 1995 EPA SI. The depth to groundwater at the site is approximately 5 feet. Therefore, the depth from the lowest point of waste disposal to the highest seasonal level of the saturated zone would be 4.5 feet.

Ref. Nos. 10, pp. 9-12; 12, pp. 5, 12-16, 25-31; 13, pp. 25, 77, 81-102; 15, pp. 12-13; 16, p. 5

4. What is the distance to and depth of the nearest well that is currently used for drinking purposes?

Groundwater is not utilized as a source of potable water within 4-miles of the site.

Ref. No. 4

Ref No6, p. 15 of

Rev. No.: 1

5. If a release to groundwater is observed or suspected, determine the number of people that obtain drinking water from wells that are documented or suspected to be located within the contamination boundary of the release.

A release of contaminants from the site to groundwater is not documented.

Ref. Nos. 4; 10, pp. 10, 13; 13, pp. 25, 81-102

6. Identify the population served by wells located within 4 miles of the site that draw from the aquifer of concern.

<u>Distance</u>	<u>Population</u>
0 - ¼ mi	0
>¼ - ½ mi	0
>½ - 1 mi	0
>1 - 2 mi	0
>2 - 3 mi	0
>3 - 4 mi	0

Ref. No. 4

State whether groundwater is blended with surface water, groundwater, or both before distribution.

Groundwater is not blended with surface water prior to distribution within four miles of the site. Surface water is the primary source for potable water within four miles of the site.

Ref. No. 4

Is a designated well head protection area within 4 miles of the site?

There have been no New York or New Jersey designated Wellhead Protection Areas identified within four miles of the LCP site.

Ref. No. 6

Does a waste source overlie a designated or proposed wellhead protection area? If a release to groundwater is observed or suspected, does a designated or proposed wellhead protection area lie within the contaminant boundary of the release?

There have been no New York or New Jersey designated Wellhead Protection Areas identified within four miles of the LCP site.

Ref. No. 6

7. Identify uses of groundwater within 4 miles of the site (i.e. private drinking source, municipal source, commercial, irrigation, unusable).

Although no potable wells were identified within the target distance limit, the Brunswick Formation has been identified as a potential usable source for potable water within four miles of the site.

Ref. No. 4

Rep No 6, p. 160 4-1

Rev. No.: 1

SURFACE WATER ROUTE

8. Describe the likelihood of a release of contaminant(s) to surface water as follows: observed release, suspected release, or none. Identify contaminants detected or suspected and provide a rationale for attributing them to the site. For observed release, define the supporting analytical evidence.

An observed release via direct observation to the surface water pathway was documented when a release of 10,000 to 20,000 gallons of brine to the SBC occurred on August 20, 1979 due to sodium chloride blockage in the saturator. A brine sample was collected and analyzed at the time of the release and was determined to contain 8.3 parts per million (ppm) of mercury. The breach was reported to be subsequently remediated. In addition, an observed release via chemical analysis of mercury was documented as a result of the surface water/sediment sampling of the SBC which occurred as part of a 1995 EPA contractor SI sampling event. The analytical results of the surface water/sediment sampling are summarized on Table 1.

Ref. Nos. 2; 3; 15, pp. 16, 195-198; 16-19; 22

9. Identify the nearest downslope surface water. If possible, include a description of possible surface drainage patterns from the site.

Surface water runoff from the site flows generally east towards the SBC. The SBC flows (>10 cubic feet per second (cfs)) for approximately 0.31 mile southeast before discharging into the Arthur Kill. The Arthur Kill, which is tidally influenced, flows south for 9.99 miles where it discharges into the Raritan Bay.

Ref. Nos. 2; 3; 5, p. 1

10. What is the distance in feet to the nearest downslope surface water? Measure the distance along a course that runoff can be expected to follow.

The nearest downslope water body is the South Branch Creek which is located immediately adjacent to the site.

Ref. Nos. 2; 3; 5, p. 1

11. Determine the type of floodplain that the site is located within.

The site is located within the 100-year flood plain.

Ref. No. 13, p. 12

12. Identify drinking water intakes in surface waters within 15 miles downstream of the point of surface water entry. For each intake identify: the name of the surface water body in which the intake is located, the distance in miles from the point of surface water entry, population served, and stream flow at the intake location.

There are no drinking water intakes located along the 15-mile surface water pathway.

Ref. Nos. 3; 5, pp. 1, 12-17

Ref No 6, p. 176947

Rev. No.: 1

13. Identify fisheries that exist within 15 miles downstream of the point of surface water entry. For each fishery specify the following information:

Fishery Name	Water Body Type	Flow (cfs)	Saline/Fresh/Brackish
Arthur Kill	Coastal Tidal Water	N.A.	Brackish
Raritan Bay	Coastal Tidal Water	N.A.	Salt

Ref. Nos. 2; 3; 5, pp. 1, 18-62

14. Identify surface water sensitive environments that exist within 15 miles of the point of surface water entry.

Environment	Water Body Type	Flow (cfs)	Wetland Frontage
Wetlands Wetlands	River Coastal Tidal Water	>10 N.A.	0.62 miles 10.67 miles
State designated area for the protection of aquatic life	River	>10	N.A.
1 Federally Endangered Species	Coastal Tidal Water	N.A.	N.A.

Ref. Nos. 3; 5, pp. 1-11; 13, pp. 79-80; 21

15. If a release to surface water is observed or suspected, identify any intakes, fisheries, and sensitive environments from question Nos. 12-14 that are or may be located within the contamination boundary of the release.

Intakes: None

Fisheries: None

Sensitive Environments: State designated area for the maintenance and protection of aquatic life

0.43 miles of Wetlands Frontage

Ref. Nos. 3; 5, pp. 1-11; 15, pp. 16, 195-198; 16-19; 21; 22; 23

Ref No 6, p. 18 of 47

Rev. No.: 1

SOIL EXPOSURE PATHWAY

16. Determine the number of people that occupy residences or attend school or day care on or within 200 feet of observed contamination.

There are no residences, schools or daycare centers identified within 200 feet of the site property.

Ref. No. 19, p. 12

17. Determine the number of people that regularly work on or within 200 feet of observed contamination.

There are no people identified that regularly work on or within 200 feet of observed contamination. Although there are site workers at an adjacent property to the site, there is no evidence of contaminant migration to this adjacent property.

Ref. No. 19, pp. 12, 29

18. Identify terrestrial sensitive environments on or within 200 feet of observed contamination.

No terrestrial sensitive environments have been identified on or within 200 feet of the site property.

Ref. No. 13, pp. 79-80

AIR ROUTE

19. Describe the likelihood of release of contaminants to air as follows: observed release, suspected release, or none. Identify contaminants detected or suspected and provide a rationale for attributing them to the site. For observed release define the supporting analytical evidence.

A release of contaminants from the site to air has not been documented. There were no readings above background detected on an HNu photoionization detector or mercury vapor analyzer during either the on-site reconnaissance or site inspection sampling event, respectively.

Ref. No. 19, pp. 12, 29

20. Determine populations that reside within 4 miles of the site.

<u>Population</u>
13
38
506
10,829
36,650
103,624

Ref. No. 7

Replub6, p. 19 of 4.

Rev. No.: 1

21. Identify sensitive environments, including wetlands and associated wetlands acreage, within 4 miles of the site.

Distance	Wetlands Acreage	Sensitive Environment
0 - 1/4 mi	5	None Identified
>¼ - ½ mi	. 1	None Identified
>½ - 1 mi	217	1 Federally Endangered Species
>1 - 2 mi	462	None Identified
>2 - 3 mi	506	None Identified
>3 - 4 mi	351	None Identified

Ref. Nos. 3; 8; 13, pp. 79-80

22. If a release to air is observed or suspected, determine the number of people that reside or are suspected to reside within the area of air contamination from the release.

A release of contaminants from the site to air is neither observed nor suspected. There were no readings above background detected on an HNu photoionization detector or mercury vapor analyzer during either the on-site reconnaissance or site inspection sampling event, respectively.

Ref. No. 19, pp. 12, 29

23. If a release to air is observed or suspected, identify any sensitive environments, listed in question No. 21, that are or may be located within the area of air contamination from the release.

A release of contaminants from the site to air is neither observed nor suspected. There were no readings above background detected on an HNu photoionization detector or mercury vapor analyzer during either the on-site reconnaissance or site inspection sampling event, respectively.

Ref. No. 19, pp. 12, 29

Replub6, p. 20 of 4

This Report was conducted under the following USEPA Documentation Procedure

Guidance for Performing Site Inspections Under CERCLA Interim Final Publication 9345.1-05

Ref No 6, p. 210 + 47

ATTACHMENT 1

EXHIBIT A

PHOTOGRAPH LOG

LCP CHEMICALS, INC. LINDEN, UNION COUNTY, NEW JERSEY

SITE RECONNAISSANCE

DECEMBER 14, 1994

Rep. 6, p. 23 of 47

Photograph Index LCP Chemicals, Inc. Linden, New Jersey

December 14, 1994

All Photographs taken by Jin Ho Jang

Photo No.	Description	<u>Time</u>
1	View looking northeast along the railroad tracks, from the site's NJPDES permitted outfall, at an upgradient intermittent stream.	11:01
2	Photo of the discharge from a drainage pipe originating from GAF Corporation, north of the LCP site's NJPDES permitted outfall.	11:02
3	View of the site's NJPDES permitted outfail at the northernmost end of the South Branch Creek.	11:02
4	Photo of the abandoned pipe associated from with Elizabethtown Water Company line.	11:05
5	Photo looking east at the origins of the South Branch Creek and the Avenue B bridge from the site's railroad bridge.	11:07
6	Photo looking west at the origins of the South Branch Creek and the site's railroad bridge from Avenue B.	11:17
7	Photo looking downstream (southeast) at the South Branch Creek from the northern edge of Avenue B and the LCP property.	11:24
8	Photo looking downstream (southeast) along the South Branch Creek from site monitoring well P-2.	11:37
9	Photo looking upstream (northwest) along the South Branch Creek from site monitoring well P-2.	11:38
10	Photo of one of the site's new monitoring wells located adjacent to site monitoring well P-2.	11:42
11	Photo looking southeast at the South Branch Creek and monitoring well P-2. Note the pipeline bridge, associated with Northville Industries, which crosses the South Branch Creek before the creek discharges into the Arthur Kill.	11:51
12	Photo of a stormwater pipe outfall with the South Branch Creek. Note the outfall is located in the southwestern portion of the site.	12:08
13	View looking east along the South Branch Creek at the Northville Industries pipeline bridge from the southwestern portion of the site adjacent to the stormwater pipe outfall displayed in Photo No. 12.	12:11
1.4	View looking northwest of the Brine Sludge Lagoon.	12:22
15	View looking southeast of the Brine Sludge Lagoon.	12:35

Replo 6, p. 24. F47



December 14, 1994 View looking northeast along the railroad tracks, from the site's NJPDES permitted outfall, at an upgradient intermittent stream.

1.

2.

11:01



December 14, 1994 Photo of the discharge from a drainage pipe originating from GAF Corporation, north of the LCP site's NJPDES permitted outfall.

Rep. 25 of 47 101736



December 14, 1994
View of the site's NJPDES permitted outfall at the northernmost end of the South Branch Creek

3.

11:02



December 14, 1994
Photo of the abandoned pipe associated with Elizabethtown
Water Company line.


Ref 106, 1. 260ty



December 14, 1994 Photo looking east at the origins of the South Branch Creek and the Avenue B bridge from the site's railroad bridge.

5.

6.




December 14, 1994 Photo looking west at the origins of the South Branch Creek and the site's railroad bridge from Avenue B.

Replu6, p. 2704°47 101738



7. December 14, 1994
Photo looking downstream (southeast) at the South Branch Creek from the northern edge of Avenue B and the LCP property.




December 14, 1994
Photo looking downstream (southeast) at the South Branch Creek from site monitoring well P-2.

Ref 1206, p. 280f. 4

11:38



9. December 14, 1994
Photo looking upstream (northwest) along the South Branch Creek
from site monitoring well P-2.




December 14, 1994

Photo of one of the site's new monitoring wells located adjacent to site monitoring well P-2.

10.

11:42

pf 12 6, p 29 of 4,



11. December 14, 1994
Photo looking southeast at the South Branch Creek and monitoring well P-2. Note the pipeline bridge, associated with Northville industries, which crosses the South Branch Creek before the creek discharges into the Arthur Killi



December 14, 1994
Photo of a stormwater pipe outfall with the South Branch Creek.
Note the outfall is located in the southwestern portion of the site.

12.


Apol, 0-30 of 47

12:08



13. December 14, 1994


View looking east along the South Branch Creek at the Northville
Industries pipeline bridge from the southwestern portion of the site
adjacent to the stormwater pipe outfall displayed in Photo No. 12.



December 14, 1994
View looking northwest of the Brine Sludge Lagoon.

14.

ff166, p.3/cf 47



December 14, 1994
View looking southeast of the Brine Sludge Lagoon.

15.

12:35

Repro6, p. 32.84

EXHIBIT B

PHOTOGRAPH LOG

LCP CHEMICALS, INC. LINDEN, UNION COUNTY, NEW JERSEY

SITE INSPECTION SAMPLING EVENT

JANUARY 11, 1995

El No 6, 1 330 f 4

Photograph Index LCP Chemicals, Inc. Linden, New Jersey

January 11, 1995

All Photographs taken by David Kahlenberg

It should be noted that all of the samples were collected on January 11, 1995, and that the placards displayed in the photos were erroneously dated January 11, 1994.

Photo No.	Description	Time
1	Photo of B. Pierre collecting surface water sample SW10	0801
2.	Photo of B. Pierre collecting sediment sample SED10	0805
3.	Photo of J. Jang collecting surface water sample SW9	0820
4.	Photo of J. Jang collecting sediment sample SED9	0826
5.	Photo of J. Jang collecting duplicate surface water samples SW6/SW7	0846
6.	Photo of B. Pierre collecting duplicate sediment samples SED6/SED7	0852
7.	Photo of J. Jang collecting surface water sample SW8	0946
8.	Photo of J. Jang collecting surface water sample SW5	0959
9.	Photo of J. Jang collecting sediment sample SED5	1028
10.	Photo of J. Jang collecting surface water sample SW2	1054
11.	Photo of B. Pierre collecting surface water sample SW3	1118
12.	Photo of B. Pierre collecting sediment sample SED3	1127
13.	Photo of J. Jang collecting surface water sample SW4	1127
14.	Photo of B. Pierre collecting sediment sample SED4	1148
15.	Photo of J. Jang collecting surface water sample SW1	1330
16.	Photo of B. Pierre collecting sediment sample SED1	1342
17.	Photo of J. Jang collecting soil sample SL3	1404
18.	Photo of B. Pierre collecting soil sample SL2	1427
19.	Photo of J. Jang collecting soil sample SL1	1455


Ry126, p340+4



January 11, 1995
Photo of B. Pierre collecting surface water sample SW10.

1.


08:01



January 11, 1995 Photo of B. Pierre collecting sediment sample SED10.

08:05

Agnob, 6 350f 47



January 11, 1995
Photo of J. Jang collecting surface water sample SW9.

3.

08:02



January 11, 1995 Photo of J. Jang collecting sediment sample SED9.

08:26

Repoling 36 of 4



January 11, 1995 08:46 Photo of J. Jang collecting duplicate surface water samples SW6/SW7.


5.

6.



January 11, 1995 Photo of B. Pierre collecting duplicate sediment samples SED6/SED7.

61126, p. 37 of 4



January 11, 1995 Photo of J. Jang collecting surface water sample SW8.

7.

8.



January 11, 1995 Photo of J. Jang collecting surface water sample SW5.

Repro 6, 0. 330 + 4



January 11, 1995
Photo of J. Jang collecting sediment sample SED5.

10:28




January 11, 1995 Photo of J. Jang collecting surface water sample SW2.

10.

10:54

April 106. 6.390+



11. January 11, 1995
Photo of B. Pierre collecting surface water sample SW3.





12. January 11, 1995
Photo of B. Pierre collecting sediment sample SED3.

11:27

bethob, 5.40et 47



13. January 11, 1995
Photo of J. Jang collecting surface water sample SW4.





January 11, 1995
Photo of B. Pierre collecting sediment sample SED4.

14.

11:48

Report, p. 41 of 47



15. January 11, 1995
Photo of J. Jang collecting surface water sample SW1.

13:30




January 11, 1995 Photo of B. Pierre collecting sediment sample SED1.

16.

13:42

fylo6, p. 420f 4,



January 11, 1995 Photo of J. Jang collecting soil sample SL3.

17.

18.

14:04



January 11, 1995 Photo of B. Pierre collecting soil sample SL2.

14:27 fylhb6, p. 43 of 47



January 11, 1995
Photo of J. Jang collecting soil sample SL1.

19.

14:55

Albob, p 446 f 47

ATTACHMENT 2.

Rev. No.: 1

REFERENCES

- 1. U.S. Environmental Protection Agency (EPA) Superfund Program, Comprehensive Environmental Response Compensation Liability Information System (CERCLIS), List 8: Site/Event Listing, EPA Superfund Program, p. 280, March 15, 1993.
- Four-mile Vicinity Map for LCP Chemicals, Inc. site, compiled from U.S. Geological Survey Topographical Maps, 7.5 minute series, "Arthur Kill, New York-New Jersey," 1966, photorevised 1981; "Elizabeth, New York - New Jersey," 1967, photorevised 1981; "Perth Amboy, New Jersey," 1966, photorevised 1966"; "Roselle, New Jersey," 1955, photorevised 1981.
- 3. Fifteen-mile Surface Water Pathway Map for LCP Chemicals site, compiled from National Wetland Inventory (NWI) Maps, "Arthur Kill, New Jersey-New York"; "Elizabeth, New Jersey-New York"; "Keyport, New Jersey"; "Perth Amboy, New Jersey"; "Roselle, New Jersey".
- 4. Project Note: To LCP Chemicals file, from David Kahlenberg, Malcolm Pirnle, Inc., Subject: Groundwater Apportionment, July 19, 1995.
- 5. Project Note: To LCP Chemicals file, from David Kahlenberg, Malcolm Pirnie, Inc., Subject: Surface Water Pathway, May 10, 1995.
- 6. Project Note: To LCP Chemicals file, from David Kahlenberg, Malcolm Pimie, Inc., Subject: Wellhead Protection Areas, July 19, 1995.
- 7. Project Note: To LCP Chemicals file, from David Kahlenberg, Malcolm Pirnie, Inc., Subject: Four Mile Radius Populations, May 10, 1995.
- 8. Project Note: To LCP Chemicals file, from Jin Ho Jang, Malcolm Pirnle, Inc., Subject: Four Mile Wetland Acreage, December 21, 1994.
- 9. Hazard Ranking System, Final Rule 40, Code of Federal Regulations, Part 300, Federal Register Volume 55, No. 241 p. 51,601, December 14, 1990.
- Supplemental Case Transfer Report, NJDEP, LCP Chemical site, July 26, 1991.
- 11. Evaluation and Site Inspection of LCP Chemicals-NJ, Inc., Linden, NJ, prepared for the EPA by Ertec Atlantic, Inc., Somerset, NJ, May 1982.
- 12. Waste Lagoon Groundwater Monitoring Report, LCP Chemicals, New Jersey, Inc., Linden, NJ, prepared by Geraghty & Miller, Inc., February 1982.
- 13. Site Inspection Report and Hazard Ranking System Model, LCP Chemicals, Linden, NJ, prepared by NUS Corporation, for the EPA, December, 31, 1984.
- 14. Closure and Post-Closure Plan for Brine Sludge Lagoon, LCP Chemicals-NJ, Inc., Linden, NJ., July 16, 1982.

Fil Dob, + 46-847

Rev. No.: 1

REFERENCES (Continued)

- 15. Description of Current Conditions, RCRA Facility Investigation Task I, LCP Chemical NJ, Inc., Linden, NJ, prepared by Eder Associates Consulting Engineers, P.C. on behalf of LCP Chemicals NJ, Inc., a Division of the Hanlin Group, Inc. for the EPA, January 1992.
- 16. Sample Trip Report, LCP Chemical, EPA Case No. 23123, Site Inspection Sampling Event conducted on January 11, 1995.
- 17. U.S. EPA Contract Laboratory Program, IT Analytical, Case No. 23123, Inorganic Laboratory Analysis from Malcolm Pirnie, Inc. Site Inspection Sampling, Conducted on January 11, 1995.
- 18. Project Note: To LCP Chemical file, from David Kahlenberg, Malcolm Pirnie, Inc., Subject: Qualified Data, May 11, 1995.
- 19. Field Notebook, No. 748212, LCP Chemical, Site Inspection Sampling, Malcolm Pirnie, Inc., January 11, 1995.
- 20. Hazard Ranking System Guldance Manual, Office of Solid Waste and Emergency Response, USEPA, Publication No. 9345.1-07, November 1992.
- 21. Interoffice Correspondence: to David Kahlenberg, from Lisa Greco, Subject: LCP Wetland Delineation, May 19, 1995.
- 22. U.S. EPA Contract Laboratory Program, PACE New England (Resource Analytical), Case No. 23123, Organic/SemivolatileOrganic/Pesticides/PolychlorinatedBiphenylsLaboratoryAnalysisfromMalcolm Pimie, Inc. Site Inspection Sampling, Conducted on January 11, 1995.
- 23. Project Note: To LCP Chemical file, from David Kahlenberg, Malcolm Plmie, Inc., Subject: Wetlands Actual Contamination, May 31, 1995.

After 6, g. 470847

REFERENCE NO. 7

SAMPLE TRIP REPORT

SITE NAME:

LCP Chemical

PROJECT No.:

8003-431

CERCLIS ID No.:

NJD079303020

SAMPLING DATE:

January 11, 1995

EPA CASE No.:

23123

1. Site Location:

South Wood Avenue, Linden, Union County, New Jersey - Refer to Figure 1

2. Sample Locations:

Refer to Figure 2

3. Sample Descriptions:

Refer to Table 1

4. Laboratories Receiving Samples:

Sample Type

Name and Address of Laboratory

Full TCL Organics

PACE New England (Resource Analytical)

1 Lafayette Road

Hampton Falls, NH 03842

TAL Inorganics

IT Analytical

(excluding Cyanide)

5103 Old William Penn Highway

Export, PA 15632

5. Sample Dispatch Data:

A total of twelve (12) aqueous samples, eleven (11) soil/sediment samples and one (1) trip blank were shipped on January 11, 1995 by Malcolm Pimie, Inc. personnel via Federal Express, in seven (7) coolers, under Airbill No. 3934274245 to PACE New England Laboratories for Full TCL Organics analyses.

A total of twelve (12) aqueous samples and eleven (11) soil/sediment samples were shipped on January 11, 1995 by Malcolm Pirnie, Inc. personnel, via Federal Express, in two (2) coolers, under Airbill No. 3934274234 to IT Analytical Laboratories for TAL Inorganics (excluding CN) analyses.

6. Sampling Personnel:

<u>Name</u>	Organization	<u>Duties on Site</u>
David Kahlenberg	Malcolm Pirnie, Inc.	Site Manager (SM)
Valerie Smith	Malcolm Pirnie, Inc.	Sample Management Officer (SMO)
Lisa Greco	Malcolm Pirnie, Inc.	Site Health & Safety Officer (SHSO)
Jin Ho Jang	Malcolm Pirnie, Inc.	Sampler
Bernard Pierre	Malcoim Pirnie, Inc.	Sampler
		•

7. Weather Conditions:

12/20/94

Snow flurries in the AM, changing to sleet; temperature; high 35° F

Ref. No. 7, p. 10f16

8. Additional Comments:

All samples will be analyzed for Target Compound List (TCL) organic and Target Analyte List (TAL) inorganic compounds, excluding cyanide.

All of the sampling equipment required for the sampling event was decontaminated in one procedure.

Although sediment samples SED2 and SED8 were planned to be taken in accordance with the sample plan, field conditions did not permit the collection of these samples, because there was no sediment present at the proposed sample locations.

Only one of two 80 ounce jars were sent for sample SW8 (BPP17). One bottle was accidentally broken in the field.

Surface water and sediment sample numbers 5-10 were all collected along the western bank of the South Branch Creek.

9. Report Prepared By:

David Kahlenberg USK

Date: January 16, 1995

10. QA/QC Approved By:

Valerie Smith

Date: January 16, 1995

TABLE 1 SAMPLE DESCRIPTIONS LCP CHEMICAL LINDEN, UNION COUNTY, NEW JERSEY JANUARY 11, 1995

Sample Number	CLP Organic Sample Number	CLP Inorganic Sample <u>Number</u>	Collection Time	Sample <u>Type</u>	Sample Location
SW1	BPP10	MBKW54	1330	Aqueous	Surface water sample collected from a frozen/iced over ponded wetland area located 350 feet north of sample SW2, and east of the railroad tracks.
SW2	BPP11	MBKW55	1054	Aqueous	Surface water sample collected from the outfall of the drainage pipe from GAF Corporation.
SW3	BPP12	MBKW56	1118	Aqueous	Surface water sample collected from the South Branch Creek (SBC), immediately downstream of the outfall of the drainage pipe from LCP. Note: the LCP outfall was not flowing at the time of sample collection.
SW4	BPP13	MBKW57	1127	Aqueous	Surface water sample collected from the SBC, at an outfall pipe originating from the Elizabethtown Water Company.
SW5 ⁽¹⁾	BPP14	MBKW58	0959	Aqueous	Surface water sample collected from the SBC, immediately downslope of site monitoring well P-3, and 300 feet from site's northern probable point of entry (PPE), and samples SW2-4/SED3,4.
SW6	BPP15	MBKW59	0846	Aqueous	Surface water sample collected from the SBC, 75 feet north and upstream of the Northville Industries pipeline bridge (NIPB).
SW7 ²³	BPP16	MBKW60	0846	Aqueous	Duplicate surface water sample of sample SW6.

Sample location designated for the collection of MS/MSD or MS/MD sample.
 Sample location designated for the collection of field duplicate sample.

Ref. No.7, p. 3 of 16

TABLE 1 SAMPLE DESCRIPTIONS LCP CHEMICAL LINDEN, UNION COUNTY, NEW JERSEY JANUARY 11, 1995

Sample <u>Number</u>	CLP Organic Sample <u>Number</u>	CLP Inorganic Sample Number	Collection Time	Sample <u>Type</u>	Sample Location
SW8	BPP17	MBKW61	0946	Aqueous	Surface water sample collected from the SBC, at the outfall of a stormwater pipe.
SW9	BPP18	MBKW62	0820	Aqueous	Surface water sample collected from the SBC, 20 feet north and upstream of the NIPB.
SW10	BPP19	MBKW63	0801	Aqueous	Surface water sample collected from the SBC, 50 feet prior to the confluence of the SBC with the Arthur Kill.
SED1	BPP20	MBKW64	1342	Sediment	Sediment sample located 22 feet at a bearing of 224° from sample SW1.
SED3	BPP22	MBKW66	1127	Sediment	Sediment sample collected from the same sample location as sample SW3.
SED4	BPP23	MBKW67	1148	Sediment	Sediment sample collected immediately downstream of sample SW4.
SED5 ⁽¹⁾	BPP24	MBKW68	1028	Sediment	Sediment sample collected from the same sample location as sample SW5.
SED6	BPP25	MBKW69	0852	Sediment	Sediment sample collected from the same sample location as sample SW6.
SED7 ⁽²⁾	BPP26	MBKW70	0852	Sediment	Duplicate sediment sample collected from the same sample location as sample SW7.

- (1) Sample location designated for the collection of MS/MSD or MS/MD sample.
- (2) Sample location designated for the collection of field duplicate sample.


Ref. No. 7, P. 4 of 16

TABLE 1 SAMPLE DESCRIPTIONS LCP CHEMICAL LINDEN, UNION COUNTY, NEW JERSEY **JANUARY 11, 1995**

					·
Sample Number	CLP Organic Sample Number	CLP Inorganic Sample Number	Collection Time	Sample Type	Sample Location
SED9	BPP28	MBKW72	0826	Sediment	Sediment sample collected from the same sample location as sample SW9.
SED10	BPP29	мвкw73	0805	Sediment	Sediment sample collected from the same sample location as sample SW10.
SL1	BPP30	MBKW74	1455	Soil	Background surface soil sample located 268 feet at a bearing of 224° to the site's access road and the site guard shack. Sample Depth: 0 - 6 inches.
SL2	BPP35	MBKW78	1427	Soil	Surface soil sample located 30 feet northeast of site monitoring well P-2. Sample Depth: 0 - 6 inches.
SL3	BPP36	MBKW79	1404	Soil	Surface soil sample located 12 feet northeast of site monitoring well P-1A. Sample Depth: 0 - 6 inches.
RIN1	BPP31	MBKW75	0745	Aqueous	Rinsate sample of a trowel associated with BNAE and Pesticide/PCB fractions of SW1, SW2, SW3, SW5, SW6, SW7, and SW8; as well as all soil and sediment samples collected.
RIN2	BPP32	MBKW76	0800	Aqueous	Rinsate sample of a bowl and associated with all soil and sediment samples collected.
TBLK1	BPP34	NA	0730	Aqueous	Trip blank associated with all aqueous samples collected.

- (1) Sample location designated for the collection of MS/MSD or MS/MD sample.
- (2) Sample location designated for the collection of field duplicate sample.
- (3) NA = Not Applicable

Ref. No. 7, p. 5 of 16



RCRA FACILITY INVESTIGATION

LCP CHEMICALS-NEW JERSEY, INC. A DIVISION OF HANLIN GROUP, INC.

JINDEN, NEW JERSEY

engii

consulting

associates

PROJECT
RCRA FACILITY INVESTIGATION

LCP CHEMICALS—NEW JERSEY NO. A DIVISION OF HANLIN GROUP, 'INC. LINDEN, NEW JERSEY

TITLE

FIGURE 2: SAMPLE LOCATION MAP

Note: Sample locations are not located to scale.

Map based upon a RCRA Facility Investigation
prepared by Eder Associates Consulting Engineers. P.C.



eder associates consulting engineers, p.c.

LOCUST VALLEY, NEW YORK . MADISON, WISCONSIN ANN ARBOR, MICHIGAN . AUGUSTA, GEORGIA

DRAWN BY MSA	SCALE 1" = 100'-0"
DESIGNED BY KJP	PROJECT No. 625-3
APPROVED BY SJO	DWG. No.
DATE	

JANUARY, 1992

625-38 012492 101765

REFERENCE NO. 8

Declined

101767

1

SEPA Contract Lab	States Environmental Protection Agency poratory Program Sample Management Office PO Box 818 Alexandria, VA 22313 703-557-2490 FTS 557-2490	Inorganic Traffic & Chain of Custody (For Inorganic CLP Ana	Record ""*"	No. Case No. 23123
Regional Information	2. Region No. Sampling Co. MPI Sampler (Name)	Airbii Number 393427423	EX	Preser- vative (Enter in column D) HCl
Non-Superfund Program Sije Name Chamical Giy, State Site Spill ID LMCun, W ZZ	3. Type of Activity Remedial Removal Lead Pre RIFS CLEM SF Remedial RD REMA PRP PRP RA RA RA REM DIL	5. Ship To That ATTN: D. Dunla	ytical 5.	1. Surface Water 2. Ground Water 3. Leachate 4. Rinsate 5. Soil/Sediment 6. Oil (High only) 7. Waste (High only) 8. Other (Specify) 8. Other (Specify)
CLP Sample Numbers (from labels) CLP Sample Enter Conc. Low Type: Comp./ Grab	vative only Track	F Gonal Specific Station Location Number Wumbers	H I Sampler Sample Collection	J Corresp. CLP Org. Samp. No. B = Blank S = Splke D = Duplicate PE = Perform. Eval Not a QC Sample
mexical 5 L G	6 X 05	399 SEDI	11195 1342 5	BPPad
1 65	7 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	333 SEDO		12/
100	X		1127 8	
67		341 SED4	1148 B	1 03
68	╎┈╎┈┈╎╱╎┈╎┈╎┈╎┈╎┈╎┈╎┈┈╎┈┈╎┈ ╌	5345 SED5	1060	OS FD
169		349 SED6	H ANGER	
70		5353 SED7	003713	I ag i b
	 - - - - - - - - - - - - 	357 SEDS	1001 13	20
13111			086 3	1 28
Shipment for Case Page 1 of	Sample used for a spike and/or dupl	5365 SED 10 licate Additional Sampler S	Signatures Cha	in of Custody Seal Number
complete? (Y/N)	MBKW68	realisma oumpion	3,10,0,0	
		CHAIN OF CUSTODY RECORD		
Relingalished by: (Signature)	Date / Time Received by: (Signal FCC E.	Relinquished by:	(Signature) Date /	Time Received by: (Signature)
Relinquished by: (Signature)	Date / Time Received by: (Signal	ature) Relinquished by:	(Signature) Date /	Time Received by: (Signature)
Relinquished by: (Signature)	Date / Time Received for Labora (Signature)	atory by: Date / Time	Remarks Is custody s	eal Intact? Y/N/none
EPA Form 9110-1 (Rev. 5-91) Replaces 5	EPA Form (2075-6), previous edition which ma	ay be used Split Samples	Accepted (Signature)	
DISTRIBITION:		1 -г	T Declined	

\$ E	PA	7 00	United ritract Lab	States En poratory P O Box 81 703-557	rogram 8 Alex -2490	ental I Sam andria FTS	Protection Protection	on Agen agen 313	ency ent O	™ ^{ce} & Cha	ganic Traffic In of Custody For Inorganic CLP Ana	v Record	SAS No. (if applicable)	Case Np. 123
1. Project Code Account Code 2. Region No. Regional Information Sampler (Name).							San +	Sampling Co. Alroil Number 3934274234				6. Preservative (Enter in Column D) 1. HCl 2. HNO3	1. Surface Water	
Non-Superfun	d Progr	am		Sample	76	=		<u>-</u>		5. Ship To			3. NaOH 4. H ₂ SO ₄ 5. K ₂ CR ₂ O	2. Ground Water 3. Leachate 4. Rinsate 5. Soil/Sediment
	her			3. T SF PRI	9(F	Pro- lemedi A	RIFS PD RA	F	CLE REM REM	IA '	1 Hnalu	stical	6. Ice only 7. Other (Specify) N. Not	6. Oil (High only)
,	TV		Spill ID	ST		SIZ	O&M NPL	E	OIL UST	ATTN:		Pap	preserved	d (Specify)
CLP Sample Numbers (from labels)	A Enter # from Box 7	B Conc. Low Med High	C Sample Type: Comp./ Grab	D Preser- vative from Box 6	Metals	F	AS Ans	H	gh wy	Regional Specific Tracking Number or Tag Numbers	G Station Location Number	H Mo/Day/ Year/Time Sample Collection	campler Corresp Initials CLP Or Samp. N	g. for Designated Field QC
MBKW74	5 7	<u></u>	G	6	X _	\prod				05313	SLL	11195 1455	\$ bPP3	
75	7	+	- -	2	 	H	- 			05313	RIN 2	111195 0745	1 3	
1 77	4	1	V	2	X					\$5335	RIN 3	111113	f 1,5	
MBKW78	5	1	1	ब्रे	9	П				05373	SLZ	1927	B B 1 3 3	5
1 79	4	4	14	9	g	-				05377	513	V 1404	K 13	6
			 	 	╁	H								
				 	\vdash	$\dagger \dagger$	— ÷							
Shipment for Complete? (Y/	Case	Page	1.05	_ Se	mple	used	for a s	pike	and/	or duplicate	Additional Sampler S	Signatures	Chain of Custo	ody Seal Number
				. 0.	- 75d -		15.				CUSTODY RECORD		A	5
Relinquished t	by: (Sig	nature	$\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $	11/2		N.	Hex	7	\sim l	(Signature)	Relinquished by	: (Signature)	Date / Time	Received by: (Signature)
Relinquished t	by: (Sig	nature)	Dai	e / Tin	ne d	Rec	eive	d by:	(Signature)	Relinquished by	: (Signature)	Date / Time	Received by: (Signature)
Relinquished I	by: (Sig	nature	"	Dat	e / Tin	ne		eive gnatu		Laboratory by:	Date / Time	Remarks Is cu	stody seal intact?	Y/N/none
EPA Form \$110 DISTRIBUTION:	• •	5-91) R	eplaces i	EPA For	n (2075	i-6), p	reviou	e edit	lon w	hich may be used	Split Samples	Accepted (Signal Declined	nture)	

101769

EPA Contract Laborate PO Bc 703	es Environmental Protection Agency ory Program Sample Management Of ox 818 Alexandria, VA 22313 -557-2490 FTS 557-2490	ffice & Chain	nic Traffic Rep of Custody R r Organic CLP Analysis	lecord	SAS No. (if applicable)	Case No. 23/23
1. Project Code Account Code Regional Information Non-Superfund Program	2. Region No. Sampling Co. P I Sampler (Name) Sampler Signature	4. Pate Shippe Link Shipper Airbill Number 3931 5. Ship To	Hede	7	6. Prese vative (Enter Column 1. HCI 2. HNO3	Description (Enter in Column A) 1. Surface Water
Site Name LCP Chemical City, State Lindin NJ 22	SF Remedial RD RE	\supset	New Eng S. Rhoo	land	3. NaHS 4. H2SO 5. Other (Spec 6. Ice of N. Not	3. Leachate 4. Rinsate 5. Soil/Sediment 6. Oil (High only) 7. Waste (High only) 8. Other
labels)	ser RAS Analysis	F Regional Specific Tracking Number or Tag Numbers	G Station Location Number	H Mo/Day/ Year/Time Sample Collection	Initials CLF	J Presp. Inorg. Inorg. Inp. No. B = Blank S = Spike D = Duplicate PE = Perform. Evel Not a QC Sample
BPP20 5 L (- (, X	05326-27	SED !	11/95 1342	18 ms	kw64
1.21	XXX	053a8	3000	-\\-\-\-\-\-\-\-\-\-\-\-\-\-\-\-\-\-	3	<u></u>
	TXX	05332			3	
ત્રેહે	X	05334-35	SE73	1127	8	66
	XX	05336	4	1 1	1	
1 23		05338-39	SED4	1148	1-2	67
		05340	SED5	1025	1	4/1 <-
1 29 1	X	05342-43	Seps	1028	1-8-1-V	
Shipment for Case complete? (V/N)	Sample used for a spike and/o		Iditional Sampler Signa	atures	Chain of Cus	tody Seal Number
7		CHAIN OF CU	STODY RECORD			
	Date / Time Received by:	(Signature)	Relinquished by: (S	ignatur e)	Date / Time	Received by: (Signature)
Relinquished by: (Signature)	Date / Time Received by:	(Signature)	Relinquished by: (S	ignature)	Date / Time	Received by: (Signature)
Relinquished by: (Signature)	Date / Time Received for (Signature)	Laboratory by:	Date / Time	Remarks Is cus	stody seal intact	1? Y/N/none
EPA Form 9110-2 (Rev. 5-91) Replaces EPA F DISTRIBUTION:	form (2075-7), previous edition wh	•		ccepted (Signal	ture)	·

101770

Elizaron and the state of the s

PS.	
20.7	
TO.	
of I	
T	

United States Contract Laborator PO Bon 703-9	ry Program Sample Management Office & Chain	nic Traffic Report of Custody Record Organic CLP Analysis)	SAS No. (if applicable)	Case No. 3
Project Cpde Account Code 8003 43/ Regional Information	2. Region No. Sampling Co. Sampler (Name) . Airdill Number	+edEX	6. Preser- vative (Enter in	7. Sample Description (Enter
	1 V. Smith 3931	1274245	<i>Column D)</i> 1. HCl	In Column A) 1. Surface Water
Non-Superfund Program	Sampler Signature 5. Ship To		2. HNO3 3. NaHSO4 4. H ₂ SO ₄ 5. Other	2. Ground Water 3. Leachate 4. Rinsate
LP Chemical	3. Type of Activity Remedial Removal Lead Pre- RIFS CLEM SF Remedial RD REMA PRP PA RA REM	New England Rhode	5. Other (Specify) 6. Ice only N. Not	5. Soil/Sediment 6. Oil (High only) 7. Waste (High only) 8. Other
indin NJ Site Spill ID		Rhode	preserved	(Specify)
CLP Sample Pres Vative From Med Comp./ from	ve	G H Station Mo/Day/ Location Year/Time Number Sample	Sampler Corresp. Initials CLP Inorg. Samp. No.	K Enter Appropriate Qualifier for Designated Field QC B = Blank S = Spike
labels) Box 7 High Grab Box	VOA BNA Pest/ PCB ARO/ TOX	Collection		D = Duplicate PE = Perform, Evel = Not a OC Sample
1725 5 L G G		5EP6 11/150852	# WOKN RE	FD
36 1111	X X 05349 X 06350-51	SEDT D852	3 70	FD
	×× 05352		3	
3111	X X X X X X X X X X X X X X X X X X X	SEDX		
138 1-1-1-1-1	X 05358-59	SED9 0826.	RID	
	X X 05360	+ +	BOLLY	
29	× 05362-63 ×× 05364	SED 10 0805	173	<u> </u>
		ditional Sampler Signatures	Chain of Custody Sea	al Number
		STODY RECORD		
Relinquished by: (Signature)	Pate / Time Received by: (Signature) Fed E X	Relinquished by: (Signature)	Date / Time Receive	ed by: (Signature)
	Date / Time Received by: (Signature)	Relinquished by: (Signature)	Date / Time Receive	ed by: (Signature)
Relinquished by: (Signature)	Date / Time Received for Laboratory by: (Signature)	Date / Time Remarks Is cus	stody seal intact? Y/N/n	one
PA Form 9110-2 (Rev. 5-91) Replaces EPA Fo	orm (2075-7), previous edition which may be used	Split Samples Accepted (Signal	rure)	

*EP/	United S Contract Lab	tates Environa ratory Prograi D Box 818 Ale 703-557-2490	nental Pro n Sample xandria, V FTS 557	tection Age Managem A 22313 7-2490	ency nent Offi	Org & Cha	anic T in of C (For Organi	raffic Re ustody I c CLP Analysi	port Record	SAS No (if applica		Cerso No. 123
1. Project Code ODS S Regional Information Non-Superfund Prog Site Name City, State	m (()	Sample Sample 3. Type SF PRP ST FED	PA SSI	ty Remains of RIFS of	P.T.	Airbill Num 5. Ship To Ramoval MA MA MA ATTN:	ber 342	7424	X 15 ngland	1, 2	Preservative (Enter in Column D) HCI HN03 NaHSO4 H2SO4 Other (Specify) Ice only Not preserved	7. Sample Description (Enter in Column A) 1. Surface Water 2. Ground Water 3. Leachate 4. Rinsate 5. Soil/Sediment 6. Oil (High only) 7. Waste (High only) 8. Other (Specify)
CLP Sample Numbers (from labels) A Enter	Low Type: Med Comp./	Preser vative from Box 6	RAS A	Pest/	High only ARO/ TOX	F Regional Specific Tracking Number or Tag Numbers	- (L	G Station ocation lumber	H Mo/Day/ Year/Time Sample Collection	Sample Initials		
BPP35 5 J J U U	L (r		8	9 9		05370-1 05371 05374-5 05376	SI	-d -3 -	14/2	7 × 1 × 1 × 1 × 1	motion 1	}
Shipment for Case complete? (Y/N)	Page 1 of _£	Sample	used for	a spike	and/or	duplicate	Additional	Sampler Sign	natures	Chain	of Custody S	eal Number
<i>}</i>		_ <u></u>			 -	CHAIN OF	CUSTODY	RECORD				
Relinquished by: (S		Parenti	26	Fe	di	(Signature)		ulshed by: (3	,	Date / To		ved by: (Signature)
Relinquished by: (S Relinquished by: (S EPA Form 91)0-2 (Rev.	ignature)	Date / Ti	me	Receive (Signatu	d for L	(Signature) aboratory by: ch may be used	D	ate / Time	Remarks Is o	Date / Ti	me Recei	
DISTRIBUTION:									Declined			


R.	
No.7	
P.E.	
るる	

703-5	Environmental Protection Agency y Program Sample Management Office 818 Alexandria, VA 22313 57-2490 FTS 557-2490	Organic Traffic Re & Chain of Custody (For Organic CLP Analys	Record	SAS No. (if applicable)	Case No.
Project Code Account Code OD3-13 Gional Information	2. Region No. Sampling Co. Sampler (Name)	Althill Number 27424	5 5	6. Preservative (Enter in Column D)	7. Sample Description (Enter in Column A)
	3. Type of Activity Remedial Remo Lead Pre-RIFS CLEM SF Remedial RD REMA PRP PA RA REM ST SST O&M OIL	5. Ship To		1. HCI 2. HNO3 3. NaHSO4 4. H ₂ SO4 5. Other (Specify) 6. Ice only N. Not preserved	1. Surface Water 2. Ground Water 3. Leachate 4. Rinsate 5. Soil/Sediment 6. Oil (High only) 7. Waste (High only) 8. Other (Specify)
CLP A Enter Low Type: (from abels) A B C Sample Low Type: vative Grab Box 7	E RAS Analysis Reg	F G ional Specific Station king Number Location Fag Numbers Number	Н	Sampler Corresp. Initials CLP Inorg. Samp. No.	K Enter Appropriate Qualifie for Designated Field QC B = Blank S = Spike D = Duplicate PE = Perform, Eval = Not a QC Sample
P30 5 1- 6 6	XX OS	366-67 521 368-67 521 309-10 RINI	11195 076	X MBKWI	41
32	X X 05.	311-12 J 314-15 RIND 316-17 J	1111/2 1/200	76	B
33	X 05	319-20 RINS 321-27 - 1	d log #22		-B
pment for Case Page 1 of ppiete? (Y/N)	Sample used for a spike and/or dupl	icate Additional Sampler Sig	11195 <i>0</i> 730	Chain of Custody Se	al Number
		CHAIN OF CUSTODY RECORD	·		
Induished by: (Signature)	Received by: (Sign	Relinquished by: (Signature) D	Date / Time Receiv	ed by: (Signature)
inquished by: (Signature)	Paceived by: (Sign				ed by: (Signature)
Inquished by: (Signature)	Pate / Time Received for Labora (Signature)	tory by: Date / Time	Remarks Is cust	ody seal intact? Y/N/r	none

SEPA Contract La	States Environmental Protection Agency boratory Program Sample Management Office PO Box 818 Alexandria, VA 22313 703-557-2490 FTS 557-2490	Organic Traffic Re & Chain of Custody I (For Organic CLP Analysis	Record ""°	S No. applicable)	Case No. 23123
Regional Information Non-Superfund Program Site Name Chamacan Site Name	Sa)ppter (Name) Ai	Data Shipped Carrier The Technical Number 393427424 Ship To Pace New ATTN: Shock	Ex 15	6. Preservative (Enter in Column D) 1. HCl 2. HNO3 3. NaHSO4 4. H2SO4 5. Other (Specify) 6. Ice only	7. Sample Description (Enter In Column A) 1. Surface Water 2. Ground Water 3. Leachate 4. Rinsate 5. Soil/Sediment 6. Oil (High only) 7. Waste (High only)
CLP A B C Conc. Sample	D E Preser RAS Analysis Regional	F G Il Specific Station	H Mo/Day/ Sa	N. Not preserved	8. Other (Specify) K Enter Appropriate Qualifier
Numbers (from labels)	vative from Box 6 VOA BNA Pest/ ARO/ PCB TOX	Number Location Numbers Number	Year/Time In Sample Collection	itials CLP Inorg. Samp. No.	for Designated Field QC B = Blank S = Spike D = Duplicate PE = Perform, Eval = Not a QC Sample
BPP 10 1 L G	1 X 05255		1/11/95 1330 1	D MOKLUEH	
12	6 X X 0525 1 X 0526	758 Ju 0.61 SW3	1118	5/2	
13 11	ستنصف والمساب والمساب والمساب والمسابع والمسابق والمساور	2-63 V 5-66 SWY	1127	5 57	
14	6 × × 06270	-81 J	0959	58	<u>S</u>
Shipment for Case complete? (Y/N) Sample used for a spike and/or duplicate Additional Sampler Signatures Chain of Custody Seal Number CHAIN OF CUSTODY RECORD					
Relinquished by: (Signature)	Date / Time Received by: (Signature	Relinquished by: (S			d by: (Signature)
Relinquished by: (Signature)	Date / Time Received by: (Signature				d by: <i>(Signature)</i>
Relinquished by: (Signature)	Date / Time Received for Laboratory (Signature)		Remarks is custody		one
EPA Form 9110-2 (Rev. 5-91) Replaces E	EPA Form (2075-7), previous edition which may be	used	Accepted (Signature)	,	

Ref. No. 7, p. 15 of 16

Relinquished by: (Signature) Date / Time Received by: (Signature) Rece	PO Bo	es Environmental Protection Agency ory Program Sample Management O ox 818 Alexandria, VA 22313 -557-2490 FTS 557-2490	Mice & Chain	nic Traffic Rep of Custody R r Organic CLP Analysis)	ecord	SAS No. (if applicable)	Case No. 23/23
Site Name Site Spirit Spir	8003431 Regional Information	Sampler (Name).	Airbill Number 3934	1 Fedt	X 5	vative (Enter in Column D	Description (Enter) in Column A) 1. Surface Water
Sample Numbers (Conc. Sample Preser FAS Analysis Ragional Specific rome Introduced professor Introduced professor International Presert Introduced professor Introduced p	Site Name Chemical City, State Site Spill ID	3. Type of Activity Remedial Lead Pre- RIFS C SF Remedial RD C PRP PA RA RA ST SSI O&M O FED LSI NPLD U	Removal LEM PAUL ST ATTN:	New E S. Rhod	ndand	2. HNO3 3. NaHSO4 4. H2SO4 5. Other (Specify 6. Ice only N. Not preserve	3. Leachate 4. Rinsate 5. Soil/Sediment 6. Oil (High only) 7. Waste (High only) 8. Other
C	Sample Numbers (from labels) Enter Conc. Sample Type: Vat Med Comp./ In Box 7 High Grab Bo	ser RAS Analysis tive High only x 6 VOA BNA Pest/ARO/	Tracking Number or Tag Numbers	Station Location Number	Mo/Day/ Year/Time Sample	Sampler Corre	esp. Enter Appropriate Qualifier for Designated Field OC B = Blank S = Spike O = Duplicate PE = Perform. Eval. — = Not a OC Sample
Shipment for Case. Page 1 of Sample used for a spike and/or duplicate Additional Sampler Signatures Chain of Custody Seal Number complete? (Y/N) Shipment for Case. Page 1 of Sample used for a spike and/or duplicate Additional Sampler Signatures Chain of Custody Seal Number Ch			05286-87 05289-90 05291-92 05294-95 05296- 93 06299-308	Sw7 Sw8 Jarent	0846	\R \ \ \R \ \ \R \ \ \R \ \ \R \ \R \	\$\frac{1}{60} \overline{FD}\$
Relinquished by: (Signature) Date / Time Received by: (Signature) Relinquished by: (Signature) Date / Time Received by: (Signature) Relinquished by: (Signature) Date / Time Received by: (Signature) Relinquished by: (Signature) Date / Time Received by: (Signature) Relinquished by: (Signature) Date / Time Received by: (Signature) Relinquished by: (Signature) Date / Time Received by: (Signature) Date / Time Received for Laboratory by: Date / Time Remarks Is custody seal intact? Y/N/none Snit Samples December (Signature) Snit Samples December (Signature) Date / Signature) Snit Samples December (Signature) Date / Signature) Date / Signature December (Signature) Date / Signature December De	19 1	0 X X	05304-05	4		R (63
(Signature) Split Samples	Complete? (Y/N) (vt. RFP only bottle sent to BNAF's CHAIN OF CUSTODY RECORD Me botte in the Life of BNAF's CHAIN OF CUST						
PIGET PIGET	PA Form 9110-2 (Rev. 5-91) Replaces EPA F	(Signature)	· · · · · · · · · · · · · · · · · · ·				Y/N/none



THIS MAP IS LOCATED AT THE FOLLOWING LOCATION:

—U.S. EPA, REGION 2, SUPERFUND RECORDS CENTER,

290 BROADWAY, 18TH FLOOR, NEW YORK, NY 10007